



Indoor Environment Department



Publications 1995-2010

Introduction

This document provides a bibliography of documents authored or co-authored after January 1, 1995 by staff of the Indoor Environment Department at Lawrence Berkeley National Laboratory. The bibliography also provides many links to downloadable files containing reports or pre-publication versions of published documents.

You have two options for using this bibliography:

- (1) *Searching manually for citations of interest.* From the table of contents, below, click on any category to jump to the associated section of the bibliography. Then use the scroll bar or the page-up and page-down keys to look for a document of interest. If the report number is highlighted, you can click on the report number to download a full-text PDF file from the IED web site.
- (2) *Using key words or author names.* Click on the search button (binocular icon) of Adobe Acrobat Reader. In the dialog box, enter any word, phrase, or author name, then click the search button. The search results pane will provide links to every location in the bibliography with matching text. Note that the publication list typically gives authors' last names only.

The publication list works best with Adobe Acrobat Reader. On Macintosh, the Preview application does not follow the hyperlinks embedded in this document. To open with Acrobat Reader on Macintosh, either control-click the file and choose Acrobat from the "Open With" menu, or select the file, choose "Get Info" from the Finder's "File" menu, and change the opening application in the dialog box.

Several individuals contributed to the development of this bibliography. We thank Brian Smith, David Lorenzetti, and Sondra Jarvis for their important technical contributions. Olivia Salazar deserves our special thanks for her many hours of work assembling, updating, correcting, and entering the text.

Table of Contents

- 1 Aerosols, Indoor and Outdoor
- 2 Commercial Building and Classroom Energy and Environmental Quality
 - 2.1 Energy Retrofits and Diagnostics
 - 2.2 Health and Productivity Effects
 - 2.3 Indoor Environmental Quality
 - 2.4 Thermal Distribution Systems (Ducts)
 - 2.5 Ventilation and Air Cleaning
 - 2.6 Volatile Organic Compounds
- 3 Residential Building Energy and Environmental Quality
 - 3.1 Energy Retrofits and Diagnostics
 - 3.2 Indoor Environmental Quality
 - 3.3 Infiltration, Ventilation and Air Cleaning
 - 3.4 Radon
 - 3.5 Thermal Distribution (Ducts)
 - 3.6 Volatile Organic Compounds
- 4 Indoor Airflow and Pollutant Transport
- 5 Countermeasures to Chemical and Biological Threats
- 6 Developing Country Energy and Environmental Issues
 - 6.1 Water Treatment
 - 6.2 Other
- 7 Environmental Tobacco Smoke
- 8 Exposure and Risk Assessment
 - 8.1 Exposure and Health Effects
 - 8.2 Pollutant Fate and Transport Modeling
- 9 Other

1. Aerosols, Indoor and Outdoor

Ruzer, L.S.; Apte, M.G. "Radon Progeny as a potential experimental tool for dosimetry of nanoaerosols." Submitted to Inhalation Toxicology. 2008. LBNL-59256.

Huang, Z.; Apte, M.G.; Gundel, L.A. "Thermophoresis and its thermal parameters for aerosol collection." Department of Energy Journal of Undergraduate Research, Volume 7, Pages 37-42. 2008.

Coleman, B.K.; Lunden, M.M.; Destailats, H.; Nazaroff, W.W. "Secondary organic aerosol from ozone-initiated reactions with terpene-rich household products." Atmospheric Environment, Volume 42, Pages 82348245. 2008. LBNL-750E .

Coleman, B.K.; Destailats, H.; Hodgson, A.T.; Nazaroff, W.W. "Ozone consumption and byproduct formation from surface reaction with common materials in aircraft passenger cabins." Atmospheric Environment, Volume 42, Pages 642-654. 2008. LBNL-63240 .

Bhangar, S.; Cowlin, S.; Singer, B.C.; Sextro, R.G.; Nazaroff, W.W. "Ozone levels in passenger cabins of commercial aircraft on North American and transoceanic routes." Environmental Science and Technology, Volume 42, Pages 3938-43. 2008.

Weschler, C.J.; Wisthaler, A.; Cowlin, S.; Tamas, G.; Strom-Tejsen, P.; Hodgson, A.T.; Destailats, H.; Herrington, J.; Zhang, J.; Nazaroff, W.W. "Ozone-initiated chemistry in an occupied simulated aircraft cabin." Environmental Science and Technology, Volume 41, Pages 6177-6184. 2007. LBNL-63241 .

Sohn, M.D.; Apte, M.G.; Sextro, R.; Lai, A.C.K. "Predicting Size-Resolved Particle Behavior in Multizone Buildings." Atmospheric Environment, Volume 41, Pages 1473 -1482. 2007. LBNL-60227 .

Jakober, C.A.; Riddle, S.G.; Robert, M.A.; Destailats, H.; Charles, M.J.; Green, P.G.; Kleeman, M.J. "Quinone emissions from gasoline and diesel motor vehicles." Environmental Science and Technology, Volume 41, Pages 4548-4554. 2007. LBNL-63229 .

Huang, Z.; Apte, M.G.; Gundel, L.A. "Thermophoresis and its thermal parameters for aerosol collection." U.S. Department of Energy Journal of Undergraduate Research, Volume 7, Pages 37-42. 2007. LBNL-1274E.

Pang, Y.; Turpin, B.J.; Gundel, L.A. "On The Importance of Organic Oxygen for Understanding Organic Aerosol Particles." Journal of Aerosol Science and Technology, Volume 40, Pages 128-133. 2006. LBNL-57273 .

Sippola, M.R.; Nazaroff, W.W. "Particle Deposition in Ventilation Ducts: Connectors, Bends and Developing Flow." Aerosol Science and Technology, Volume 39, Pages 139-150. 2005. LBNL-54843 .

Price, P. N.; Ruzer, L.S.; Hurley, N.H. "Assessing uncertainties in the relationship between inhaled particle concentration, internal deposition and health effects, Chapter 9." Aerosols Handbook: Measurement, Dosimetry and Health Effects, Pages 157-188, CRC Press, Boca Raton, FL. 2005. LBNL-53480 .

Thatcher, Tracy L.; Lunden, Melissa M.; Revzan, Kenneth L.; Sextro, Richard G.; Brown, Nancy J. "A concentration rebound method for measuring particle penetration and deposition in the indoor environment." Aerosol Science & Technology, Volume 37, Pages 847-864. 2003. LBNL-51631 .

Sippola, Mark R.; Nazaroff, William W. "Particle Deposition from Turbulent Flow: Review of Published Research and Its applicability to Ventilation Ducts in Commercial Buildings." 2003. LBNL-51432 .

Sippola, M.R.; Nazaroff, W.W. "Modeling particle loss in ventilation ducts." Atmospheric Environment, Volume 37, Pages 5597-5610. 2003. LBNL-52449 .

Sippola, M.R.; Nazaroff, W.W. "Experiments Measuring Particle Deposition from Fully Developed Turbulent Flow in Ventilation Ducts." Aerosol Science and Technology, Volume 38, Pages 914-925. 2003. LBNL-53585 .

Sippola, Mark R. "Particle Deposition in Ventilation Ducts." 2003. LBNL-52189 .

Shendell, D.G.; Prill, R.; Fisk, W.J.; Apte, M.G.; Blake, D.; Faulkner, D. "Associations between classroom CO₂ concentrations and student attendance." 2003. LBNL-53586 .

Lunden, M.M.; Thatcher, T.L.; Hering, S.V.; Brown, N.J. "Use of time- and chemically resolved particulate data to characterize the infiltration of outdoor PM_{2.5} into a residence in the San Joaquin Valley." *Environmental Science and Technology*, Volume 37, Pages 4724-4732. 2003. LBNL-52221 .

Lunden, M.M.; Revzan, K. L.; Fisher, M.L.; Thatcher, T.L.; Littlejohn, D.; Hering, S.V.; Brown, N.J. "The Transformation of Outdoor Ammonium Nitrate Aerosols in the Indoor Environment." *Atmospheric Environment*, Volume 37, Pages 5633-5644. 2003. LBNL-52795 .

Fisk, W.J.; Faulkner, D.; Palonen, J.; Seppänen, O. "Performance and Costs of Particle Air Filtration in HVAC Supply Airstreams." *HPAC Engineering*, Volume 75, Pages 24-36. 2003. LBNL-53212 .

Thatcher, T.L.; Lunden, M.M.; Sextro, R.G.; Hering, S.; Brown, N.J. "The effect of penetration factor, deposition, and environmental factors on the indoor concentration of pm_{2.5} sulfate, nitrate, and carbon." *Proceedings of the Indoor Air 2002 Conference*, Monterey, CA, Volume 1, Pages 846-851, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-50160 .

Thatcher, T.L.; Lunden, M.; Revzan, K.; Sextro, R.G.; Brown, N. "Experimental investigation of the effect of changes in house environment on the indoor concentration of particles of outdoor origin within a residence." 2002. LBNL-51002.

Thatcher, T.L.; Lai, A.C.K.; Moreno-Jackson, R.; Sextro, R.G.; Nazaroff, W.W. "Effects of Room Furnishings and Air Speed on Particle Deposition Rates Indoors." *Atmospheric Environment*, Volume 36, Pages 1811-1819. 2002. LBNL-48414.

Sippola, M.R.; Nazaroff, W.W. "Modeling Particle Deposition In Ventilation Ducts." *Proceedings of the Indoor Air 2002 Conference*, Monterey, CA, Volume 1, Pages 515-520, Indoor Air 2002, Santa Cruz, CA. 2002.

Siegel, J.A.; Nazaroff, W.W. "Modeling Particle Deposition on HVAC Heat Exchangers." *Proceedings of the Indoor Air 2002 Conference*, Monterey, CA, Volume 1, Pages 521-526, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-49339 .

Riley, W.J.; T.E. McKone; A.C.K. Lai; W.W. Nazaroff. "Indoor particulate matter of outdoor origin: importance of size-dependent removal mechanisms." *Environmental Science & Technology*, Volume 36, Pages 200-207. 2002. LBNL-47437 .

Mora, L.; A.J. Gadgil. "Theoretical study of pollutant mixing in rooms induced by occupancy." *Proceedings of the Room Vent 2002 Conference*, Copenhagen, Denmark, Pages 257-260. 2002. LBNL-49730 .

Lunden, M.M.; Thatcher, T.L.; Littlejohn, D.; Fischer, M.L.; Hering, S.V.; Sextro, R.G.; Brown, N.J. "The Transformation Of Outdoor Ammonium Nitrate Aerosols In The Indoor Environment." *Proceedings of the Indoor Air 2002 Conference*, Monterey, CA, Volume 5, Pages 74-79, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-50158 .

Liu, D.L.; Nazaroff, W.W. "Particle Penetration Through Windows." *Proceedings of the Indoor Air 2002 Conference*, Monterey, CA, Volume 1, Pages 862-867, Indoor Air 2002, Santa Cruz, CA. 2002. No LBNL number.

Hering, S.V.; Lunden, M.M.; Kirchstetter, T.W.; Thatcher, T.L.; Revzan, K.L.; Sextro, R.G.; Brown, N.J.; Watson, J.; Chow, J. "Indoor, Outdoor And Regional Profiles Of Pm_{2.5} Sulfate, Nitrate And Carbon." *Proceedings of the Indoor Air 2002 Conference*, Monterey, CA, Volume 1, Pages 874-879, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-49980 .

Fisk, WJ; Faulkner, D; Palonen, J; Seppänen, O. "Performance and cost of particle air filtration technologies." *Indoor Air*, Volume 12, Pages 223-234. 2002. LBNL-47833.

- Fischer, M.L.; Lunden, M.M.; Thatcher, T.L.; Sextro, R.G.; Brown, N.J. "Predicting Indoor PM_{2.5} Of Outdoor Origin: Testing a transient size-resolved Model Using Intensive Measurements From A Residence." Proceedings of the Indoor Air 2002 Conference, Monterey, CA, Volume 1, Pages 152-157, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-49615.
- Fischer, M.L.; Lunden, M.M.; Thatcher, T.L.; Littlejohn, D.; Kirchstetter, T.W.; Hering, S.V.; Sextro, R.G.; Brown, N.J. "Building a predictive model of indoor concentrations of outdoor PM-2.5 for a residential research house in Clovis, California." 2002. LBNL-51001.
- Thatcher, T.L.; McKone, T. E.; Fisk, W. J.; Sohn, M.D.; Delp, W.W.; Riley, W.J.; Sextro, R. G. "Factors Affecting the Concentration of Outdoor Particles Indoors (COPI): Identification of Data Needs and Existing Data." 2001. LBNL-49321 .
- Siegel, J.A.; Walker, I.S. "Deposition of biological aerosols on HVAC heat exchangers." 2001. LBNL-47669 .
- Siegel, Jeffrey. "Fouling of HVAC fin and tube heat exchangers." 2001. LBNL-47668 .
- Lunden, M.M.; Thatcher, T.L.; Littlejohn, D.; Fischer, M.L.; Kirchstetter, T.W.; Brown, N.J.; Hering, S.; Stolzenburg, M. "Building a predictive model of indoor concentrations of outdoor PM-2.5 in homes." 2001. LBNL-48929.
- Lorenzetti, D.M. "Assessing Multizone Airflow Software." 2001. LBNL-47653 .
- Lewtas, J.; Booth, D.; Pang, Y.; Reimer, S.; Eatough, D.J.; Gundel, L A. "Comparison of sampling methods for semi-volatile organic carbon (SVOC)." Aerosol Science and Technology, Volume 34, Pages 9-22. 2001. LBNL-46199.
- Carrie, F.R.; Modera, M.P. "Experimental investigation of aerosol deposition on slot-and joint-type leaks." Journal of Aerosol Science, Volume 33, Pages 1447-1462. 2001. LBNL-48774 .
- Tsai, F.; Apte, M.G.; Daisey, J. "An Exploratory Analysis of the Relationship between Mortality and the Chemical Composition of Airborne Particulate Matter." Inhalation Toxicology, Volume 12, Pages 121-135. 2000. LBNL-43583 .
- Thatcher, T.L.; Lunden, M.M.; Fischer, M.L.; Fine, J.D.; Kirchstetter, T.W.; Hering, S.; Sextro, R.G.; Brown, N.J. "A Concentration Rebound Method For Measuring Particle Penetration Into A Residence, Section 12A1." Proceedings of the 19th Annual American Association for Aerosol Research, St. Louis, MO, The American Association for Aerosol Research, Cincinnati, OH. 2000.
- Thatcher, T.L.; Lai, A.C.K.; Moreno-Jackson, R.; Sextro, R.G.; Nazaroff, W.W. "Experimental Determination Of Size Resolved Particle Deposition Rates As A Function Of Room Furnishing And Room Air Velocity, Section 11PC." Proceedings of the 19th Annual American Association of Aerosol Research, St. Louis, MO, Pages 332, The American Association of Aerosol Research, Cincinnati, OH. 2000.
- Lunden, M.M.; Fischer, M.L.; Fine, J.D.; Thatcher, T.L.; Kirchstetter, T.W.; Hering, S.; Sextro, R.G.; Brown, N. J. "A Predictive Model Of Indoor Concentrations Of Outdoor Pm-2.5 In Homes." Proceedings of the 19th Annual American Association of Aerosol Research, St. Louis, MO, Volume Session 1A, Pages 5, The American Association for Aerosol Research, Cincinnati, OH. 2000.
- Litvak, A.; Gadgil, A.J.; Fisk, W.J. "Hygroscopic Fine Mode Particle Deposition on Electronic Circuits and Resulting Degradation of Circuit Performance: An Experimental Study." Indoor Air, Volume 10, Pages 47-56. 2000. LBNL-41315.
- Fisk, W.J.; Faulkner D.; Sullivan, D.; Mendell, M.J. "Particle concentrations and sizes with normal and high efficiency filtration in a sealed air-conditioned office building." Aerosol Science & Technology, Volume 32, Pages 527-544. 2000. LBNL-43835.
- Tsai, F.C.; Apte, M.G.; Daisey, J.M. "An Exploratory Analysis of the Relationship between Adverse Health Effects of Airborne Particles and Their Chemical Composition." Proceedings of the 3rd Colloquium on

Particulate Air Pollution and Human Health, 6-8 June 1999, Durham, NC, Air Pollution Health Effects Laboratory, University of California, Irvine, CA. 1999.

Thatcher, T.L.; Nazaroff, W.W.; Sextro, R.G. "Determining transfer factors for outdoor aerosol plumes entering buildings." Proceedings of the Indoor Air '99, Edinburgh, Scotland, Volume 5, Pages 331-334, Construction Research Communications, Ltd.. 1999. LBNL-43711.

Sohn, M.D.; A. Lai; B.V. Smith; R.G. Sextro; H.E. Feustel; W.W. Nazaroff. "Modeling aerosol behavior in multizone indoor environments." Proceedings of the Indoor Air '99, Edinburgh, Scotland, Volume 4, Pages 785-790, Construction Research Communications, Ltd., London. 1999. LBNL-42708.

Sippola, M.R.; Nazaroff, W.W.; Thatcher, T.L. "Particle deposition from turbulent duct flow." Proceedings of the Indoor Air '99, Edinburgh, Scotland, Volume 2, Pages 24-29, Construction Research Communications, Ltd., London. 1999. LBNL-42710.

Gundel, L.A.; Lane, D.A.; Lane, D.A. "Sorbent-coated diffusion denuders for direct measurement of gas/particle partitioning by semi-volatile organic compounds, in Advances in Environmental, Industrial and Process Control Technologies." Gas and Particle Partition Measurements of Atmospheric Organic Compounds, Volume 2, Pages 287-332, Newark, Gordon and Breach. 1999.

Fisk, W.J.; Sullivan, D.; Mendell, M. "Particle Concentrations in an Air-Conditioned Office Building with Normal and High Efficiency Filtration." Proceedings of the Indoor Air '99, Edinburgh, Scotland, Volume 4, Pages 19-24, Construction Research Communications, Ltd., London. 1999. LBNL-43174.

Feustel, H.E. "COMIS – An International Multizone Air-Flow and Contaminant Transport Model." Energy and Buildings, Volume 30, Pages 3-18. 1999. LBNL-42182.

Thatcher, T.L.; Nazaroff, W.W. "Effect of Small-Scale Obstructions and Surface Textures on Particle Deposition from Natural Convection Flow." Aerosol Science and Technology, Volume 27, Pages 709-725. 1997. LBNL-41568.

Ruzer, L.S.; Sextro, R.G. "Assessment of Very Low Aerosol Concentrations by Measuring the Unattached Fraction of 218Po." Radiation Protection Dosimetry, Volume 71, Pages 135-140. 1997.

Hering, S.; Gundel, L. A.; Daisey, J. M. "A microslot impactor for organic aerosol sampling." Aerosol Science, Volume 28, Pages 1283-1290. 1997. LBNL-40411.

Thatcher, T.L.; Fairchild, W.A.; Nazaroff, W.W. "Particle Deposition from Natural Convection Enclosure Flow Onto Smooth Surfaces." Aerosol Science & Technology, Volume 25, Pages 359-374. 1996.

Thatcher, T.L.; Layton, D.W. "Deposition, Resuspension, and Penetration of Particles within a Residence." Atmospheric Environment, Volume 29, Pages 1487-1497. 1995.

Layton, D.W.; Thatcher, T.L. "Movement of Outdoor Particles to the Indoor Environment: An Analysis of the Arnhem Lead Study." Proceedings of the Air and Waste Management Association Annual Meeting, San Antonio, TX, Air and Waste Management Association, Pittsburgh, PA. 1995.

2. Commercial Building and Classroom Energy and Environmental Quality

2.1. Energy Retrofits and Diagnostics

Jonathan Koomey; Hashem Akbari; Carl Blumstein; Marilyn Brown; Richard Brown; Chris Calwell; Sheryl Carter; Ralph Cavanagh; Audrey Chang; David Claridge; Paul Craig; Rick Diamond; Joseph H. Eto; William Fulkerson; Ashok Gadgil; Howard Geller; José Goldemberg; Chuck Goldman; David B. Goldstein; Steve Greenberg; David Hafemeister; Jeff Harris; Hal Harvey; Eric Heitz; Eric Hirst; Holmes Hummel; Dan Kammen; Henry Kelly; Skip Laitner; Mark Levine; Amory Lovins; Gil Masters; James E. McMahon; Alan Meier; Michael Messenger; John Millhone; Evan Mills; Steve Nadel; Bruce Nordman; Lynn Price; Joe Romm; Marc Ross; Michael Rufo; Jayant Sathaye; Lee Schipper; Stephen H. Schneider; James L. Sweeney; Malcolm Verdict; Diana Vorsatz; Devra Wang; Carl Weinberg; Richard Wilk; John Wilson; Ernst Worrell. "Defining a standard metric for electricity savings." *Environmental Research Letters*. 2009. LBNL-2213E.

Shehabi, A.; Ganguly, S.; Travel, K.; Price, H.; Horvath, A.; Nazaroff, W.W.; Gadgil, A.J. "Energy Implications of Economizer Use in California Data Centers." 2008. LBNL-948E.

Harris, J.; Diamond, R.C.; Iyer, M.; Payne, C.; Blumstein, C.; Siderius, H.P. "Towards a Sustainable Energy Balance: Progressive Efficiency and the Return of Energy Conservation." *Energy Efficiency*, Volume 1, Pages 175-188. 2008. LBNL-306E.

Diamond, R.C.; Payne, C. "Greening the U.S. House of Representatives." 2008. LBNL-322E.

Wray, C.P.; Akbari, H.A.; Levinson, R.M.; Xu, T.T. "Inclusion of Solar Reflectance and Thermal Emittance Prescriptive Requirements for Residential Roofs in Title 24." 2006. LBNL-60271.

Hotchi, T.; Hodgson, A.; Fisk, W. J. "Indoor Air Quality Impacts of a Peak Load Shedding Strategy for a Large Retail Building." 2006. LBNL-59293.

Diamond, R.; Opitz, M.; Hicks, T.; Vonneida, B.; Herrera, S. "Evaluating the energy performance of the first generation of LEED-certified commercial buildings." *ACEEE 2006 Summer Study*, Volume 3, Pages 245-257. 2006. LBNL-59853.

Wray, C.P.; Diamond, R.; Sherman, M. "Rationale For Measuring Duct Leakage Flows in Large Commercial Buildings." 26th AIVC International Conference, Pages pp. 83-88. 2005. LBNL-58252.

Moezzi, M.; Diamond, R. "Is Efficiency Enough? Towards a New Framework for Carbon Savings in the California Residential Sector." 2005. LBNL-58580.

Apte, M G.; Spears, M.; Lai, C.M.; Shendel, D.G. "Improving Indoor Environmental Quality and Energy Performance of Modular Classroom HVAC Systems." *Proceedings of Sustainable Buildings 2005 Conference*, Pages 1432-1437. 2005. LBNL-57277.

Apte, M G.; Faulkner, D.; Fisk, W.J.; Hodgson, A.T.; Hotchi, T.; Lai, C.M.; Spears, M.; Sullivan, D.P.; Wang, D. "Improving Relocatable Classroom HVAC For Improved IEQ And Energy Efficiency." *Indoor Air 2005 Conference - The 10th International Conference on Indoor Air Quality and Climate*, Volume 1(7), Pages 1121-1125, Tsinghua University Press. 2005. LBNL-57172.

Rainer, L.; Hoeschele, M.; Apte, M.G.; Shendell, D.G.; Fisk, W.J. "Energy savings estimates and cost benefit calculations for high performance relocatable classrooms." 2004. LBNL-54230.

Diamond, R.C.; Wray, C.P.; Smith, B.V.; Dickerhoff, D.J.; Matson, N.E.; Cox, S.A. "A prototype data archive for the PIER "thermal distribution systems in commercial buildings" project." 2004. LBNL-54191.

Diamond, R. "An R&D guide and multiyear plan for improving energy use in existing commercial buildings." 2004. LBNL-56173.

Fisk, W.J.; Price, P.N.; Faulkner, D.; Sullivan, D.P.; DiBartolomeo, D.L.; Federspiel, C.; Liu, G.; Lahiff, M. "Worker productivity and ventilation rate in a call center: Analyses of time-series data for a group of registered nurses." 2003. LBNL-53785 .

Diamond, Rick. 2003. "A lifestyle-based scenario for U.S. buildings: Implications for energy us." *Energy Policy*, Volume 31, Pages 1205-1211. 2003. LBNL-50969 .

Apte, M.G.; Hodgson, A.T.; Shendell, D.G.; Dibartolomeo, D.; Hotchi, T.; Lee, S.M.; Liff, S.M.; Rainer, L.I.; Sullivan, D.P.; Fisk, W.J.. "Simultaneous Energy Savings and IEQ Improvements in Relocatable Classrooms." 2003. LBNL-52690 .

Apte, M G.; Hodgson, A.; Shendel, D.G.; Dibartolomeo, D.; Hotchi, T.; Lee, S-M; Liff, S.; Rainer, L.; Sullivan, D; Fisk, W.J. "Simultaneous Improvements in Relocatable Classrooms." *ASHRAE IAQ Applications*, Pages 7-10. 2003. LBNL-54870 .

Diamond, R.C.; M. Moezzi. "Becoming allies: Combining social science and technological perspectives to improve energy research and policy making." *Proceedings of the ACEEE Summer Study on Energy Efficiency in Buildings*, Pacific Grove, CA, Volume 4, Pages 89-104, American Council for an Energy Efficient Economy, Washington, DC. 2002. LBNL-50704 .

Salsbury, T.I.; Diamond, R.C. "Fault Detection in HVAC Systems Using Model-Based Feedforward Control." *Energy & Buildings*, Volume 33, Pages 403-415. 2001. LBNL-45867.

Piette, M.A.; J.H. Eto; I.S. Walker; S. Selkowitz; C.P. Wray; B. Nordman; A. Meier; P. Haves; R. Diamond; J. Harris; M. Moezzi; C. Payne; J. Koomey. "Demand-Responsive and Efficient Building Systems as a Resource for Electricity Reliability." 2001. LBNL-47942.

Salsbury, T.I.; Diamond, R.C. "Implementation and testing of a fault detection software tool for improving control system performance in a large commercial building." *Proceedings of the ACEEE 2000 Summer Study on Energy Efficiency in Buildings*, Pacific Grove, CA, Volume 7, Pages 147-158, American Council for an Energy Efficient Economy, Washington, DC. 2000. LBNL-45863.

Diamond, R.C.; Spengler, J.D., Samet, J.M., McCarthy, J.F. "An Overview of the U.S. Building Sector." Chapter 6 in *Indoor Air Quality Handbook*, McGraw Hill, New York. 2000. LBNL-43640 .

Diamond, R.C.; Salsbury, T.; Bell, G.; Huang, Y.J.; Sezgen, O.; Mazzuchi, R.; Roberger, J. "Phillip Burton Federal Building: EMCS Retrofit Analysis." 1999. LBNL-43256.

Matson, N.E.; Sartor, D.A.; Diamond, R.C. "Model Procurement Documents." 1998. LBNL-42556 .

Warner, J.; Sartor, D.; Diamond, R. "Tenant Guidelines for Energy-Efficient Renovation of Buildings at the Presidio of San Francisco." 1997. PUB-798.

Diamond, R.C. "Multifamily ventilation." *Home Energy*, Volume 14. 1997.

Sartor, D. A.; Diamond, R. C.; Walker, A.; Giller, M.; Brown, K.; Crawley, A. S. "Designing an Environmental Showcase: The San Francisco Presidio." *Proceedings of the 1996 ACEEE Summer Study on Energy Efficiency in Buildings*, Pacific Grove, CA, Volume 5, Pages 209-218, American Council for an Energy Efficient Economy, Washington, DC. 1996.

Hammon, R.W.; Modera M.P. "Improving the Energy Efficiency of Air Distribution Systems in New California Homes." *Proceedings of the 1996 ACEEE Summer Study on Energy Efficiency in Buildings*, Pacific Grove, CA, Volume 2, Pages 85-95, American Council for an Energy Efficient Economy, Washington, DC. 1996. LBL-31636.

Diamond, R.C.; Remus, J.; Vincent, B. "User Satisfaction with Innovative Cooling Retrofits in Sacramento Public Housing." *Proceedings of the 1996 ACEEE Summer Study on Energy Efficiency in Buildings*, Pacific Grove, CA, Volume 8, Pages 21, American Council for an Energy Efficient Economy, Washington, DC. 1996.

DeCicco, J.; Diamond, R. C.; Nolden, S.; Wilson, T. "Improving Energy Efficiency in Apartment Buildings." 1996.

Busch, J.; Diamond, R. C. "Does the Feebate Approach to A/E Compensation Lead to an Energy-Efficient Building?." Proceedings of the 4th National Energy-Efficient New Construction Conference, Vancouver, BC, ADM Associates, Sacramento, CA. 1996.

Tzonis, A.; Lefavre, L.; Diamond, R. "Architecture in North America since 1960." 1995.

Piette, M. A.; Nordman, B.; Buen, O. D.; Diamond, R. C. "Findings from a Low-Energy, New Commercial-Buildings Research and Demonstration Project." Energy, Volume 20, Pages 471-482. 1995. LBL-36506.

Diamond, R.C.; Feustel, H.E.; Dickerhoff, D.J. "Energy and Ventilation Research in Highrise Apartments: The Chelsea Public Housing Study." Proceedings of the 15th AIVC Annual Conference, Palm Springs, CA, Air Infiltration and Ventilation Centre, Coventry, Great Britain. 1995.

Diamond, R.C. "An Overview of the Multifamily Sector." Home Energy, Volume 12, Pages 22-25. 1995.

2.2. Health and Productivity Effects

Mendell, M.J.; Lei-Gomez, Q.; Mirrer, A.; Seppanen, O.; Brunner, G. "Risk factors in heating, ventilating, and air-conditioning systems for occupant symptoms in U.S. office buildings: the U.S. EPA BASE study." Indoor Air, Volume 18, Pages 301-316. 2008. LBNL-61870.

Apte, M.G.; Buchanan, I.S.; Mendell, M. J. "Outdoor Ozone and Building Related Symptoms in the BASE Study." Indoor Air, Volume 18, Pages 156-170. 2008. LBNL-62419.

Seppanen, O.; Fisk, W.J.; Wargocki, P. "Indoor Environment, Productivity in Offices." ASHRAE IAQ Applications, Volume 8, Pages 1-15. 2007. LBNL-63005.

Mudarri, D.; Fisk, W.J. "Public health and economic impact of dampness and mold." Indoor Air, Volume 17, Pages 226-235. 2007. LBNL-63007.

Mendell, M. J.; Mirrer, A.; Lei-Gomez, Q. "Contaminants in Buildings and Occupied Spaces as Risk Factors for Occupant Symptoms in U.S. Office Buildings: Findings from the U.S. EPA BASE Study." 2007. LBNL-63370.

Mendell, M. "Indoor residential chemical emissions as risk factors for respiratory and allergic effects in children: A Review." Indoor Air, Volume 17, Pages 259-277. 2007. LBNL-61280.

Seppanen, O.; Fisk, W.J.; Lei-Gomez, Q. "Ventilation and Work Performance in office work." Indoor Air, Volume 16, Pages 28-36. 2006. LBNL-58516.

Seppanen, O.; Fisk, W. J.; Lei, Q. H. "Effect of temperature on task performance in office environment." 5th International Conference on Cold Climate Heating, Ventilating and Air Conditioning, Pages 53-16. 2006. LBNL-60946.

Seppanen, O.; Fisk, W.J.; Lei, Q. H. "Room temperature and productivity in office work." Healthy Buildings 2006 Conference, Volume 1, Pages 243-247. 2006. LBNL-60952.

Seppanen, O.; Fisk, W.J.; Derek Clements Croome. "A procedure to estimate the cost-effectiveness of the indoor environment improvements in office work." Creating the Productive Workplace, Pages 407-433, Taylor and Frances. 2006. LBNL-60951.

Seppanen, O.; Fisk, W.J. "Some quantitative relations between Indoor environmental quality and work performance or health." International Journal of HVAC&R Research, Volume 12, Pages 957-973. 2006. LBNL-59876.

Mendell, M.; Lei-Gomez, Q.; Cozen, M.; Brightman, H.S.; Apte, M G.; Erdmann, C.A.; Brunner, G.; Girman, J.R. "Indoor Environmental Risk Factors for Occupant Symptoms in 100 U.S. Office Buildings: Summary of Three Analyses from the EPA BASE Study." Healthy Buildings 2006 Conference, Volume 111, Pages 371-376. 2006. LBNL-59659.

Mendell, M.; Brennan, T; Hathon, L.; Odom, J.D.; Offerman, F.J.; Turk, B.H.; Wallingford, K.M.; Diamond, R.; Fisk, B. "Causes and prevention of symptom complaints in office buildings: Distilling the experience of indoor environmental quality investigators." *Facilities* 2006, Volume 24, Pages 436-444. 2006. LBNL-59329 .

Buchanan, I.S.; Apte, M.G. "Air Filter Materials and Building Related Symptoms in the BASE Study." *Healthy Buildings Conference 2006*, Volume 4, Pages 455-460. 2006. LBNL-59663 .

Seppanen, O.; Fisk, W.J. "A model to estimate the cost effectiveness of indoor environment improvements in office work." *ASHRAE Transactions*, Volume 111, Pages 663-679. 2005. LBNL-55447 .

Seppanen, O.; Fisk, W.J. "Control of temperature for health and productivity in offices." *ASHRAE Transactions*, Volume 111, Pages 680-686. 2005. LBNL-55448 .

Seppanen, O.; Fisk, B. "Some quantitative relations between indoor environment, performance and health." *Proceedings of The 10th International Conference on Indoor Air Quality and Climate - Indoor Air 2005*, Volume I(1), Pages 40-53, Tsinghua University Press. 2005. No LBNL number.

Mendell, M.J.; Lei, Q.; Apte, M.G.; Fisk, W.J. "Outdoor Air Ventilation and Work-Related Symptoms in U.S. Office Buildings - Results from the Base Study." 2005. LBNL-56381 .

Mendell, M.J.; Lei, Q.; Apte, M.G.; Fisk, W.J. "Estimated Ventilation Rates and Work-Related Symptoms in U.S. Office Buildings - The Base Study." *10th International Conference on Indoor Air Quality and Climate*, Volume 5(6), Pages 3758-3762, Tsinghua University Press. 2005. LBNL-57102 .

Mendell, M.J.; Heath, G.A. "Do Indoor Pollutants and Thermal Conditions in Schools Influence Student Performance? A Critical Review of the Literature." *Indoor Air 2005*, Volume 15, Pages 27-52. 2005. LBNL-51780 .

Mendell, M.; Cozen, M.; Lei, Q.; Brightman, H.S.; Edrman, C.A.; Girman, J.R.; Womble, S.E. "Indicators Of Moisture And Ventilation System Contamination In U.S. Office Buildings as Risk Factors for Respiratory and Mucous Membrane Symptoms: Analyses of the EPA Base Data." *10th International Conference on Indoor Air Quality and Climate*, Volume 5(6), Pages 3763-3767, Tsinghua University Press. 2005. LBNL-57101 .

Mendell, M.; Brennan, T; Hathon, L.; Odom, J.D.; Offerman, F.J.; Turk, B.H.; Wallingford, K.M.; Diamond, R.C.; Fisk, W.J. "Causes And Prevention Of Symptom Complaints In Office Buildings: Distilling The Experience Of Indoor Environmental Quality Investigators." *Indoor Air 2005 Conference - The 10th International Conference on Indoor Air Quality and Climate*, Volume 4(8), Pages 3500-3504, Tsinghua University Press. 2005. LBNL-56382 .

Fisk, W.J.; Seppanen, O.; Faulkner, D.; Huang, J. "Economic benefits of an economizer system: energy savings and reduced sick leave." *ASHRAE Transactions*, Volume 111, Pages 673-679. 2005. LBNL-54475 .

Fisk, W.J. "Health-related costs of indoor ETS, dampness and mold in the United States and in California." *10th International Conference on Indoor Air Quality and Climate - Indoor Air 2005*, Volume I(3), Pages 308-313, Tsinghua University Press. 2005.

Shendell, D.G; Prill,R.; Fisk, W.J.; Apte, M.G.; Blake, D.; Faulkner, D. "Associations between classroom CO2 concentrations and student attendance in Washington and Idaho." *Indoor Air 2004*, Volume 14, Pages 333-341. 2004. LBNL-54413 .

Seppanen, O.; Fisk, W.J. "Summary of human responses to ventilation." *Indoor Air (Supplement 7)*, Volume 14, Pages 102-118. 2004. LBNL-55748 .

Mendell, M. "Commentary: Air-conditioning as a risk for increased use of health services." *International Journal of Epidemiology*, Volume 33, Pages 1123-1126. 2004. LBNL-55476.

Federspiel, C.C.; Fisk, W.J.; Price, P. N.; Liu, G.; Faulkner, D; DiBartolomeo, D.L.; Sullivan, D.P.; Lahiff, M. "Worker Performance and Ventilation in a Call Center: Analyses of Work Performance Data for Registered Nurses." *Indoor Air (Supplement 8)*, Volume 14, Pages 41-50. 2004. LBNL-55032 .

- Erdmann, C.A.; Apte, M.G. "Associations of Indoor Carbon Dioxide Concentrations and Environmental Susceptibilities with Mucous Membrane and Lower Respiratory Building Related Symptoms in the BASE Study: Analyses of the 100 Building Dataset." *Indoor Air (Suppl 8)*, Volume 14, Pages 127-34. 2004. LBNL-53842.
- Shendell, D.G.; Prill, R.; Fisk, W.J.; Apte, M.G.; Blake, D.; Faulkner, D. "Associations between classroom CO2 concentrations and student attendance." 2003. LBNL-53586.
- Seppänen, O.; Fisk, W.J.; Faulkner, D. "Cost benefit analysis of the night-time ventilative cooling in office building." *Proceedings of the Healthy Buildings 2003 Conference, Singapore, Volume 3*, Pages 394-399, Healthy Buildings 2003, Inc., Singapore. 2003. LBNL-53191.
- Seppänen, O.; Fisk, W.J. "A conceptual model to estimate cost effectiveness of the indoor environment improvements." *Proceedings of the Healthy Buildings 2003 Conference, Singapore, Volume 3*, Pages 368-374, Healthy Buildings 2003, Inc., Singapore. 2003. LBNL-53193.
- Mendell, M.J.; Naco, G.N.; Wilcox, T.G.; Sieber, W.K. "Environmental Risk Factors and Work-Related Lower Respiratory Symptoms in 80 Office Buildings: An Exploratory Analysis of NIOSH Data." *American Journal of Industrial Medicine*, Volume 43, Pages 630-641. 2003. LBNL-51761.
- Mendell, M.; lei, Q.; Cozen, M.; Shendell, D.G. "Association of Airborne Moisture-Indicating Microorganisms with Building-Related Symptoms and Water Damage in 100 U.S. Office Buildings: Analyses of the U.S. EPA BASE Data." 2003. LBNL-53908.
- Mendell, M. "Indices for IEQ and building-related symptoms." *Indoor Air*, Volume 13, Pages 364-368. 2003. LBNL-53964.
- Fisk, W.J.; Seppänen, O.; Faulkner, D.; Huang, J. "Economizer system cost effectiveness: Accounting for the influence of ventilation rate on sick leave." *Proceedings of the Healthy Buildings 2003 Conference, Singapore, Volume 3*, Pages 361-367, Healthy Buildings 2003, Inc., Singapore. 2003. LBNL-53192.
- Seppänen, O.; Fisk, W.J. "Relationship of SBS-symptoms and ventilation system type in office buildings." *Proceedings of the Indoor Air 2002 Conference, Monterey, CA, Volume 3*, Pages 437-442, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-50046.
- Mendell, M.J.; Naco, G.M.; Wilcox, T.G.; Sieber, W.K. "Building-related risk factors and work-related lower respiratory symptoms in 80 office building." *Proceedings of the Indoor Air 2002 Conference, Monterey, CA, Volume 1*, Pages 103-108, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-49566.
- Mendell, M.J.; Fisk, W.J.; Petersen, M.R.; Hines, C.J.; Dong, M.; Faulkner, D.; Deddens, J.A.; Ruder, A.M.; Sullivan, D.P.; Boeniger, M.F. "Indoor Particles and Symptoms Among Office Workers: Results from a Double-Blind Cross-Over Study." *Epidemiology*, Volume 13, Pages 296-304. 2002. LBNL-48217.
- Kumar, S.; Fisk, W.J. "IEQ and the impact on building occupants." *ASHRAE Journal*, Volume 44, Pages 50-52. 2002. LBNL-51288.
- Kumar, S.; Fisk, W.J. "IEQ and the impact on employee sick leave." *ASHRAE Journal*, Volume 44, Pages 97-98. 2002. LBNL-51289.
- Kumar, S.; Fisk, W.J. "The role of Emerging Energy-Efficient Technology in Promoting Workplace Productivity and Health: Final Report." 2002. LBNL-49706.
- Heath, G.A.; Mendell, M.J. "Do Indoor Environments in Schools Influence Student Performance? A Review of the Literature." *Proceedings of the Indoor Air 2002 Conference, Monterey, CA, Volume 1*, Pages 802-807, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-49567.
- Fisk, W.J.; Price, P. N.; Faulkner, D.; Sullivan, D.; Dibartolomeo, D.; Federspiel, C.; Liu, D.L.; Lahiff, M. "Worker Performance and ventilation: analysis of time-series data for a group of call-center workers." *Proceedings of the Indoor Air 2002, Monterey, CA, Volume 1*, Pages 790-795, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-51724.

- Fisk, W.J.; M.J. Mendell. "Ventilation rates and health." ASHRAE Journal, Volume 44, Pages 56-58. 2002. LBNL-51382.
- Fisk, W.J. "How IAQ affects health, productivity." ASHRAE Journal, Volume 44, Pages 56, 58-60. 2002. LBNL-51381.
- Federspiel, C.C.; Liu, G.; Lahiff, M.; Faulkner, D.; Dibartolomeo, D.L.; Fisk, W.J.; Price, P.N.; Sullivan, D.P. "Worker performance and ventilation: Analyses of individual data for call-center workers." Proceedings of the Indoor Air 2002 Conference, Monterey, CA, Volume 1, Pages 796-801, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-50124.
- Erdmann, C.A.; Steiner, K.C.; Apte, M.G. "Indoor carbon dioxide concentrations and SBS symptoms in office buildings revisited: Analyses of the 100 building BASE Study dataset." Proceedings of the Indoor Air 2002 Conference, Monterey, CA, Volume 3, Pages 443-448, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-49584.
- Seppänen, O.; Fisk, W.J. "Association of ventilation system type with SBS symptoms in office workers." Indoor Air, Volume 12, Pages 98-112. 2001. LBNL-47457.
- Apte, M.G.; Lefohn, A.S. "Letters to the Editor." Journal of the Air and Waste Management Association, Volume 50, Pages 322. 2001.
- Wyon, D.; Fisk, W.J.; Rautio, S.; O. Seppanen, M. Tuomainen, J. Sateri. "Research needs and approaches pertaining to the indoor climate and productivity." Healthy Buildings 2000, Volume 2, Pages 327-332, SIY Indoor Air Information. 2000. LBNL-48219.
- Seppanen, O.; Fisk, B.; Olli Seppanen, Marianna Tuomainen, Jorma Sateri. "Association of ventilation rates with health and other responses in commercial and institutional buildings." Healthy Buildings 2000 Conference, Pages 1-8, SIY Indoor Air Information, Oy Helsinki, Finland. 2000. LBNL-48246.
- Fisk, W.J.; O. Seppanen, M. Tuomainen, J. Sateri. "Review of health and productivity gains from better IEQ." Healthy Buildings 2000, Volume 4, Pages 23-24, SIY Indoor Air Information. 2000. LBNL-48218.
- Fisk, W.J. "Health and productivity gains from better indoor environments and their relationship with building energy efficiency." Annual Review of Energy and the Environment, Volume 25, Pages 537-566. 2000. LBNL-45484.
- Fisk, W.J.; Spengler, J.D., Samet, J.M., McCarthy, J.F. "Estimates of potential nationwide productivity and health benefits from better indoor environments: An update." Chapter 4 in Indoor Air Quality Handbook, McGraw Hill, New York. 2000. LBNL-42123.
- Apte, M.; Fisk, W.; Daisey, J. "Indoor carbon dioxide concentrations and SBS in office workers." Proceedings of the Healthy Buildings 2000 Conference, Helsinki, Finland, Volume 1, Pages 133-138, SIY Indoor Air Information, Oy, Helsinki, Finland. 2000. LBNL-45019.
- Apte, M.; Fisk, B.; Daisey, J. "Associations between Indoor CO₂ Concentrations and Sick Building Syndrome Symptoms in US Office Buildings: An Analysis of the 1994-1996 BASE Study Data." Indoor Air, Volume 10, Pages 246-257. 2000. LBNL-44385.
- Seppänen, O.A.; Fisk, W.J.; Mendell, M.J. "Association of ventilation rates and CO₂ -concentrations with health and other responses in commercial and institutional buildings." Indoor Air, Volume 9, Pages 226-252. 1999. LBNL-43334.
- Mendell, M. J.; Fisk, W. J.; Petersen, M.; Hines, C. J.; Faulkner, D.; Deddens, J. A.; Dong, M. X.; Ruder, A. M.; Sullivan, D.; Boeniger, M. F. "Effects on Occupants of Enhanced Particle Filtration in a Non-Problem Office Environment: A Double-Blind Crossover Intervention Study." The American Journal of Industrial Medicine, Volume Supp 1, Pages 55-57. 1999. LBNL-42221.
- Apte, M.G. "VOCs and "Sick Building Syndrome": Application of a New Statistical Approach for SBS Research to U.S. EPA BASE Study Data." Proceedings of the Indoor Air '99, Edinburgh, Scotland, Volume 1, Pages 117-112, Construction Research Communications, Ltd., London. 1999. LBNL-42698.

Fisk, W.J.; A.H. Rosenfeld. "Potential Nationwide Improvements in Productivity and Health from Better Indoor Environments." Proceedings of the 1998 ACEEE Summer Study on Energy and Efficiency in Buildings, Pacific Grove, CA, Volume 8, Pages 85-97, American Council for an Energy Efficient Economy, Washington, DC. 1998. LBNL-41849.

Fisk, W.J.; Rosenfeld, A.H. "The indoor environment – productivity and health – and \$\$\$." Planning for Energy and the Environment, Volume 17, Pages 53-57. 1998.

Fisk, W.J.; D. Faulkner; D. Sullivan; M. Dong; C. Dabrowski, Jr.; J.J. Thomas; M.J. Mendell; C.J. Hines; A. Ruder; M. Boeniger. "The healthy building intervention study: Objectives, methods and results of Selected Environment Measurements." 1998. LBNL-41546.

Fisk, W.J.; Rosenfeld, A.H. "Estimates of Improved Productivity and Health from Better Indoor Environments." Indoor Air, Volume 7, Pages 158-172. 1997. LBNL-39596.

Mendell, MJ; Fisk, WJ; Deddens, JA; Seavey, WG; Smith AH; Smith DF; Hodgson, AT; Daisey JM; Goldman L. "Elevated symptom prevalence associated with ventilation type in office buildings: findings from the California Healthy Building Study." Epidemiology, Volume 7, Pages 583-589. 1996. LBNL-42555.

Ten Brinke, J.; Dr. Joan M. Daisey, Prof. Catherine P. Koshland. "Development of New VOC Exposure Metrics and their Relationship to "Sick Building Syndrome" Symptoms." Environmental Health Sciences, School of Public Health, Pages 223, University of California, Berkeley. 1995. LBNL-37652.

2.3. Indoor Environmental Quality

Fisk, W.J. "Climate Change, Energy Efficiency, and IEQ: Challenges and Opportunities for ASHRAE." Submitted to ASHRAE Journal. 2009. LBNL-2036E.

Michael G. Apte; Deborah H. Bennett; David Faulkner; Randy L. Maddalena; Marion L. Russell; Michael Spears; Douglas P Sullivan; Amber L. Trout. "Indoor Air Quality Assessment of the San Francisco Federal Building." 2009. LBNL-2281E.

Fisk, W.J.; Faulkner, D.; Sullivan, D.P. "Accuracy of CO2 sensors." IAQ Applications, Volume 9, Pages 15-17. 2008. LBNL-1095E.

Fisk, W.J.; Faulkner, D.; Sullivan, D.P. "A Pilot study of the accuracy of CO2 sensors in commercial buildings." IAQ 2007 Healthy and Sustainable Buildings, American Society of Heating, Refrigerating and Air Conditioning Engineers, Inc., Atlanta, GA. 2008. LBNL-260E .

Fisk, W.J. "Can sorbent-based gas phase air cleaning for VOCs substitute for ventilation in commercial buildings?." IAQ 2007 Healthy and Sustainable Buildings, American Society of Heating, Refrigerating and Air Conditioning Engineers, Inc., Atlanta, GA. 2008. LBNL-255E .

Fisk, W.J. "Commentary on Predictive Models of Control Strategies involved in Containing Indoor Airborne Infections." Indoor Air, Volume 16, Pages 469-481. 2008. LBNL-53E .

Destailats, H.; Fisk, W.J.; Apte, M.G. "Are Ventilation Filtrrs Degrading Indoor Air Quality in California Classrooms?." 2008. LBNL-2177E.

Fisk, W.J.; Seppanen, O. "Providing better indoor environmental quality brings economic benefits." REHVA World Congress - CLIMA 2007. 2007. LBNL-63006 .

Morrison, G.C.; Corsi, R.L.; Destailats, H.; Nazaroff, W.; Wells, J.R. "Indoor Chemistry: Materials, Ventilation Systems, and Occupant Activities." Healthy Buildings 2006 Conference, Pages A-34. 2006. LBNL-60291.

Mendell, M.; Brennan, T; Hathon, L.; Odom, J.D.; Offerman, F.J.; Turk, B.H.; Wallingford, K.M.; Diamond, R.; Fisk, B. "Causes and prevention of symptom complaints in office buildings: Distilling the experience of indoor environmental quality investigators." Facilities 2006, Volume 24, Pages 436-444. 2006. LBNL-59329 .

- Levin, H. "National Expenditures for IAQ Problem Prevention or Mitigation." 2005. LBNL-58694.
- Apte, M G.; Spears, M.; Lai, C.M.; Shendel, D.G. "Improving Indoor Environmental Quality and Energy Performance of Modular Classroom HVAC Systems." Proceedings of Sustainable Buildings 2005 Conference, Pages 1432-1437. 2005. LBNL-57277.
- Apte, M G.; Faulkner, D; Hodgson, A.; Hotchi, T.; Spears, M.; Sullivan, D; Wang, D. "Improving Ventilation and Saving Energy: Relocatable Classroom Field Study Interim Report." 2005. LBNL-58824.
- Apte, M G.; Faulkner, D; Fisk, W.J.; Hodgson, A.T.; Hotchi, T.; Lai, C.M.; Spears, M.; Sullivan, D.P.; Wang, D. "Improving Relocatable Classroom HVAC For Improved IEQ And Energy Efficiency." Indoor Air 2005 Conference - The 10th International Conference on Indoor Air Quality and Climate, Volume 1(7), Pages 1121-1125, Tsinghua University Press. 2005. LBNL-57172.
- Levin, H. "Indoor Air Pollutants Part 2: Description of sources and control/mitigation measures." AIVC - Ventilation Information Paper, Volume 7, Pages 1-7. 2004. LBNL-55774.
- Apte, M G.; Hodgson, A.T; Shendel, D.G.; Rainer, L.I.; Hoeschele, M.A. "Designing Building Systems to Save Energy and Improve Indoor Environments: A Practical Demonstration." 2004 ACEEE Summer Study on Energy Efficiency in Buildings, Volume 3, Pages 13-27, American Council for an Energy Efficient Economy, Washington, DC. 2004. LBNL-54859.
- Apte, M G.; Faulkner, D; Hodgson, A.; Sullivan, D. "Classroom HVAC: Improving ventilation and saving energy field study plan." 2004. LBNL-56527.
- Shendell, D.G. "Assessment of organic compound exposures, thermal comfort parameters, and HVAC system-driven air exchange rates in public school portable classrooms in California." 2003. LBNL-53804.
- Daisey, J.; Apte, M G.; Angell, W.J. "Indoor air quality, ventilation and health symptoms in schools: An analysis of existing information." Indoor Air, Volume 13, Pages 53-64. 2003. LBNL-48287.
- Apte, M.G.; Hodgson, A.T.; Shendell, D.G.; Dibartolomeo, D.; Hotchi, T.; Lee, S.M.; Liff, S.M.; Rainer, L.I.; Sullivan, D.P.; Fisk, W.J.. "Simultaneous Energy Savings and IEQ Improvements in Relocatable Classrooms." 2003. LBNL-52690.
- Apte, M G.; Hodgson, A.; Shendel, D.G.; Dibartolomeo, D.; Hotchi, T.; Lee, S-M; Liff, S.; Rainer, L.; Sullivan, D; Fisk, W.J. "Simultaneous Improvements in Relocatable Classrooms." ASHRAE IAQ Applications, Pages 7-10. 2003. LBNL-54870.
- IED Staff. "A compilation of papers for the Indoor Air 2002 Conference in memory of Joan M. Daisey." 2002. LBNL-50419.
- Shendell, D.G.; DiBartolomeo, D.; Fisk, W.J.; Hodgson, A.T.; Hotchi, T.; Lee, S. M.; Sullivan, D.P.; Apte, M.G.; Rainer, L.I. "Final methodology for a field study of indoor environmental quality and energy efficiency in new relocatable classrooms in Northern California." 2002. LBNL-51101.
- Shendell, D.G.; Apte, M.G.; Kim, J.; Smorodinsky, S. "Building effective partnerships to conduct school indoor environmental quality assessments and interventions. Submitted as Field Action Report to American Journal of Public Health, July 19, 2002." 2002. LBNL-50377.
- Shendell, DG; Lee, S-M; Apte, MG; DiBartolomeo, DB; Sullivan, DP; Liff, SM; Fisk, WJ; Rainer, LI. "Assessment of Noise Exposures in New Relocatable Classrooms with Standard and Advanced HVAC Systems." Epidemiology, Volume 13, Pages S223. 2002. Abstract (no LBNL number).
- Fisk, W.J.; Faulkner, D; Sullivan, D; Delp, W. "Measuring rates of outdoor airflow into HVAC systems." 2002. LBNL-51583.
- Fisk, W.J.; Brager, G.; Brook, M.; Burge, H.; Cole, J.; Cummings, J.; Levin, H.; Loftness, V.; Logee, T.; Mendell, M.J.; Persily, A.; Taylor, S.; Zhang, J. "A priority agenda for energy-related indoor environmental quality research." Proceedings of the Indoor Air 2002 Conference, Monterey, CA, Volume 2, Pages 984-989, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-50612.

Apte, M.; Hodgson, A.; Shendell, D.; Dibartolomeo, D.; Hotchi, T.; Kumar, S.; Lee, S.M.; Liff, S.; Rainer, L.; Schmidt, R.; Sullivan, D.; Diamond, R.; Fisk, W.J. "Energy and indoor environmental quality in relocatable classrooms." Proceedings of the Indoor Air 2002 Conference, Monterey, CA, Volume 2, Pages 62-69, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-49581.

Shendell, D.G.; M.G. Apte; D. DiBartolomeo; W. J. Fisk; A.T. Hodgson; S. Kumar; D.P. Sullivan; L.I. Rainer. "Linking Energy Efficiency and Indoor Environmental Quality to Provide Thermal Comfort and Reduce Children's Exposure to Volatile Organic Compounds: Demonstration Project in New Relocatable Classrooms at Northern California Public Schools." Proceedings of the 11th Annual Meeting of the International Society for Exposure Analysis, Charleston, SC, Pages 148, International Society for Exposure Analysis, Boston, MA. 2001.

Shendell, D.G.; Apte, M.G.; Corsi, R.; Jenkins, M.P.; Kim, J.; Smorodinsky, S.; Torres, V.; J.M. Waldman. "Studying the Public School Environment and Classroom Indoor Air Quality: Community-based Exposure Assessments Through Public-Private-Government Partnerships, Examples from CA and TX." 2001.

Apte, M.G.; Fisk, W.J.; Hodgson, A.T.; Russell, M.; Shendell, D.G. "California Demonstration Energy Efficiency-Indoor Environmental Quality Project: Predicted Relocatable Classroom Indoor Air Quality due to Low-Emitting Interior Materials and Enhanced Ventilation." Proceedings of the 11th Annual Meeting of the International Society of Exposure Analysis, Charleston, SC, International Society for Exposure Analysis, Boston, MA. 2001.

IED Staff. "Recent Research on Indoor Air Quality: A Compilation in Memory of Joan Daisey." 2000. LBNL-45463.

Fisk, W.J.; Faulkner D.; Sullivan, D.; Mendell, M.J. "Particle concentrations and sizes with normal and high efficiency filtration in a sealed air-conditioned office building." Aerosol Science & Technology, Volume 32, Pages 527-544. 2000. LBNL-43835.

Hines, C.J.; Milton, D.K.; Larsson, L.; Petersen, M.R.; Fisk, W.J.; Mendell, M.J. "Characterization of endotoxin and 3-hydroxy fatty acids in an office building." Indoor Air, Volume 10, Pages 2-12. 1999.

Daisey, J. "Indoor Air Quality, Ventilation and Health Symptoms in Schools: An Analysis of Existing Information." Proceedings of the Indoor Air '99, Edinburgh, Scotland, Volume 2, Pages 1-6, Construction Research Communications, Ltd., London. 1999.

Apte, M.G.; Hammond, S.K.; Gundel, L.A.; Cox, D. "A New Carbon Monoxide Occupational Dosimeter: Results from a Worker Exposure Assessment Survey." Journal of Exposure Analysis and Environmental Epidemiology, Volume 9, Pages 546-559. 1999. LBNL-43832.

Faulkner, D.; W.J. Fisk; A.J. Gadgil; D.P. Sullivan. "Demonstration and Field Test of air jacket technology." 1998. LBNL-42099.

Daisey, J.M.; Angell, W.J. "Survey and Critical Review of the Literature on Indoor Air Quality, Ventilation and Health Symptoms in Schools." 1998. LBNL-41517.

2.4. Thermal Distribution Systems (Ducts)

Wray, Craig P.; Matson, Nance E. "Duct Leakage Impacts on VAV System Performance in Large Commercial Buildings." 2003. LBNL-53605.

Wray, Craig P. "Duct Thermal Performance Models for Large Commercial Buildings." 2003. LBNL-53410.

Diamond, R.C.; Wray, C.P.; Dickerhoff, D.J.; Matson, N.E.; Wang, D. "Thermal distribution systems in commercial buildings." 2003. LBNL-51860.

Xu, T.T.; Carrie, F.R.; Dickerhoff, D.J.; Fisk, W.J.; McWilliams, J.; Wang, D.; Modera, M.P. "Performance of thermal distribution systems in large commercial buildings." Energy and Buildings, Volume 34, Pages 215-226. 2002. LBNL-44331.

- Sherman, M.H.; Xu, T.T.; Abushakra, B.; Dickerhoff, D.J.; Wang, D.M.; Wray, C.P.; Modera, M.P. "Thermal Distribution System Characteristics and Energy Impacts of Duct Leaks in Light Commercial Buildings." 2002. LBNL-49470.
- Carrie, F. R.; Levinson, R.; Xu, T. T.; Dickerhoff, D. J.; Fisk, W. J.; McWilliams, J.; Modera, M. P.; Wang, D. "Laboratory and field testing of an aerosol-based duct-sealing technology for large commercial buildings." ASHRAE Transactions. 2002. LBNL-44220.
- Modera, M.P.; Brzozowski, O; Carrie, F.R; Dickerhoff, D.J; Delp, W.W; Fisk, W.J; Levinson, R; Wang, D. "Sealing Ducts in Large Commercial Buildings with Aerosolized Sealant Particles." *Energy & Buildings*, Volume 34, Pages 705-714. 2001. LBNL-42414.
- Carrie, F.R.; Modera, M.P. "Experimental investigation of aerosol deposition on slot-and joint-type leaks." *Journal of Aerosol Science*, Volume 33, Pages 1447-1462. 2001. LBNL-48774.
- Xu, T. "Commercial Thermal Distribution Systems: Final Report for CIEE/CEC." 2000. LBNL-45080.
- Xu, T. "Performance Diagnostics of Thermal Distribution Systems in Light Commercial Buildings: Final Report for CIEE/CEC." *Proceedings of the ACEEE 2000 Summer Study on Energy Efficiency in Buildings*, Pacific Grove, CA, Volume 3, Pages 383-394, American Council for an Energy Efficient Economy, Washington, DC. 2000. LBNL-45080.
- Levinson, R.M.; Delp, W.W.; Dickerhoff, D.J.; Modera, M.P. "Effects of air infiltration on the effective thermal conductivity of internal fiberglass insulation and on the delivery of thermal capacity via ducts." 2000. LBNL-42499.
- Levinson, R.; Delp, W.; Dickerhoff, D.; Modera, M. "Effects of Airflow Infiltration on the Thermal Performance of Internally-insulated Ducts." *Energy & Buildings*, Volume 32, Pages 345-354. 2000. LBNL-45447.
- Fisk, W.J.; Delp, W.W.; Diamond, R.C.; Dickerhoff, D.J.; Levinson, R.; Modera, M.P.; Nematollahi, M.; Wang, D. "Duct systems in large commercial buildings: physical characterization, air leakage and heat conduction gains." *Energy & Buildings*, Volume 32, Pages 109-119. 2000. LBNL-42339.
- Xu, T. "Duct System Performance and Energy Losses in Large Commercial Building." 1999. LBNL-44221.
- Modera, M.; Xu, T.; Feustel, H.E.; Matson, N.E.; Huizenga, C.; Baumann, F.; Arens, E. "Efficient thermal energy distribution in commercial buildings – Final Report." 1999. LBNL-41365.
- Franconi, Ellen. "Measuring advances in HVAC distribution system designs." 1998. LBNL-43188.
- Franconi, E. "Measuring Advances in HVAC Distribution System Design." *Proceedings of the 1998 ACEEE Summer Study on Energy and Efficiency in Buildings*, Pacific Grove, CA, Volume 3, Pages 153-165, American Council for an Energy Efficient Economy, Washington, DC. 1998. LBNL-41956.
- Delp, W.W.; Matson, N.E.; Modera, M.P. "Exterior Exposed Ductwork: Delivery Effectiveness and Efficiency." *ASHRAE Transactions*, Volume 104, Pages 709-721. 1998. LBNL-39083.
- Levinson, R.; Delp, W.; Dickerhoff, D.; Fisk, W.; Nematollahi, M.; Stordahl, I.; Torre, C.; Wang, D.; Diamond, R.; Modera, M. "Commercial Thermal Distribution Systems: Final Report for CIEE." 1997. LBNL-40105.
- Delp, W.; Matson, N.; Tschudy, E.; Modera, M.; Diamond, R. "Field Investigation of Duct System Performance in California-Light Commercial Buildings." 1997. LBNL-40102.
- Walker, I.; Modera, M.; Tuluca, A.; Graham, I. "Energy effectiveness of duct sealing and insulation in two multifamily buildings." *Proceedings of the 1996 ACEEE Summer Study on Energy Efficiency in Buildings*, Pacific Grove, CA, Volume 1, Pages 247-254, American Council for an Energy Efficient Economy, Washington, DC. 1996. LBL-38538.
- Stetiu, C.; Feustel, H. E. "Development of a Model to Simulate the Performance of Hydronic Radiant Cooling Ceilings." 1995. LBL-36636.

2.5. Ventilation and Air Cleaning

Buchanan, I.S.; Mendell, M. J.; Mirer, A.; Apte, M.G. "Air Filter Materials, Outdoor Ozone and Building-Related Symptoms in the BASE Study." *Indoor Air*, Volume 18, Pages 144-155. 2008. LBNL-62508 .

Hodgson, A.; Destailats, H.; Sullivan, D; Fisk, W.J. "Performance of ultra-violet Photocatalytic Oxidation for Indoor Air Cleaning Applications." *Indoor Air*, Volume 17, Pages 305-316. 2007. LBNL-59631 JArt.

Faulkner, D.; DiBartolomeo, D.; Wang, D. "Demand Controlled Filtration in an Industrial Cleanroom." 2007. LBNL-63420 .

Price, P. N.; Shehabi, A.; Chan, W.R.; Gadgil, A. "Indoor-outdoor air leakage of apartments and commercial buildings.." 2006. LBNL-60682.

Hodgson, A.; Sullivan, D; Fisk, W.J. "Evaluation of Ultra-Violet Photocatalytic Oxidation for Indoor Air Applications." *Proceedings of Healthy Buildings 2006 Conference*, Volume 2, Pages 243-248. 2006. LBNL-59631 .

Hodgson, A.; Destailats, H.; Sullivan, D; Fisk, W.J. "Photocatalytic Reactor System with Tungsten Oxide-Modified Titanium Dioxide for Indoor Air Applications." *The 11th International Conference on TiO₂ Photocatalysis: Fundamentals and Applications (TiO₂-11)*. 2006. LBNL-60254.

Fisk, W.J.; Faulkner, D.; Sullivan, D.P. "Accuracy of CO₂ Sensors in Commercial Buildings: A Pilot Study.." 2006. LBNL-61862.

Fisk, W.J.; Faulkner, D; Sullivan, D. "Measuring Outdoor Airflow into HVAC Systems." *ASHRAE Journal*, Volume 48, Pages 50-57. 2006. LBNL-58753 .

Fisk, W.J. "Sorbent-based gas phase air cleaning for VOCs in Commercial Buildings.." 2006. LBNL-60162 .

Buchanan, I.S.; Apte, M.G. "Air Filter Materials and Building Related Symptoms in the BASE Study." *Healthy Buildings Conference 2006*, Volume 4, Pages 455-460. 2006. LBNL-59663 .

Apte, M G. "A Review of Demand Control Ventilation." *Proceedings of Healthy Buildings 2006*, Volume IV. 2006. LBNL-60170 .

Mendell, M.J.; Lei, Q.; Apte, M.G.; Fisk, W.J. "Outdoor Air Ventilation and Work-Related Symptoms in U.S. Office Buildings - Results from the Base Study." 2005. LBNL-56381 .

Mendell, M.J.; Lei, Q.; Apte, M G.; Fisk, W.J. "Estimated Ventilation Rates and Work-Related Symptoms in U.S. Office Buildings - The Base Study." *10th International Conference on Indoor Air Quality and Climate*, Volume 5(6), Pages 3758-3762, Tsinghua University Press. 2005. LBNL-57102 .

Hodgson, A.; Sullivan, D; Fisk, W.J. "Parametric Evaluation of an Innovative Ultra-Violet Photocatalytic Oxidation (UVPCO) Air Cleaning Technology for Indoor Applications." 2005. LBNL-59074 .

Hodgson, A.; Sullivan, D; Fisk, B. "Evaluation of Ultra-Violet Photocatalytic Oxidation (UVPCO) for Indoor Air Applications: Conversion of Volatile Organic." 2005. LBNL-58936 .

Fisk, W.J.; Sullivan, D; Faulkner, D. "Real-Time Measurement of Rates of Outdoor Airflow into HVAC Systems: A Field Study of Three Technologies." 2005. LBNL-58856 .

Fisk, W.J.; Seppanen, O.; Faulkner, D.; Huang, J. "Economic benefits of an economizer system: energy savings and reduced sick leave." *ASHRAE Transactions*, Volume 111, Pages 673-679. 2005. LBNL-54475 .

Fisk, W.J.; Faulkner, D.; Sullivan, D.P.; Chao, C.; Wan, M.P.; Zagreus, L.; Webster, T. "Performance of underfloor air distribution in a field setting." *International Journal of Ventilation*, Volume 5, Pages 291-300. 2005. LBNL-62102.

Fisk, W.J.; Faulkner, D.; Sullivan, D.; Chao, C.; Wan, M.P.; Zagreus, L.; Webster, T. "Results Of A Field Study Of Underfloor Air Distribution." Proceedings of The 10th International Conference on Indoor Air Quality and Climate - Indoor Air 2005, Volume 1(7), Pages 1016-1020, Tsinghua University Press. 2005. LBNL-57098.

Fisk, W.J.; Faulkner, D.; Sullivan, D. "Technologies For Measuring Flow Rates Of Outdoor Air Into Hvac Systems: Some Causes And Suggested Cures For Measurement Errors." ASHRAE Transactions, Volume 111, Pages 456-463. 2005. LBNL-56604.

Fisk, W.J.; Faulkner, D.; Sullivan, D. "An Evaluation Of Three Commercially Available Technologies For Real-Time Measurement Of Rates Of Outdoor Airflow Into Hvac Systems." ASHRAE Transactions, Volume 111, Pages 443-455. 2005. LBNL-56603.

Fisk, W.J.; Faulkner, D.; Sullivan, D. "Performance of underfloor air distribution: Results of a field study." 2005. LBNL-56257.

Apte, M G.; Spears, M.; Lai, C.M.; Shendel, D.G. "Improving Indoor Environmental Quality and Energy Performance of Modular Classroom HVAC Systems." Proceedings of Sustainable Buildings 2005 Conference, Pages 1432-1437. 2005. LBNL-57277.

Apte, M G.; Faulkner, D.; Hodgson, A.; Hotchi, T.; Spears, M.; Sullivan, D.; Wang, D. "Improving Ventilation and Saving Energy: Relocatable Classroom Field Study Interim Report." 2005. LBNL-58824.

Apte, M G.; Faulkner, D.; Fisk, W.J.; Hodgson, A.T.; Hotchi, T.; Lai, C.M.; Spears, M.; Sullivan, D.P.; Wang, D. "Improving Relocatable Classroom HVAC For Improved IEQ And Energy Efficiency." Indoor Air 2005 Conference - The 10th International Conference on Indoor Air Quality and Climate, Volume 1(7), Pages 1121-1125, Tsinghua University Press. 2005. LBNL-57172.

Apte, M G.; Buchanan, C.R.; Faulkner, D.; Fisk, W.J.; Lai, C.M.; Spears, M.; Sullivan, D. "Improving Ventilation and Saving Energy: Laboratory Study in a Modular Classroom Test Bed." 2005. LBNL-58577.

Fisk, W.J.; Faulkner, D.; Sullivan, D. "An evaluation of technologies for real-time measurement of rates of outdoor airflow into HVAC systems." 2004. LBNL-56397.

Faulkner, D.; Fisk, W.J.; Sullivan, D.P.; Lee, S.M. "Ventilation Efficiencies And Thermal Comfort Results Of A Desk-Edge-Mounted Task Ventilation System." Indoor Air (Supplement 8), Volume 14, Pages 92-97. 2004. LBNL-53798.

Apte, M G.; Hodgson, A.T.; Shendel, D.G.; Rainer, L.I.; Hoeschele, M.A. "Designing Building Systems to Save Energy and Improve Indoor Environments: A Practical Demonstration." 2004 ACEEE Summer Study on Energy Efficiency in Buildings, Volume 3, Pages 13-27, American Council for an Energy Efficient Economy, Washington, DC. 2004. LBNL-54859.

Seppänen, O.; Fisk, W.J.; Faulkner, D. "Cost benefit analysis of the night-time ventilative cooling in office building." Proceedings of the Healthy Buildings 2003 Conference, Singapore, Volume 3, Pages 394-399, Healthy Buildings 2003, Inc., Singapore. 2003. LBNL-53191.

Hodgson, A.T.; Faulkner, D.; Sullivan, D.P.; Dibartolomeo, D.L.; Russell, M.L.; Fisk, W.J. "Effect of Outside Air Ventilation Rate on Volatile Organic Compound Concentrations in a Call Center." Atmospheric Environment, Volume 37, Pages 5517-5528. 2003. LBNL-52497.

Fisk, W.J.; Faulkner, D.; Sullivan, D.P.; Delp, W.W. "Outdoor airflow into HVAC systems: An evaluation of measurement technologies." 2003. LBNL-53834.

Fisk, W.J.; Faulkner, D.; Palonen, J.; Seppänen, O. "Performance and Costs of Particle Air Filtration in HVAC Supply Airstreams." HPAC Engineering, Volume 75, Pages 24-36. 2003. LBNL-53212.

Alevantis, L.; Wagner, J.; Fisk, W.J.; Sullivan, D.P.; Faulkner, D. "Designing for Smoking Rooms." ASHRAE Journal, Volume 45, Pages 26-32. 2003. LBNL-53201.

Gundel, L.A.; Sullivan, D.P.; Katsapov, G.Y.; Fisk, W.J. "A Pilot Study Of Energy Efficient Air Cleaning For Ozone." 2002. LBNL-51836.

Fisk, W.J.; Price, P.N.; Faulkner, D.; Sullivan, D.P.; Dibartolomeo, D.; Federspiel, C.; Liu, L.; Lahiff, M. "Worker productivity and ventilation rate in a call center: analyses of time-series data for a group of workers." Proceedings of the Indoor Air 2002 Conference, Monterey, CA, Volume 1, Pages 790-795, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-49356.

Fisk, W.J.; Faulkner, D.; Palonen, J.; Seppänen, O. "Performance and cost of particle air filtration technologies." Indoor Air, Volume 12, Pages 223-234. 2002. LBNL-47833.

Faulkner, D.; Fisk, W.J.; Sullivan, D.P.; Lee, S.M. "Ventilation efficiencies of a desk-edge-mounted task ventilation system." Proceedings of the Indoor Air 2002 Conference, Monterey, CA, Volume 4, Pages 1060-1065, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-49939.

Apte, M.G.; Delp, W.W.; Diamond, R.C.; Hodgson, A.T.; Kumar, S.; Shendell, D.G.; Sullivan, D.P.; Fisk, W.J. "Report on HVAC Option Selections for a Relocatable Classroom Energy and Indoor Environmental Quality Field Study." 2001. LBNL-49026.

Fisk, W.J.; Sullivan, D.; Mendell, M. "Particle Concentrations in an Air-Conditioned Office Building with Normal and High Efficiency Filtration." Proceedings of the Indoor Air '99, Edinburgh, Scotland, Volume 4, Pages 19-24, Construction Research Communications, Ltd., London. 1999. LBNL-43174.

Faulkner, D.; Fisk, W.J.; Sullivan, D.; Wyon, D.P. "Ventilation Efficiencies of Desk-Mounted Task/Ambient Conditioning Systems." Proceedings of the Indoor Air '99 Conference, Edinburgh, Scotland, Volume 9, Pages 273-281, Construction Research Communications, Ltd., London. 1999. LBNL-42700.

Faulkner, D.; Fisk, W.J.; Sullivan, D.; Wyon, D.P. "Ventilation Efficiencies of Task Air Conditioning Systems With Desk-Mounted Air Supplies." Proceedings of the Indoor Air '99, Edinburgh, Scotland, Volume 2, Pages 356-361, Construction Research Communications, Ltd., London. 1999. LBNL-42597.

Fisk, W.J.; de Almeida, A.T. "Sensor based demand controlled ventilation: a review." Energy and Buildings, Volume 29, Pages 35-44. 1998. LBNL-41698.

Faulkner, D. F.; Fisk, W.J.; Sullivan, D.P.; Thomas, J.M.; Persily, A. "Characterizing Building Ventilation with the Pollutant Concentration Index: Results from Field Studies." Proceedings of the ASHRAE IAQ and Energy 1998, Pages 27-35, ASHRAE, Atlanta, GA. 1998. LBNL-40223.

Fisk, W.J.; Faulkner, D.; Sullivan, D.P.; Bauman, F. "Air Change Effectiveness and Pollutant Removal Efficiency During Adverse Mixing Conditions." Indoor Air, Volume 7, Pages 55-63. 1997. LBNL-40292.

Faulkner, D.; Fisk, W.J.; Walton, J.T. "Energy Savings in Cleanrooms from Demand-Controlled Filtration." Journal of the Institute of Environmental Sciences, Volume 39, Pages 21-27. 1996. LBNL-38869.

Faulkner, D.; Fisk, W.J.; Sullivan, D.P. "Indoor Airflow and Pollutant Removal in a Room With Floor-Based Task Ventilation: Results of Additional Experiments." Building and Environment, Volume 30, Pages 323-332. 1995. LBNL-36131.

2.6. Volatile Organic Compounds

Natalia Quici; Mara L. Vera; Hyeok Choi; Gianluca Li Puma; Dionysios D. Dionysiou; Marta I. Littera; Hugo Destailats. "Effect of Key Parameters on the Photocatalytic Oxidation of Toluene at Low Concentrations in Air under 254 + 185 nm UV Irradiation." Submitted to Applied Catalysis B - Environmental. 2009. LBNL-2386E.

Natalia Quici; Daria Kibanova; Mara Laura Vera; Hyeok Choi; Dionysios D. Dionysiou; Marta I. Littera; Javiera Cervini-Silva; Alfred T. Hodgson; Hugo Destailats. "Investigation of key parameters influencing the efficient photocatalytic oxidation of indoor volatile organic compounds (VOCs)." Indoor Air 2008. 2008. LBNL-2285E.

Hodgson, A.T.; Destailats, H.; Hotchi, T.; Fisk, W.J. "Benefits and technological challenges in the implementation of TiO₂-based ultraviolet photocatalytic oxidation (UVPCO) air cleaners." *Indoor Air* 2008, Pages 17-22, *Indoor Air*, Paper ID: 297. 2008. LBNL-2113E.

Fisk, W.J.; Sullivan, D.P. "Measuring Outdoor Air Intake Rates Using Electronic Velocity Sensors at Louvers and Downstream of Airflow Straighteners." 2008. LBNL-1250E.

Hodgson, A.T.; Destailats, H.; Hotchi, T.; Fisk, W.J. "Evaluation of a Combined Ultraviolet Photocatalytic Oxidation (UVPCO) / Chemisorbent Air Cleaner for Indoor Air Applications." 2007. LBNL-62203.

Hodgson, A.; Destailats, H.; Sullivan, D; Fisk, W.J. "Performance of ultra-violet Photocatalytic Oxidation for Indoor Air Cleaning Applications." *Indoor Air*, Volume 17, Pages 305-316. 2007. LBNL-59631 JArt.

Singer, B.C.; Destailats, H.; Hodgson, A.; Nazaroff, W. "Cleaning Products and Air Fresheners: Emissions and Resulting Concentrations of Glycol Ethers and Terpenoids." *Indoor Air*, Volume 16, Pages 179-191. 2006. LBNL-58250 .

Hotchi, T.; Hodgson, A.; Fisk, W. J. "Indoor Air Quality Impacts of a Peak Load Shedding Strategy for a Large Retail Building." 2006. LBNL-59293 .

Hodgson, A.; Sullivan, D; Fisk, W.J. "Evaluation of Ultra-Violet Photocatalytic Oxidation for Indoor Air Applications." *Proceedings of Healthy Buildings 2006 Conference*, Volume 2, Pages 243-248. 2006. LBNL-59631 .

Hodgson, A.; Destailats, H.; Sullivan, D; Fisk, W.J. "Photocatalytic Reactor System with Tungsten Oxide-Modified Titanium Dioxide for Indoor Air Applications." *The 11th International Conference on TiO₂ Photocatalysis: Fundamentals and Applications (Ti02-11)*. 2006. LBNL-60254.

Fisk, W.J. "Sorbent-based gas phase air cleaning for VOCs in Commercial Buildings.." 2006. LBNL-60162 .

Destailats, H.; Singer, B.C.; Gundel, L A.; E. de Oliveira Fernandes; M. Gameiro da Silva; J. Rosado Pinto. "Secondary pollutants from ozone reaction with nicotine on surfaces." *Proceedings of Healthy Buildings 2006 Conference*, Pages A-451. 2006. LBNL-57505 .

Destailats, H.; Singer, B.C.; Lee, S.K.; Gundel, L A. "Acid-Base Interactions Of Nicotine And Pyridine On Surfaces." *Proceedings of The 10th International Conference on Indoor Air Quality and Climate - Indoor Air 2005*, Volume 2(4), Pages 1700-1704, Tsinghua University Press. 2005. LBNL-57050 .

Destailats, H.; Singer, B.C.; Coleman, B.K.; Lunden, M.M.; Hodgson, A.T.; Weschler, C.J.; Nazaroff, W.W. "Secondary Pollutants From Cleaning Products And Air Fresheners In The Presence Of Ozone." *Proceedings of The 10th International Conference on Indoor Air Quality and Climate - Indoor Air 2005*, Volume 2(9), Pages 2081-2085, Tsinghua University Press. 2005. LBNL-57038 .

Apte, M G.; Faulkner, D; Hodgson, A.; Hotchi, T.; Spears, M.; Sullivan, D; Wang, D. "Improving Ventilation and Saving Energy: Relocatable Classroom Field Study Interim Report." 2005. LBNL-58824 .

Hodgson, A.T.; Shendell, D.G.; Fisk, W.J.; Apte, M.G. "Comparison of predicted and derived measures of volatile organic compounds inside four relocatable classrooms due to identified interior finish sources." *Indoor Air (Supplement 8)*, Volume 14, Pages 135-144. 2004. LBNL-52520 .

Hodgson, A.T.; Levin, H. "Volatile organic compounds in indoor air: A review of concentrations measured in North America since 1990." 2003. LBNL-51715 .

Hodgson, A.T.; Levin, H. "Classification of measured indoor volatile organic compounds based on noncancer health and comfort considerations." 2003. LBNL-53308 .

Hodgson, A.T.; Faulkner, D.; Sullivan, D.P.; Dibartolomeo, D.L.; Russell, M.L.; Fisk, W.J. "Effect of Outside Air Ventilation Rate on Volatile Organic Compound Concentrations in a Call Center." *Atmospheric Environment*, Volume 37, Pages 5517-5528. 2003. LBNL-52497 .

Zhao, D; Little, J.C.; Hodgson, A.T. "Modeling the Reversible Sink Effect in Response to Transient Contaminant Sources." *Indoor Air*, Volume 12, Pages 184-190. 2002. LBNL-47095 .

Shendell, D.G.; Hodgson, A.T.; Lee, S.M; Apte, M.G.; Sullivan, D.P.; Hotchi, T.; Fisk, W.J. "VOCs in New Relocatable Classrooms: Assessment of School-Day Exposures Comparing Interior Finish Materials and HVAC Systems." *Epidemiology*, Volume 13, Pages S143. 2002. Abstract (no LBNL number).

Hodgson, A.T.; Faulkner, D.; Sullivan, D.P.; DiBartolomeo, D.L.; Russell, M.L.; Fisk, W.J. "Effect of outside air ventilation rate on VOC concentrations and emissions in a call center." *Proceedings of the Indoor Air 2002 Conference*, Monterey, CA, Volume 2, Pages 168-173, *Indoor Air 2002*, Santa Cruz, CA. 2002. LBNL-49535 .

Hodgson, A.T.; Apte, M.G.; Shendell, D.G.; Beal, D.; McIlvaine, J.E.R. "Implementation of VOC Source Reduction Practices in a Manufactured House and in School Classrooms." *Proceedings of the Indoor Air 2002 Conference*, Monterey, CA, Volume 3, Pages 576-581, *Indoor Air 2002*, Santa Cruz, CA. 2002. LBNL-49536 .

Hodgson, A.T.; Fisk, W.J.; Shendell, D.G; Apte, M.G. "Predicted concentrations in new relocatable classrooms of volatile organic compounds emitted from standard and alternate interior finish materials." 2001. LBNL-48490 .

Hodgson, A.T. "Common Indoor Sources of Volatile Organic Compounds: Emission Rates and Techniques for Reducing Consumer Exposures." 1999. LBNL-42402.

Levin, H.; Hodgson, A.T.; Tichenor, B.A. "Screening and Selecting Building Materials and Products Based on Their Emissions of Volatile Organic Compounds (VOCs)." *ASTM STP 1287, Characterizing Sources of Indoor Air Pollution and Related Sink Effects*, Pages 376-391, American Society for Testing and Materials, Philadelphia, PA. 1996.

Mahanama, K. R. R.; Hodgson, A. T. "An Improved Impregnated-filter Method for Measuring Low-level Concentrations of Toluene Diisocyanates in Air." 1995.

3. Residential Building Energy and Environmental Quality

3.1. Energy Retrofits and Diagnostics

Walker, I.S.; Sherman, M.H. "Energy implications of meeting ASHRAE Standard 62.2." ASHRAE Transactions, Volume 114, Pages 505-516. 2008. LBNL-62446 .

Walker, I.S.; McWilliams, J. "Homeowner Retrofit Guide." 2006. LBNL-57287.

Walker, I.S. "Residential Furnace Blower Performance." 2006. LBNL-61467.

Lobscheid, A.B.; McKone, T.E. "Public health benefits of end-use electrical energy efficiency in California.." 2006. LBNL-59669.

Walker, I.S.; Sherman, M.H. "Duct Tape and Sealant Performance." ASHRAE Journal, Volume 47, Pages 34-41. 2005. LBNL-57225 .

Walker, I.S.; Lutz, J.D. "Laboratory Evaluation of Residential Furnace Blower Performance." 2005. LBNL-58742 .

Walker, I.S. "State-of-the-art in Residential and Small Commercial Air Handler Performance." 2005. LBNL-57330 .

Moezzi, M.; Diamond, R. "Is Efficiency Enough? Towards a New Framework for Carbon Savings in the California Residential Sector." 2005. LBNL-58580 .

McWilliams, J.; Walker, I.S. "Home Energy Article: A Systems Approach to Retrofitting Residential HVAC Systems." 2005. LBNL-57406.

Dickerhoff, D.; Walker, I, S.; Sherman, M. "Validating and Improving the DeltaQ Duct Leakage Test." ASHRAE Transactions, Volume 110 - Pt. 2, Pages 741-751. 2005. LBNL-53959.

Walker, I.S.; Sherman, M.H.; Dickerhoff, D.J. "Reducing Uncertainty for the DeltaQ Duct Leakage Test." 2004. LBNL-53549 .

Walker, I.S.; Sherman, M.H. "What's Up With Duct Tape?." Home Energy, Volume 21. 2004. LBNL-56111.

Walker, I.S. "Best practices guide for residential HVAC retrofits." 2004. LBNL-53592 .

Walker, I.S. "Improving Air Handler Efficiency in Houses." ACEEE Summer Study on Energy Efficiency in Buildings, Volume 1, Pages 341-352, American Council for an Energy Efficient Economy, Washington, DC. 2004. LBNL-54760 .

Sherman, M.; Walker, I.S. "Duct Tape Durability Testing." 2004. LBNL-54767 .

McWilliams, J.; Walker, I.S. "A systems approach to retrofitting residential HVAC systems." 2004 ACEEE Summer Study on Energy Efficiency in Buildings, Volume 11, Pages 119-129, American Council for an Energy Efficient Economy, Washington, DC. 2004. LBNL-54696 .

Diamond, R.; Moezzi, M. "Changing trends: A brief history of the U.S. household consumption of energy, water, food, beverages and tobacco." Proceedings of the 2004 ACEEE Summer Study, Pacific Grove, CA, Volume 10, Pages 1-12, American Council for an Energy Efficient Economy, Washington, DC. 2004. LBNL-55011 .

Wray, Craig; Walker, Iain; Sherman, Max. "Guidelines for Residential Commissioning." 2003. LBNL-48767 .

Walker, I.S.; Sherman, M.H. "Heat Recovery in Building Envelopes." 2003. LBNL 53484.

Walker, I.S.; McWilliams, J.A.; Konopacki, S.J. "Case Study Field Evaluation of a Systems Approach to Retrofitting a Residential HVAC System." 2003. LBNL-53444 .

- Sherman, M.H.; Walker, I.S.; Wray, C.P. "Instrumented home energy rating and commissioning." 2003. LBNL-52216 .
- Wray, C.P.; Walker, I.S.; Siegel, J.A.; Sherman, M.H. "Practical Diagnostics for Evaluating Residential Commissioning Metrics." 2002. LBNL-45959 .
- Wray, C.P.; Walker, I.S.; Sherman, M.H. "Accuracy of flow hoods in residential applications." Proceedings of the ACEEE Summer Study on Energy Efficiency in Buildings, Pacific Grove, California, Volume 1, Pages 339-350, American Council for an Energy Efficient Economy, Washington, DC. 2002. LBNL-49697 .
- Siegel, J.A.; Wray, C.P. "An Evaluation of Superheat-Based Refrigerant Charge Diagnostics for Residential Cooling Systems." ASHRAE Transactions, Volume 108. 2002. LBNL-47476 .
- Siegel, J.; Walker, I.S.; Sherman, M.H. "Dirty air conditioners: Energy implications of coil fouling." Proceedings of the ACEEE Summer Study on Energy Efficiency in Buildings, Pacific Grove, CA, American Council for an Energy Efficient Economy, Washington, DC. 2002. LBNL-49757 .
- Matson, N.E.; Wray, C.P.; Walker, I.S.; Sherman, M.H. "Potential Benefits of Commissioning California Homes." 2002. LBNL-48258 .
- Diamond, Rick. "What might U.S. homes and workplaces be like in the year 2020—and what are the implications for energy use?." 2002. LBNL-50184 .
- Wray, C.P.; Sherman, M.H. "Residential Commissioning to Assess Envelope and HVAC System Performance." Proceedings of the ASHRAE/DOE/BTECC Thermal Performance of Exterior Envelopes of Whole Buildings VIII, Clearwater Beach, FL, ASHRAE, Atlanta, GA. 2001. LBNL-47412 .
- Wray, C.P.; Piette, M.A.; Sherman, M.H.; Levinson, R.M.; Matson, N.E.; Driscoll, D.A.; McWilliams, J.A.; Xu, T.T.; Delp, W.W. "Residential Commissioning: A Review of Related Literature." 2000. LBNL-44535 .
- Salsbury, T.I.; Diamond, R.C. "Performance validation and energy analysis of HVAC systems using simulation." Energy & Buildings, Volume 32, Pages 5-17. 2000. LBNL-43638 .
- Diamond, R.C.; Moezzi, M. "Revealing myths about people, energy and buildings." Proceedings of the ACEEE 2000 Summer Study on Energy Efficiency in Buildings, Pacific Grove, CA, Volume 8, Pages 65-77, American Council for an Energy Efficient Economy, Washington, DC. 2000. LBNL-45862.
- Diamond, R.C.; Spengler, J.D., Samet, J.M., McCarthy, J.F. "An Overview of the U.S. Building Sector." Chapter 6 in Indoor Air Quality Handbook, McGraw Hill, New York. 2000. LBNL-43640 .
- Salsbury, T.I.; Diamond, R.C. "Automated Testing of HVAC Systems for Commissioning." 1999. LBNL-43639.
- Matson, N.E.; Feustel, H.E. "Residential Ventilation Systems." 1998. LBNL-40859.
- Said, N.; Brown, W.; Walker, I. "Long Term Monitoring of an EIFS Clad Wall." Journal of Thermal Insulation and Building Envelopes, Volume 20, Pages 320-338. 1997.
- Walker, I.; Modera, M.; Tuluca, A.; Graham, I. "Energy effectiveness of duct sealing and insulation in two multifamily buildings." Proceedings of the 1996 ACEEE Summer Study on Energy Efficiency in Buildings, Pacific Grove, CA, Volume 1, Pages 247-254, American Council for an Energy Efficient Economy, Washington, DC. 1996. LBL-38538 .
- Stetiu, C.; Feustel, H.E.; Nakano, Y. "Ventilation Control Strategies for Buildings with Hydronic Radiant Cooling in Hot Humid Climates." Proceedings of the RoomVent 1996, Yokohama, Japan, Pages 1, Institute of Industrial Science, University of Tokyo, Tokyo, Japan. 1996. LBNL-38320.
- Stetiu, C.; Feustel, H.E. "Phase Change Wallboard as an Alternative to Compressor Cooling in Residences?." Proceedings of the 1996 ACEEE Summer Study on Energy Efficiency in Buildings, Pacific Grove, CA, Volume 19, Pages 157-170, American Council for an Energy Efficient Economy, Washington, DC. 1996. LBL-38320.
- Sherman, M.H. "The Use of Blower-Door Data." Indoor Air, Volume 5, Pages 215-224. 1995. LBL-35173 .

Feustel, H. W. "Simplified Numerical Description of Latent Storage Characteristics for Phase Change Wallboard." 1995. LBL-36933.

3.2. Indoor Environmental Quality

Singer, B.C.; Hodgson, A.T.; Hotchi, T.; Ming, K.Y.; Sextro, R.G.; Wood, E. E.; Brown, N.J. "Sorption of organic gases in residential rooms." *Atmospheric Environment*, Volume 41, Pages 3251-3265. 2007. LBNL-59303.

Fisk, W.J.; Lei-Gomez, Q.; Mendell, M.M. "Meta-Analyses of the Associations of Respiratory Health Effects with Dampness and Mold in Homes." *Indoor Air*, Volume 17, Pages 284-96. 2007. LBNL-59363.

Destailats, H.; Singer, B.C.; Gundel, L A. "Evidence of acid-base interactions between amines and model indoor surfaces by ATR-FTIR spectroscopy." *Atmospheric Environment*, Volume 41, Pages 3177-3181. 2007. LBNL-63480.

Destailats, H.; Lunden, M.; Singer, B.C.; Coleman, B.K.; Hodgson, A.; Weschler, C.J.; Nazaroff, W. "Indoor Secondary Pollutants from Household Product Emissions in the Presence of Ozone: A Bench-Scale Chamber Study." *Environmental Science and Technology*, Volume 40, Pages 4421-4428. 2006. LBNL-58785.

Levin, H. "National Expenditures for IAQ Problem Prevention or Mitigation." 2005. LBNL-58694.

Levin, H. "Indoor Air Pollutants Part 2: Description of sources and control/mitigation measures." AIVC - Ventilation Information Paper, Volume 7, Pages 1-7. 2004. LBNL-55774.

Sherman, Max H.; Matson, Nance E. "Reducing Indoor Residential Exposures to Outdoor Pollutants." 2003. LBNL-51758.

IED Staff. "A compilation of papers for the Indoor Air 2002 Conference in memory of Joan M. Daisey." 2002. LBNL-50419.

Fisk, W.J.; Brager, G.; Burge, H.; Cummings, J.; Levin, H.; Loftness, V.; Mendell, M.J.; Persily, A.; Taylor, S.; Zhang, J.S. "Energy-related indoor environmental quality research: A priority agenda." 2002. LBNL-51328.

Fisk, W.J.; Brager, G.; Brook, M.; Burge, H.; Cole, J.; Cummings, J.; Levin, H.; Loftness, V.; Logee, T.; Mendell, M.J.; Persily, A.; Taylor, S.; Zhang, J. "A priority agenda for energy-related indoor environmental quality research." *Proceedings of the Indoor Air 2002 Conference, Monterey, CA*, Volume 2, Pages 984-989, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-50612.

Tenwolde, A.; Walker, I.S. "Interior Moisture Design Loads for Residences." *Proceedings of the ASHRAE/DOE/BTECC Thermal Performance of Exterior Envelopes of Whole Buildings VIII, Clearwater Beach, FL, ASHRAE, Atlanta, GA*. 2001.

IED Staff. "Recent Research on Indoor Air Quality: A Compilation in Memory of Joan Daisey." 2000. LBNL-45463.

Morrison, G.C. "Ozone-Surface Interactions: Investigations of Mechanisms, Kinetics, Mass Transport, and Implications for Indoor Air Quality." 1999. LBNL-45044.

Ten Brinke, J.; Selvin, S.; Hodgson, A.T.; Fisk, W.J. "Development of new VOC exposure metrics and their relationship to sick building syndrome symptoms." *Indoor Air*, Volume 8, Pages 140-152. 1998. LBNL-42047.

Morrison, G.C.; Nazaroff, W.W.; Cano-Ruiz, A.; Hodgson, A.T.; Modera, M.P. "Indoor Air Quality Impacts of Ventilation Ducts: Ozone Removal and Emissions of Volatile Organic Compounds." *Journal of Air and Waste Management Association*, Volume 48, Pages 941-952. 1998. LBNL-43849.

Traynor, G.W.; Apte, M.G.; Chang, G. "Pollutant Emission Factors from Residential Natural Gas Appliances: A Literature Review." 1996. LBL-38123.

Hodgson, A.T. "Measurement of Indoor Air Quality in Two New Test Houses." 1996. LBNL-37929.

Daisey, J.; Lee, J. "Total exposure – Indoor and outdoor air in residential and occupational settings." Proceedings of the 2nd Colloquium on Particulate Air Pollution and Human Health, Park City, UT, Department of Community and Environmental Medicine, University of California, Irvine, CA. 1996.

Sherman, M.H. "The Use of Blower-Door Data." *Indoor Air*, Volume 5, Pages 215-224. 1995. LBL-35173.

3.3. Infiltration, Ventilation and Air Cleaning

Petithuguenin, T. D.P.; Sherman, M.H. "Air Distribution Effectiveness for Residential Mechanical Ventilation: Simulation and Comparison of Normalized Exposures." 2009. LBNL-2021E.

Sherman, M.H.; Walker, I.S. "Air Distribution Effectiveness for Different Mechanical Ventilation Systems." *International Journal of Ventilation*, Volume 6, Pages 307-314. 2008. LBNL 62700.

Sherman, M.H.; Walker, I.S. "Energy Impact of Residential Ventilation Standards in California." *ASHRAE Journal*, Volume 114, Pages 482-493. 2008. LBNL-61282.

Sherman, M.H. "Infiltration in ASHRAE Residential Ventilation Standards." 2008. LBNL-1220E.

Sherman, M.H. "On The Valuation of Infiltration towards Meeting Residential Ventilation Needs." 2008. LBNL-1031E.

Sherman, M.H. "Summary of Workshop: Barriers to Energy Efficient Residential Ventilation." 2008. LBNL-41E.

Chan, W.R.; Nazaroff, W.W.; Price, P.N.; Gadgil, A.J. "Effectiveness of Urban Shelter-in-Place III: Urban Districts." *Building Simulation*, Volume 1, Pages 144-157. 2008. LBNL-376E.

Wray, C.P.; Akbari, H.A. "The Effects of Roof Reflectance on Air Temperatures Surrounding a Rooftop Condensing Unit." *Energy and Buildings*, Volume 40, Pages 11-28. 2007. LBNL-62297.

Wray, C.P.; Akbari, H.A. "The Effects of Roof Reflectance on Air Temperatures Surrounding a Rooftop Condensing Unit." 2007. LBNL-62297.

Walker, I.S.; Sherman, M.H. "Humidity Implications for Meeting Residential Ventilation Requirements." *Buildings X Conference - Thermal Performance of the Exterior Envelopes of Whole Buildings*, Pages Air Tightness II Practices IIIA, U.S. DOE, Oak Ridge National Laboratory. 2007. LBNL-62182.

Sherman, M.H.; Walker, I.S. "Energy impact of residential ventilation norms in the United States." 2007. LBNL-62341.

Sherman, M.H.; Walker, I.S.; M.Santamouris, P.Wouters. "Air distribution effectiveness for different mechanical ventilation systems." 2nd PALENC Conference and 28th AIVC Conference on Building Low Energy Cooling and Advanced Ventilation Technologies in the 21st Century, Volume 2, Pages 964-968, Heliotopos Conferences. 2007. LBNL-62700.

Sherman, M.H.; McWilliams, J.A. "Air Leakage of U.S. Homes: Model Prediction." *Buildings X Conference - Thermal Performance of the Exterior Envelopes of Whole Buildings*, Pages Air Tightness II-Practices III-A, U.S. DOE, Oak Ridge National Laboratory. 2007. LBNL-62078.

Russell, M.L.; Sherman, M.H.; Rudd, A.F. "Review of Residential Ventilation Technologies." *HVAC&R Research*, Volume 13, Pages 325-348. 2007. LBNL-57730.

Chan, W.R.; Nazaroff, W.W.; Price, P.N.; Gadgil, A.J. "Effectiveness of urban shelter-in-place. II: Residential Districts." *Atmospheric Environment*, Volume 41, Pages 7082-7095. 2007. LBNL-62107.

Chan, W.R.; Nazaroff, W.W.; Price, P. N.; Gadgil, A.J. "Effectiveness of Urban Shelter-in-Place I: Idealized Conditions." *Atmospheric Environment*, Volume 41, Pages 4962-4976. 2007. LBNL-61686.

Walker, I.S.; Forest, T.W.; Wilson, D.J. "An Attic-Interior Infiltration and Interzone Transport Model of a House." *Building and Environment*, Volume 40, Pages 701-718. 2006.

- Walker, I. S.; Sherman, M.H. "Ventilation requirements in hot, humid climates." 15th Symposium on Improving Building Systems in Hot Humid Climates, Volume Codes, ESL-HH-06/07-04, Florida Solar Energy Center and Energy Systems Laboratory at Texas A&M University. 2006. LBNL-59889.
- Walker, I. S.; Sherman, M. "Evaluation of existing technologies for meeting residential ventilation requirements.." 2006. LBNL-59998.
- Sherman, M. "Air Tightness of US Homes: Model Development." 2006. LBNL-59202 .
- Price, P. N.; Sherman, M.H. "Ventilation Behavior and Household Characteristics in New California Houses." 2006. LBNL-59620 .
- Price, P. N.; Shehabi, A.; Chan, W.R.; Gadgil, A. "Indoor-outdoor air leakage of apartments and commercial buildings.." 2006. LBNL-60682.
- Morrison, G.C.; Corsi, R.L.; Destailats, H.; Nazaroff, W.; Wells, J.R. "Indoor Chemistry: Materials, Ventilation Systems, and Occupant Activities." Healthy Buildings 2006 Conference, Pages A-34. 2006. LBNL-60291.
- Jung, M.; McWilliams, J. "Development of a mathematical air leakage model from measured data." 2006. LBNL-59041 .
- Sherman, M.H.; McWilliams, J.A. "Report on Applicability of Residential Ventilation Standards in California." 2005. LBNL-58713 .
- Sherman, M. "Houses Need to BreatheRight?." 2005. LBNL-54496 .
- McWilliams, J.; Sherman, M. "Review of Literature Related to Residential Ventilation Requirements." 2005. LBNL-57236.
- Chan, W.R.; Nazaroff, W.; Price, P. N.; Sohn, M.D.; Gadgil, A. "Analyzing a database of residential air leakage in the United States." Atmospheric Environment, Volume 39, Pages 3445-3455. 2005. LBNL-53367 .
- Sherman, M.H.; Hodgson, A.T. "Fomaldehyde as a Basis for Residential Ventilation Rates." Indoor Air, Volume 14, Pages 2-9. 2004. LBNL-49577 .
- Sherman, M.H. "ASHRAE's first residential ventilation standard." Buildings IX Conference, SP-95, ASHRAE, Atlanta, GA. 2004. LBNL-54331.
- Sherman, Max H. "ASHRAE's New Residential Ventilation Standard." ASHRAE Journal, Volume 46, Pages 149-156. 2004. LBNL-53776 .
- Matson, N.; Sherman, M. "Why We Ventilate Our Houses An Historical Look." 2004 ACEEE Summer Study on Energy Efficiency in Buildings, Volume 7, Pages 241-250, American Council for an Energy Efficient Economy, Washington, DC. 2004. LBNL-55107 .
- Walker, I.S.; Sherman, M.H. "Heat Recovery in Building Envelopes." 2003. LBNL 53484.
- Walker, Iain S.; Sherman, Max H. "Ventilation Technologies Scoping Study." 2003. LBNL-53811 .
- Sherman, Max H.; Chan, Wanyu R. "Building Airtightness: Research and Practice." State of the Art in Ventilation, Pages 8-12, James & James. 2003. LBNL-53356 .
- McWilliams, Jennifer. "Review of air flow measurement techniques." 2003. LBNL-49747 .
- Chan, W.R.; Price, P. N.; Sohn, M.D.; Gadgil, A.J. "Analysis of U.S. Residential Air Leakage Database." 2003. LBNL-53367 .
- Wray, Craig P. "Suite Ventilation Characteristics of Current Canadian Mid-and High-Rise Residential Buildings." ASHRAE Transactions, Volume 110 (Part 2). 2002. LBNL-43254 .
- Theaker, I.G.; Wray, C.P. "Ventilation System Design of Recent Canadian Multi-Unit Residential Buildings." ASHRAE Transactions, Volume 106. 2002.

- Sherman, M.H.; Matson, N.E. "Air Tightness of New U.S. Houses: A Preliminary Report." 2002. LBNL-48671 .
- Abadie, M.O.; Finlayson, E.O.; Gadgil, A. J. "Infiltration heat recovery in building walls: Computational fluid dynamics investigations results." 2002. LBNL-51324 .
- Sherman, M.H.; Walker, I.S. "Heat Recovery in Building Envelopes." Proceedings of the ASHRAE/DOE/BTECC Thermal Performance of Exterior Envelopes of Buildings VIII, Clearwater Beach, FL, ASHRAE, Atlanta, GA. 2001. LBNL-47329 .
- Wray, C.P.; Matson, N.E.; Sherman, M.H. "Selecting Whole-House Ventilation Strategies to Meet Proposed ASHRAE 62.2: Energy Cost Considerations." ASHRAE Transactions, Volume 106, Pages 681-691. 2000. LBNL-44479 .
- Buchanan, C.R.; Sherman, M.H. "A Mathematical Model for Infiltration Heat Recovery." 2000. LBNL-44294 .
- Walker, I.S. "Distribution System Leakage Impacts on Apartment Building Ventilation Rates." ASHRAE Transactions, Volume 105, Pages 943-950. 1999. LBNL- 42127.
- Sherman, M. "ASHRAE's Residential Ventilation Standard: Exigesis of Proposed Standard 62.2." ASHRAE Journal. 1999. LBNL-42975 .
- Diamond, R.C.; Feustel, H.E.; Matson, N. "A Guide to Energy Efficient Ventilation in Apartment Buildings, US Department of Energy (DOE/EE-0196)." 1999. LBNL-43641.
- Wray, C.P.; Theaker, I.G.; Moffatt, P. "Field Testing to Characterize Suite Ventilation in Recently Constructed Mid- and High-Rise Residential Buildings." 1998.
- Walker, I.S.; Wilson, D.J.; Sherman, M.H. "A Comparison of the Power Law to Quadratic Formulations for Air Infiltration Calculations." Energy and Buildings, Volume 27, Pages 293-299. 1998. LBNL-41447 .
- Walker, I.S.; Wilson, D.J. "Field Validation of Algebraic Equations for Stack and Wind Driven Air Infiltration Calculations." HVAC&R Research, Volume 4, Pages 119-139. 1998. LBNL-42361 .
- Sherman, M.H.; Dickerhoff, D.J. "Air Tightness of U.S. Dwellings." ASHRAE Transactions, Volume 104, Pages 1359-1367. 1998.
- Feustel, H.E.; Diamond, R.C. "Ventilation in Highrise Apartments." Proceedings of the Room Vent 1998 Conference, Stockholm, Sweden, KTH, Stockholm, Sweden. 1998. LBNL-43642.
- Buchanan, C.R.; Sherman, M.H. "CFD Simulation of Infiltration Heat Recovery." Proceedings of the 19th AIVC Conference, Oslo, Norway, Air Infiltration and Ventilation Centre, Coventry, United Kingdom. 1998. LBNL-42098.
- Apte, M.G.; Nero, A.V.; Revzan, K.L. "LBL Meteorological Database for the United States." 1998. LBL-33854.
- Forowicz, T. "New Generation of Software: Modeling of Energy Demands for Residential Ventilation with HTML Interface." 1997. LBNL-40423.
- Walker, I.S.; Wilson, D.J.; Forest, T.W. "A Wind Shadow Model for Air Infiltration Sheltering by Upwind Obstacles." ASHRAE HVAC&R Research Journal, Volume 2, Pages 265-283. 1996.
- Sherman, M.; Matson, N. "Residential Ventilation and Energy Characteristics." 1996. LBNL-39036 .
- Feustel, H.E.; Diamond, R.C. "Diagnostics and measurements of infiltration and ventilation systems in high-rise apartment buildings." Proceedings of the 1996 ACEEE Summer Study on Energy Efficiency in Buildings, Pacific Grove, CA, Volume 1, Pages 95-101, American Council for an Energy Efficient Economy, Washington, DC. 1996. LBL-38103.
- Diamond, R.C.; Feustel, H.E.; Dickerhoff, D.J. "Ventilation and Infiltration in Highrise Apartment Buildings." 1996. LBNL-38103.

Walker, I.S.; Forest, T.W.; Wilson, D.J. "A Simple Calculation Method for Attic Ventilation Rates." Proceedings of the 16th AIVC Conference, Volume 1, Pages 221-232, Air Infiltration and Ventilation Centre, Coventry, Great Britain. 1995. LBL-36879.

Walker, I.S.; Forest, T.W. "Field Measurements of Ventilation Rates in Attics." Building and Environment, Volume 30, Pages 333-347. 1995.

3.4. Radon

Ruzer, L.S.; Apte, M.G. "Radon Progeny as a potential experimental tool for dosimetry of nanoaerosols." Submitted to Inhalation Toxicology. 2008. LBNL-59256.

Prill, R.; Fisk, W.J. "Long Term Performance of Radon mitigation systems." Proceedings of the Indoor Air 2002 Conference, Monterey, CA, Volume 2, Pages 641-646, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-50041.

Hopke, P.K.; Borak, T.B.; Doull, J.; Cleaver, J.E.; Eckerman, K.F.; Gundersen, L.C.; Harley, N.H.; Hess, C.E.; Kinner, N.E.; Kopecky, K.J.; McKone, T.E.; Sextro, R.G.; Simon, L.G. "Health risks due to radon in drinking water." Environmental Science & Technology, Volume 34, Pages 921-926. 2000.

Riley, W.J.; Robinson, A.L.; Gadgil, A.; Nazaroff, W. "Effects of variable wind speed and direction on radon transport from soil into buildings: model development and exploratory results." Atmospheric Environment, Volume 33, Pages 2157-2168. 1999. LBNL-43652.

Garbesi, K.; A.L. Robinson; R.G. Sextro; W.W. Nazaroff. "Radon entry into houses: The importance of scale-dependent permeability." Health Physics, Volume 77, Pages 83-191. 1999. LBNL-44040.

Apte, M.G.; Price, P.N.; Nero, A.V.; Revzan, K.L. "Predicting Indoor Radon Concentrations in New Hampshire from Geologic Information and Other Covariates." Environmental Geology, Volume 37, Pages 181-194. 1999. LBNL-38961.

Ruzer, L.S.; Sextro, R.G. "Measurement of Radon Decay Products in Air by Alpha- and Beta-Spectrometry." Radiation Protection Dosimetry, Volume 72, Pages 43-48. 1997.

Robinson, A.L.; Sextro, R.G.; Riley, W.J. "Soil-Gas Entry Into Houses Driven By Atmospheric Pressure Fluctuations – the Influence of Soil Properties." Atmospheric Environment, Volume 31, Pages 1487-1495. 1997.

Robinson, A.L.; Sextro, R.G. "Radon Entry into Buildings Driven by Atmospheric Pressure Fluctuations." Environmental Science & Technology, Volume 31, Pages 1742-1748. 1997.

Price, P.N. "Predictions and Maps of County Mean Indoor Radon Concentrations in the Mid-Atlantic States." Health Physics, Volume 72, Pages 893-906. 1997.

Robinson, A.L.; Sextro, R.G.; Fisk, W.J. "Soil gas entry into an experimental basement driven by atmospheric pressure fluctuations, measurements, spectral analysis, and model comparison." Atmospheric Environment, Volume 31, Pages 1477-1485. 1996.

Riley, W.J.; Gadgil, A.J.; Bonnefous, Y.C.; Nazaroff, W.W. "The Effect of Steady Winds on Radon Entry into Houses." Atmospheric Environment, Volume 30, Pages 1167-1176. 1996. LBL-36372.

Riley, W.J.; Fisk, W.J.; Gadgil, A.J. "Regional and National Estimates of the Potential Energy Use, Energy Cost, and CO₂ Emissions Associated with Radon Mitigation by Sub-Slab Depressurization." Energy and Buildings, Volume 24, Pages 203-212. 1996. LBL-36368.

Price, P.N.; Nero, A.V. "Joint Analysis of Long- and Short-Term Radon Monitoring Data from the Northern U.S." Environmental International, Volume 22, Pages 669-714. 1996. LBL-37276.

Garbesi, K.; Sextro, R.G.; Robinson, A.L.; Wooley, J.D.; Owens, J.A.; Nazaroff, W.W. "Scale Dependence of Soil Permeability to Air: Measurement Method and Field Investigation." Water Resource Research, Volume 32, Pages 547-560. 1996. LBL-35369.

Robinson, A.L.; Sextro, R.G. "Direct measurements of soil-gas entry into an experimental basement driven by atmospheric pressure fluctuations." *Geophysical Research Letters*, Volume 22, Pages 1929-1932. 1995. LBL-36743.

Robinson, A.L.; Sextro, R.G. "The Influence of a Subslab Gravel Layer and Open Area on Soil-Gas and Radon Entry into Two Experimental Basements." *Health Physics*, Volume 69, Pages 367-377. 1995. LBL-35943.

Riley, W.J.; Gadgil, A.J.; Nazaroff, W.W. "Wind-induced Ground Pressures Around a Single-family House." *Journal of Wind Engineering and Industrial Aerodynamics*, Volume 61, Pages 153-167. 1995. LBL-38435.

Revzan, K. L.; Price, P. N.; Nero, A. V. "Bayesian Analysis of the Relationship Between Indoor Radon Concentrations and Predictive Variables in US Houses." 1995. LBL-38194.

Price, P. N.; Nero, A. V.; Gelman, A. "Bayesian Prediction of Mean Indoor Radon Concentrations for Minnesota Counties." 1995. LBL-35818.

Price, P.N. "The Regression Effect as a Cause of the Nonlinear Relationship Between Short- and Long-Term Radon Concentration Measurements." *Health Physics Society*, Volume 69, Pages 111-114. 1995. LBL-35819.

Fisk, W.J.; Prill, R.J.; Fisk, J.W.; Bonnefous, Y.C.; Gadgil, A.J.; Riley, W.J. "New Methods of Energy Efficient Radon Mitigation." *Health Physics*, Volume 68, Pages 689-698. 1995. LBL-36519.

3.5. Thermal Distribution (Ducts)

Walker, I.S.; Dickerhoff, D.J. "Field and Laboratory Evaluation of a New Ramping Techniques for Duct Leakage Testing." *ASHRAE Transactions*, Volume 114, Pages 494-504. 2008. LBNL-62262.

Walker, I.S.; Claret, V.; Smith, B. "Laser sheet light flow visualization for evaluating room air flows at reduced register air flow rates." 2008. LBNL-56483.

Walker, I.S. "Comparing Residential Furnace Blowers for Rating and Installed Performance." *ASHRAE Transactions*, Volume 114, Pages 187-195. 2008. LBNL-62344.

Dickerhoff, D.; Walker, I.S. "Evaluation of the Repeatability of the Delta Q Duct Leakage Testing Technique Including Investigation of Robust Analysis Techniques and Estimates of Weather Induced Uncertainty." 2008. LBNL-1209E.

Meier, A.; Walker, I.S. "Emerging Requirements for Residential Thermostats in North America." *The Sixth International Conference on Indoor Air Quality, Ventilation & Energy Conservation in Buildings 2007*, Volume 1, Pages 899-903, Tohoku University. 2007.

Walker, I.S.; Dickerhoff, D.J. "Evaluation of a new ramping technique for duct leakage testing." 2006. LBNL-61743.

Walker, I.S. "Residential Furnace Blower Performance in U.S. Homes." *Air Infiltration Review*, Volume 28, Pages 3-4, Air Infiltration and Ventilation Centre, Belgium. 2006. LBNL-61868.

Walker, I.S. "Residential Furnace Blower Performance." 2006. LBNL-61467.

Walker, Iain S.; Wray, Craig P.; Guillot, Cyril; Masson, S. "Evaluation of Commercially Available Techniques and Development of Simplified Methods for Measuring Grille Airflows in HVAC Systems." 2003. LBNL-51551.

Walker, I.S.; Wray, C.P. "Evaluation of Flow Capture Techniques for Measuring HVAC Grille Airflows." *ASHRAE Transactions*, Volume 109. 2003. LBNL-51550.

Walker, I.S.; Mingee, M.D.; Brenner, D.E. "Improving Air Handler Efficiency in Residential HVAC Applications." 2003. LBNL-53606.

Walker, Iain S.; Guillot, Cyril. "Experimental Evaluation of Gas Filled Plenum Duct Insulation." 2003. LBNL-52084.

Walker, Iain S.; Brenner, Douglas E.; Sherman, Max H.; Dickerhoff, Darryl J. "Evaluation of PEGIT Duct Connection System." 2003. LBNL-43382 .

Siegel, J.; Walker, I.S. "Integrating ducts into the conditioned space: Successes and challenges." Architectural Engineering Institute Conference, Austin, TX. 2003. LBNL-55675 .

Sherman, M.H.; Walker, I.S. "Advanced Duct Sealant Testing." 2003. LBNL-53547 .

Walker, I.S.; Dickerhoff, D.J.; Sherman, M.H. "The Delta Q method of testing the air leakage of ducts." Proceedings of the ACEEE Summer Study on Energy Efficiency in Buildings, Pacific Grove, CA, Volume 1, Pages 327-338, American Council for an Energy Efficient Economy, Washington, DC. 2002. LBNL-49749 .

Siegel, J.A.; Nazaroff, W.W. "Modeling Particle Deposition on HVAC Heat Exchangers." Proceedings of the Indoor Air 2002 Conference, Monterey, CA, Volume 1, Pages 521-526, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-49339 .

Siegel, J.A.; McWilliams, J.A.; Walker, I.S. "Comparison between predicted duct effectiveness from proposed ASHRAE standard 152P and measured field data for residential forced air cooling systems." ASHRAE Transactions, Volume 109. 2002. LBNL-50008 .

Abushakra, B.; Walker, I.S.; Sherman, M.H. "A study of pressure losses in residential air distribution systems." Proceedings of the ACEEE Summer Study on Energy Efficiency in Buildings, Pacific Grove, CA, Volume 1, Pages 1-14, American Council for an Energy Efficient Economy. 2002. LBNL-49700 .

Abushakra, B. "Longevity of duct tape in residential air distribution systems: 1-D, 2-D, and 3-D joints." 2002. LBNL-51099 .

Walker, I.S.; Wray, C.P.; Dickerhoff, D.J.; Sherman, M.H. "Evaluation of flow hood measurements for residential register flows." 2001. LBNL-47382 .

Walker, I.S.; Siegel, J.A.; Degenetais, G. "Simulation of Residential HVAC System Performance." Proceedings of the ESIM 2001 Conference, Ontario, Canada, Pages 43-50, CANMET Energy Technology Centre/Natural Resources Canada, Ottawa, Canada. 2001. LBNL-47622 .

Walker, I.S.; Sherman, M.H.; Wempen, J.; Wang, D.; McWilliams, J.A.; Dickerhoff, D.J. "Development of a New Duct leakage Test: Delta Q." 2001. LBNL-47308 .

Walker, I.S. "Sensitivity of forced air distribution system efficiency to climate, duct location, air leakage and insulation." 2001. LBNL-43371 .

Siegel, J.A.; Walker, I.S. "Deposition of biological aerosols on HVAC heat exchangers." 2001. LBNL-47669 .

Siegel, Jeffrey. "Fouling of HVAC fin and tube heat exchangers." 2001. LBNL-47668 .

Carrie, F.R.; Modera, M.P. "Experimental investigation of aerosol deposition on slot-and joint-type leaks." Journal of Aerosol Science, Volume 33, Pages 1447-1462. 2001. LBNL-48774 .

Walker, I.S.; Sherman, M.H.; Siegel, J.A.; Modera, M.P. "Effects of Duct Improvement and ENERGYSTAR Equipment on Comfort and Energy Efficiency." 2000. LBNL-43723 .

Walker, I.S. "Assessing the longevity of residential duct sealants." Proceedings of the RILEM 3rd International Symposium, France, Pages 71-86, RILEM Publications S.A.R.L. Cachan Cedex, France. 2000. LBNL-43381 .

Siegel, J.A.; Walker, I.A.; Sherman, M.H. "Delivering Tons to the Register: Energy Efficient Design and Operation of Residential Cooling System." Proceedings of the ACEEE Summer Study 2000, Pacific Grove, CA, Volume 1, Pages 295-306, American Council for an Energy Efficient Economy, Washington, DC. 2000. LBL-45315 .

Sherman, M.H.; Walker, I.S.; Dickerhoff, D.J. "Stopping Duct Quacks: Longevity of Residential Duct Sealants." Proceedings of the ACEEE 2000 Summer Study on Energy Efficiency in Buildings, Pacific Grove, CA, Volume 1, Pages 273-284, American Council for an Energy Efficient Economy, Washington, DC. 2000. LBNL-45423.

Levinson, R.M.; Delp, W.W.; Dickerhoff, D.J.; Modera, M.P. "Effects of air infiltration on the effective thermal conductivity of internal fiberglass insulation and on the delivery of thermal capacity via ducts." 2000. LBNL-42499.

Levinson, R.; Delp, W.; Dickerhoff, D.; Modera, M. "Effects of Airflow Infiltration on the Thermal Performance of Internally-insulated Ducts." Energy & Buildings, Volume 32, Pages 345-354. 2000. LBNL-45447.

Walker, I.S.; Sherman, M.H.; Siegel, J.A. "Distribution effectiveness and impacts on equipment sizing for residential thermal distribution systems." 1999. LBNL-43724.

Feustel, H.E. "COMIS – An International Multizone Air-Flow and Contaminant Transport Model." Energy and Buildings, Volume 30, Pages 3-18. 1999. LBNL-42182.

Walker, I.S.; Modera, M.P. "Field Measurements of the Interactions between Furnaces and Forced Air Distribution Systems." ASHRAE Transactions, Volume 104, Pages 1805-1816. 1998. LBNL-40587.

Walker, I.S. "Technical Background for Default Values used for Forced Air Systems in Proposed ASHRAE Standard 152P." ASHRAE Transactions, Volume 104, Pages 1360-1375. 1998. LBNL-40588.

Walker, I.; Siegel, J.; Brown, K.; Sherman, M. "Saving Tons at the Register." Proceedings of the 1998 ACEEE Summer Study on Energy Efficiency in Buildings, Pacific Grove, CA, Volume 1, Pages 367-383, American Council for an Energy Efficient Economy, Washington, DC. 1998. LBNL-41957.

Walker, I.; Sherman, M.; Modera, M.; Siegel, J. "Leakage Diagnostics, Sealant Longevity, Sizing and Technology Transfer in Residential Thermal Distribution Systems." 1998. LBNL-41118.

Sherman, M.H.; Walker, I.S. "Can Duct-Tape Take the Heat?." Home Energy, Volume 15, Pages 14. 1998. LBNL-41434.

Jump, D.A.; Walker, I.S.; Modera, M.P. "Field Measurements of Efficiency and Duct Retrofit Effectiveness in Residential Forced Air Distribution Systems." Proceedings of the 1996 ACEEE Summer Study on Energy Efficiency in Buildings, Pacific Grove, CA, Volume 1, Pages 147-156, American Council for an Energy Efficient Economy, Washington, DC. 1996. LBL-38537.

Treidler, B.; Modera, M. "New Technologies for Residential HVAC Ducts." 1995. LBNL-35445.

Modera, M.P.; Treidler, B. "Improved Modelling of HVAC System/Envelope Interactions in Residential Buildings." Proceedings of the ASME/JSME/JSES International Solar Energy Conference, Maui, HI, Volume 1, Pages 245-252, ASME, Washington, DC. 1995. LBL-36048.

3.6. Volatile Organic Compounds

Maddalena, R.L.; Russell, M.L.; Sullivan, D.P.; Apte, M.G. "Interim Report: VOC and aldehyde emissions in four FEMA temporary housing units." 2008. LBNL-254E.

Destailats, H.; Singer, B.C.; Gundel, L A. "Evidence of acid-base interactions between amines and model indoor surfaces by ATR-FTIR spectroscopy." Atmospheric Environment, Volume 41, Pages 3177-3181. 2007. LBNL-63480.

Singer, B.C.; Destailats, H.; Hodgson, A.; Nazaroff, W. "Cleaning Products and Air Fresheners: Emissions and Resulting Concentrations of Glycol Ethers and Terpenoids." Indoor Air, Volume 16, Pages 179-191. 2006. LBNL-58250.

Mendell, M. "Indoor Residential Chemical Exposures as Risk Factors for Asthma and Allergy in Infants and Children: A Review." Proceedings of Healthy Buildings 2006 Conference, Volume 1, Pages 151-156. 2006. LBNL-59781.

- Destailats, H.; Singer, B.C.; Lee, S.K.; Gundel, L A. "Effect of ozone on nicotine desorption from model surfaces: evidence for heterogeneous chemistry." *Environmental Science and Technology*, Volume 40, Pages 1799-1805. 2006. LBNL-57505 .
- Destailats, H.; Singer, B.C.; Gundel, L A.; E. de Oliveira Fernandes; M. Gameiro da Silva; J. Rosado Pinto. "Secondary pollutants from ozone reaction with nicotine on surfaces." *Proceedings of Healthy Buildings 2006 Conference*, Pages A-451. 2006. LBNL-57505 .
- Destailats, H.; Lunden, M.; Singer, B.C.; Coleman, B.K.; Hodgson, A.; Weschler, C.J.; Nazaroff, W. "Indoor Secondary Pollutants from Household Product Emissions in the Presence of Ozone: A Bench-Scale Chamber Study." *Environmental Science and Technology*, Volume 40, Pages 4421-4428. 2006. LBNL-58785 .
- Hodgson, A.T.; Moyer, N.; Beal, D. "Effect of Residential Ventilation Techniques for Hot and Humid Climates on Indoor Concentrations of Volatile Organic Compounds." 2005. LBNL-57030 .
- Hodgson, A.T.; Beal, D. "Implementation of Source Reduction Practices for Volatile Organic Compounds in Manufactured House Construction: Pilot Demonstration Project." 2005. LBNL-57041 .
- Destailats, H.; Singer, B.C.; Lee, S.K.; Gundel, L A. "Acid-Base Interactions Of Nicotine And Pyridine On Surfaces." *Proceedings of The 10th International Conference on Indoor Air Quality and Climate - Indoor Air 2005*, Volume 2(4), Pages 1700-1704, Tsinghua University Press. 2005. LBNL-57050 .
- Destailats, H.; Singer, B.C.; Coleman, B.K.; Lunden, M.M.; Hodgson, A.T.; Weschler, C.J.; Nazaroff, W.W. "Secondary Pollutants From Cleaning Products And Air Fresheners In The Presence Of Ozone." *Proceedings of The 10th International Conference on Indoor Air Quality and Climate - Indoor Air 2005*, Volume 2(9), Pages 2081-2085, Tsinghua University Press. 2005. LBNL-57038 .
- Singer, B.C.; Revzan, K.; Hotchi, T.; Hodgson, A.; Brown, N.J. "Sorption of organic gases in a furnished room." *Atmospheric Environment*, Volume 38, Pages 2483-2494. 2004. LBNL-53943 .
- Sherman, M.H.; Hodgson, A.T. "Formaldehyde as a Basis for Residential Ventilation Rates." *Indoor Air*, Volume 14, Pages 2-9. 2004. LBNL-49577 .
- Hodgson, A.; Nabinger, S.J.; Persily, A. "Volatile Organic Compound Concentrations and Emission Rates Measured over One Year in a New Manufactured House." 2004. LBNL-56272 .
- Hodgson, A.T.; Levin, H. "Volatile organic compounds in indoor air: A review of concentrations measured in North America since 1990." 2003. LBNL-51715 .
- Hodgson, A.T.; Levin, H. "Classification of measured indoor volatile organic compounds based on noncancer health and comfort considerations." 2003. LBNL-53308 .
- Hodgson, A.T. "Volatile organic chemical emissions from structural insulated panel (SIP) materials and implications for indoor air quality." 2003. LBNL-53768 .
- Zhao, D; Little, J.C.; Hodgson, A.T. "Modeling the Reversible Sink Effect in Response to Transient Contaminant Sources." *Indoor Air*, Volume 12, Pages 184-190. 2002. LBNL-47095 .
- Singer, B.C.; Hodgson, A.; Guevarra, K.S.; Hawley, E.L.; Nazaroff, W. "Gas-phase organics in environmental tobacco smoke: 1. Effects of smoking rate, ventilation, and furnishing level on emission factors." *Environmental Science & Technology*, Volume 36, Pages 846-853. 2002. LBNL-47857 .
- Hodgson, A.T.; Beal, D.; McIlvaine, J.E.R. "Sources of formaldehyde, other aldehydes and terpenes in a new manufactured house." *Indoor Air*, Volume 12, Pages 235-242. 2002. LBNL-47627 .
- Cox, S.S.; Little, J.C.; Hodgson, A.T. "Predicting the emission rate of volatile organic compounds from vinyl flooring." *Environmental Science & Technology*, Volume 36, Pages 709-714. 2002. LBNL-47094 .
- Bennett, D.H.; Furtaw, E.J.; McKone, T.E. "A fugacity-based indoor residential pesticide fate model." *Proceedings of the Indoor Air 2002 Conference*, Monterey, CA, Volume 1, Pages 261-266, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-53458 .

- Cox, S.S.; Hodgson, A.T.; Little, J.C. "Measuring Concentrations of Volatile Organic Compounds in Vinyl Flooring." *Journal of the Air & Waste Management Association*, Volume 51, Pages 174-185. 2001. LBNL-47086.
- Hodgson, A.T.; Rudd, A.F.; Beal, D.; Chandra, S. "Volatile Organic Compound Concentrations and Emission Rates in New Manufactured and Site-Built Houses." *Indoor Air*, Volume 10, Pages 178-192. 2000. LBNL-43519.
- Zhao, D.Y.; Rouques, J.; Little, J.C.; Hodgson, A.T. "Effect of Reversible, Diffusion-Controlled Sinks on VOC Concentrations in Buildings." *Proceedings of the Indoor Air 99*, Edinburgh, Scotland, Volume 5, Pages 264-269, Construction Research Communications, Ltd., London. 1999. LBNL-43848.
- Hodgson, A.T.; Shimer, D.A. "Techniques for Reducing Exposures to Volatile Organic Compounds Associated with New Construction and Renovation." 1999. LBNL-42704.
- Hodgson, A.T.; D. Beal; Chandra, S. "Concentrations and Sources of Formaldehyde and Volatile Organic Compounds in Four New Manufactured Houses." *Proceedings of the Indoor Air '99*, Edinburgh, Scotland, Volume 4, Pages 119-124, Construction Research Communications, Ltd., London. 1999. LBNL-42703.
- Hodgson, A.T. "Common Indoor Sources of Volatile Organic Compounds: Emission Rates and Techniques for Reducing Consumer Exposures." 1999. LBNL-42402.
- Gundel, L.A.; Lane, D.A.; Lane, D.A. "Sorbent-coated diffusion denuders for direct measurement of gas/particle partitioning by semi-volatile organic compounds, in *Advances in Environmental, Industrial and Process Control Technologies*." *Gas and Particle Partition Measurements of Atmospheric Organic Compounds*, Volume 2, Pages 287-332, Newark, Gordon and Breach. 1999.
- Ten Brinke, J.; Selvin, S.; Hodgson, A.T.; Fisk, W.J. "Development of new VOC exposure metrics and their relationship to sick building syndrome symptoms." *Indoor Air*, Volume 8, Pages 140-152. 1998. LBNL-42047.
- Morrison, G.C.; Nazaroff, W.W.; Cano-Ruiz, A.; Hodgson, A.T.; Modera, M.P. "Indoor Air Quality Impacts of Ventilation Ducts: Ozone Removal and Emissions of Volatile Organic Compounds." *Journal of Air and Waste Management Association*, Volume 48, Pages 941-952. 1998. LBNL-43849.
- Schaeffer, V.H.; Bhooshan, B.; Chen, S.B.; Sonenthal, J.S.; Hodgson, A.T. "Characterization of volatile organic chemical emissions from carpet cushions." *Journal of the Air and Waste Management Association*, Volume 46, Pages 813-820. 1996. LBL-35334.
- Little, J.C.; Hodgson, A.T.; Tichenor, B.A. "A Strategy for Characterizing Homogeneous, Diffusion-Controlled, Indoor Sources and Sinks." *ASTM STP 1287*, Characterizing Sources of Indoor Air Pollution and Related Sink Effects, Pages 294-304, American Society for Testing and Materials. 1996.
- Hodgson, A.T.; Daisey, J.M.; Alevantis, L.E.; Mahanama, K.R.R.; Ten Brinke, J. "Use of Volatile Tracers to Determine the Contribution of Environmental Tobacco Smoke to Concentrations of Volatile Organic Compounds in Smoking Environments." *Environmental International*, Volume 22, Pages 295-307. 1996. LBL-37376.
- Fischer, M.; Bentley, A.; Bunkin, K.; Hodgson, A.; Nazaroff, W.; Sextro, R.; Daisey, J. "Factors Affecting Indoor Air Concentrations of Volatile Organic Compounds at a Site of Subsurface Gasoline Contamination." *Environmental Science and Technology*, Volume 30, Pages 2948-2957. 1996. LBL-37768.
- Mahanama, K. R. R.; Hodgson, A. T. "An Improved Impregnated-filter Method for Measuring Low-level Concentrations of Toluene Diisocyanates in Air." 1995.
- Hodgson, A.T. "A Review and a Limited Comparison of Methods for Measuring Total Organic Compounds in Indoor Air." *Indoor Air*, Volume 5, Pages 247-257. 1995. LBL-32904.

4. Indoor Airflow and Pollutant Transport

Michael D. Sohn; David M. Lorenzetti. "Indoor Sampler Siting." 11th International Conference on Air Distribution in Rooms. 2009. LBNL-2339E.

Michael D. Sohn; Ashok J. Gadgil; Priya Sreedharan; William W. Nazaroff. "Sensor Networks for Detecting Toxic Releases in Buildings." 11th International Conference on Air Distribution in Rooms. 2009. LBNL-2364E.

Singer, B.C.; Apte, M.G.; Black, D.R.; Hotchi, T.; Lucas, D.; Lunden, M.M.; Mirer, A.G.; Spears, Michael; Sullivan, D.P. "Natural Gas Variability in California: Environmental Impacts and Device Performance - Experimental Evaluation of Pollutant Emissions from Residential Appliances." 2009. LBNL-2897E.

Shehabi, A.; Ganguly, S.; Gundel, L.A.; Horvath, A.; Kirchstetter, T.W.; Lunden, M.M.; Tschudi, W.; Gadgil, A.J.; Nazaroff, W.W. "Can combining economizers with improved filtration save energy and protect equipment in data centers?." Submitted to Buildings and the Environment. 2009. LBNL-2120E.

Kibanova, D.; Trejo, M.; Destailats, H.; Cervini-Silva, J. "Synthesis of Hectorite-TiO₂ and Kaolinite-TiO₂ Nanocomposites with Photocatalytic Activity for the Degradation of Model Air Pollutants." Applied Clay Science, Volume doi:10.1016/j.clay.2008.03.009. In press. 2008. LBNL-748E.

Gadgil, A.J.; Sohn, M.D.; Sreedharan, P.; Carlos Borrego; Anna Isabel Miranda. "Rapid Data Assimilation in the Indoor Environment: theory and examples from real-time interpretation of indoor plumes of airborne chemicals." Air Pollution Modeling and its Application XIX, Pages 263-277, Springer Science + Business Media B.V.. 2008. LBNL-1308E.

Destailats, H.; Maddalena, R.L.; Singer, B.C.; Hodgson, A.T.; McKone, T.E. "Indoor pollutants emitted by office equipment: A review of reported data and information needs." Atmospheric Environment, Volume 42, Pages 1371-1388. 2008. LBNL-62082.

Chan, W.R.; Nazaroff, W.W.; Price, P.N.; Gadgil, A.J. "Effectiveness of Urban Shelter-in-Place III: Urban Districts." Building Simulation, Volume 1, Pages 144-157. 2008. LBNL-376E.

Sreedharan, P.; Sohn, M.D.; Nazaroff, W.W.; Gadgil, A.J. "Influence of indoor transport and mixing times scales on the performance of sensor systems for characterizing contaminant releases." Atmospheric Environment, Volume 41, Pages 9530-9542. 2007.

Lorenzetti, D.M.; Kristoffersen, A.H.; Gadgil, A.J. "Effect of room air recirculation delay on the decay rate of tracer gas concentration,." Submitted to Indoor Air. 2007.

Jimenez, J.; Claiborn, C.; Larson, T.; Kirchstetter, T.; Gundel, L.A. "Filter loading corrections for real-time aethalometer measurements of fresh diesel soot. (2007)." Journal of Air and Waste Management Association, Volume 57, Pages 868873. 2007. LBNL-62736.

Chan, W.R.; Nazaroff, W.W.; Price, P.N.; Gadgil, A.J. "Effectiveness of urban shelter-in-place. II: Residential Districts." Atmospheric Environment, Volume 41, Pages 7082-7095. 2007. LBNL-62107.

Chan, W.R.; Nazaroff, W.W.; Price, P. N.; Gadgil, A.J. "Effectiveness of Urban Shelter-in-Place I: Idealized Conditions." Atmospheric Environment, Volume 41, Pages 4962-4976 . 2007. LBNL-61686.

Walker, I.S.; Forest, T.W.; Wilson, D.J. "An Attic-Interior Infiltration and Interzone Transport Model of a House." Building and Environment, Volume 40, Pages 701-718. 2006.

Jayaraman, B.; Kristoffersen, A.H.; Finlayson, E.U.; Gadgil, A.J. "CFD Investigation of Room Ventilation for Improved Operation of a Downdraft Table: Novel Concepts." Journal of Occupational and Environmental Hygiene, Volume 3, Pages 583-591. 2006. LBNL-57385.

Jayaraman, B.; Finlayson, E.U.; Sohn, M.D.; Thatcher, T. L.; Price, P. N.; Wood, E. E.; Sextro, R.G.; Gadgil, A. J. "Tracer Gas Transport under Mixed Convection Conditions in an Experimental Atrium: Comparison Between Experiments and CFD Predictions." Atmospheric Environment, Volume 40, Pages 5236-5250. 2006. LBNL-59266.

Singer, B.C.; Hodgson, A.; Hotchi, T.; Ming, K.Y.; Sextro, R.; Wood, E. E.; Brown, N.J. "Sorptions of organic gases in residential bedrooms and bathrooms." 10th International Conference on Indoor Air Quality and Climate - Indoor Air 2005, Volume 2(9), Pages 2314-2319, Tsinghua University Press. 2005. LBNL-56787.

Jayaraman, B.; Kristoffersen, A.R.; Finlayson, E.O.; Gadgil, A. "Investigation of Room Ventilation for Improved Operation of a Downdraft Table." Proceedings of The 10th International Conference on Indoor Air Quality and Climate - Indoor Air 2005, Volume 3(1), Pages 2575-2579, Tsinghua University Press. 2005. LBNL-55561.

Jayaraman, B.; Finlayson, E.O.; Wood, E. E.; Thatcher, T. L.; Price, P. N.; Sextro, R.; Gadgil, A. "Comparison between experiments and CFD predictions of mixed convection flows in an atrium." Proceedings of the 10th International Conference on Indoor Air Quality and Climate, Volume 3(3), Pages 2849-2853, Tsinghua University Press. 2005. LBNL-57100.

Singer, B.C.; Revzan, K.; Hotchi, T.; Hodgson, A.; Brown, N.J. "Sorptions of organic gases in a furnished room." Atmospheric Environment, Volume 38, Pages 2483-2494. 2004. LBNL-53943.

Price, P. N.; Chang, S.C.; Sohn, M.D. "Characterizing buildings for airflow models: What should we measure?." 2004. LBNL-55321.

Kristoffersen, A.R.; Gadgil, A.; Lorenzetti, D. "Effect of room air recirculation delay on the decay rate of tracer gas." 9th International Conference on Air Distribution in Rooms - RoomVent 2004, , Pages pp 6. 2004. LBNL-55083.

Jayaraman, B.; Lorenzetti, D.; Gadgil, A. "Coupled model for simulation of indoor airflow and pollutant transport." 2004. LBNL-56667.

Finlayson, E.U.; Gadgil, A.J.; Thatcher, T.L.; Sextro, R.G. "Pollutant Dispersion in a Large Indoor Space Part 2 - Computational Fluid Dynamics (CF) Predictions and Comparisons with a Model Experiment for Isothermal Flow." Indoor Air, Volume 14, Pages 272-283. 2004. LBNL-50105.

Thatcher, T.L.; D.J. Wilson; E.E. Wood; M.J. Craig; R.G. Sextro. "Pollutant Dispersion in a Large Indoor Space: Part 1 - Scaled experiments using a water-filled model with occupants and furniture." Indoor Air, Volume 14, Pages 258-271. 2003. LBNL-50248.

Mora, L.; Gadgil, A.J.; Wurtz, E. "Comparing zonal and CFD models of air flows in large indoor spaces to experimental data." Indoor Air, Volume 13, Pages 77-85. 2003. LBNL-47027.

Levin, H. "Indoor Air Pollutants Part 1: General description of pollutants, levels and standards." Air Infiltration and Ventilation Centre, Pages 1-12. 2003. LBNL-55772.

Gadgil, A.J.; Lobscheid, C.; Abadie, M.O.; Finlayson, E.U. "Indoor Pollutant Mixing Time in an Isothermal Closed Room: An investigation using CFD." Atmospheric Environment, Volume 37, Pages 5577-5586. 2003. LBNL-51413.

Finlayson, E.U.; Jayaraman, B.; Kristoffersen, A.R.; Gadgil, A.J. "CFD Analysis of LLNL downdraft table." 2003. LBNL-53883.

Black, D.R.; Thatcher, T.L.; Delp, W.W.; Derby, E.A.; Chang, S.C.; Sextro, R.G. "Data summary report of commercial building experiments in Salt Lake City, UT from May 17 to June 10, 2002." 2003. LBNL-53801.

Sohn, M.D.; Reynolds, P.; Singh, N.; Gadgil, A.J. "Rapidly locating and characterizing pollutant releases in buildings: An application of Bayesian data analysis." Journal of the Air and Waste Management Association, Volume 52, Pages 1422-1432. 2002. LBNL-47588.

Sohn, M.D.; Reynolds, P.; Gadgil, A.J.; Sextro, R.G. "Rapidly Locating Sources And Predicting Contaminant Dispersion In Buildings." Proceedings of the Indoor Air 2002 Conference, Monterey, CA, Volume 4, Pages 211-216, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-49563.

- Sextro, R.G.; Lorenzetti, D.M.; Sohn, M.D.; Thatcher, T.L. "Modeling the spread of anthrax in buildings." Proceedings of the Indoor Air 2002 Conference, Monterey, CA, Volume 4, Pages 506-511, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-49537.
- Lorenzetti, D.M. "Assessing multizone airflow simulation software." Proceedings of the Indoor Air 2002, Monterey, CA, Volume 1, Pages 267-271, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-49578.
- Lorenzetti, D.M. "Computational Aspects of Nodal Multizone Airflow Systems." Building and Environment, Volume 37, Pages 1083-1090. 2002. LBNL-46949.
- Lorenzetti, D.M. "Predicting Indoor Pollutant Concentrations, and Applications to Air Quality Management." Proceedings of the Joint WHO-JRC-ECA Workshop on the Role of Human Exposure Assessment in Air Quality Management, Bonn, Germany. 2002. LBNL-51582.
- Lobscheid, C.; Gadgil, A. J. "Mixing of a point-source indoor pollution: Numerical predictions and comparison with experiments." Proceedings of the Indoor Air 2002 Conference, Monterey, CA, Volume 4, Pages 223-228, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-49457.
- Federspiel, C.; H. Li; Auslander, D.; Lorenzetti, D.M.; Gadgil, A. J. "Modeling transient contaminant transport in HVAC systems and buildings." Proceedings of the Indoor Air 2002 Conference, Monterey, CA, Volume 4, Pages 217-222, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-49603.
- Lorenzetti, D.M. "Assessing Multizone Airflow Software." 2001. LBNL-47653.
- Liu, D.L.; Nazaroff, W.W. "Modeling pollutant penetration across building envelopes." Atmospheric Environment, Volume 35, Pages 4451-4462. 2001. LBNL-47785.
- Fischer, M. L.; Price, P. N.; Thatcher, T. L.; Schwalbe, C. A.; Craig, M. J.; Wood, E. E.; Sextro, R. G.; Gadgil, A. J. "Rapid Measurement and Mapping of Tracer Gas Concentrations in a Large Indoor Space." Atmospheric Environment, Volume 35, Pages 2837-2844. 2001. LBNL-45542.
- Sohn, M.D.; Small, M.J.; Pantazidou, M. "Reducing uncertainty in site characterization using Bayes Monte Carlo methods." Journal of Environmental Engineering, Volume 126, Pages 893-902. 2000. LBNL-48043.
- Robinson, A.L.; Sextro, R.G. "A novel technique to measure the magnitude and direction of flow in a tube." Journal of Fluids Engineering, Volume 122, Pages 186-188. 2000.
- Price, P.N.; Fischer, M.L.; Gadgil, A.J.; Sextro, R.G. "Algorithm for rapid tomography of gas concentrations." Atmospheric Environment, Volume 35, Pages 2827-2835. 2000. LBNL-46236.
- Lorenzetti, D.M.; Sohn M.D. "Improving Speed and Robustness of the COMIS Solver." Proceedings of the RoomVent 2000, 7th International Conference on Air Distribution in Rooms, Reading, UK, Volume 1, Pages 241-246, The University of Reading, P.O. Box 219, Whiteknights, Reading RG6 6AW, United Kingdom. 2000. LBNL-44792.
- Gadgil, A.G.; Finlayson, E.U.; Fischer, M.L.; Price, P.N.; Thatcher, T.L.; Craig, M.J.; Hong, K.H.; Housman, J.; Schwalbe, C.A.; Wilson, D.; Wood, E.E.; Sextro, R.G. "Pollutant transport and dispersion in large indoor spaces: A status report for the large space effort of the Interiors Project." 2000. LBNL-44791.
- Thatcher, T.L.; Fischer, M.L.; Price, P.N.; Fisk, W.J.; Gadgil, A.J.; Sextro, R.G. "Measuring dispersion of gases in a large scale indoor environment using an open path tunable diode laser." Proceedings of the Indoor Air '99, Edinburgh, Scotland, Volume 4, Pages 449-450, Construction Research Communications, Ltd., London. 1999. LBNL-42714.
- Sohn, M.D.; A. Lai; B.V. Smith; R.G. Sextro; H.E. Feustel; W.W. Nazaroff. "Modeling aerosol behavior in multizone indoor environments." Proceedings of the Indoor Air '99, Edinburgh, Scotland, Volume 4, Pages 785-790, Construction Research Communications, Ltd., London. 1999. LBNL-42708.
- Sohn, M.D.; J.M. Daisey; H.E. Feustel. "Characterizing indoor airflow and pollutant transport using simulation modeling for prototypical buildings. 1. Office buildings." Proceedings of the Indoor Air '99, Edinburgh, Scotland, Volume 4, Pages 719-724, Construction Research Communications, Ltd., London. 1999. LBNL-42712.

- Price, P.N. "Pollutant tomography using integrated concentration data from non-intersecting optical paths." *Atmospheric Environment*, Volume 33, Pages 275-280. 1999. LBNL-41005.
- Carrie, F.R.; Modera, M.P. "Particle Deposition in a Two Dimensional Slot from a Transverse Stream." *Aerosol Science and Technology*, Volume 28, Pages 235-246. 1998.
- Drescher, A.C.; Park, D.Y.; Yost, M.G.; Gadgil, A.J.; Levine, S.P.; Nazaroff, W.W. "Stationary and Time-Dependent Indoor Tracer-Gas Concentration Profiles Measured by OP-FTIR Remote Sensing and SBFM Computed Tomography." *Atmospheric Environment*, Volume 31, Pages 727-740. 1997.
- Lin, T. F.; Loy, M. D. V.; Nazaroff, W. W. "Gas-phase transport and sorption of benzene in soil." *Environmental Science and Technology*, Volume 30, Pages 2178-2186. 1996.
- Feustel, H.E. "Annex 23 – An International Effort in Multizone Air Flow Modeling." *Proceedings of the RoomVent 1996, 5th International Conference on Air Distribution in Rooms, July 17 - 19, Yokohama, Japan*, Volume 2, Pages 1-8, Institute of Industrial Science, University of Tokyo, Tokyo, Japan. 1996.
- Drescher, A.C.; Gadgil, A.J.; Price, P.N.; Nazaroff, W.W. "Novel Approach for Tomographic Reconstruction of Gas Concentration Distributions in Air: Use of Smooth Basis Functions and Simulated Annealing." *Atmospheric Environment*, Volume 30, Pages 929-940. 1996.
- Faulkner, D.; Fisk, W.J.; Sullivan, D.P. "Indoor Airflow and Pollutant Removal in a Room With Floor-Based Task Ventilation: Results of Additional Experiments." *Building and Environment*, Volume 30, Pages 323-332. 1995. LBL-36131.
- Drescher, A.C.; Lobascio, C.; Gadgil, A.J.; Nazaroff, W.W. "Mixing of a Point Source Indoor Pollutant by Forced Convection." *Indoor Air*, Volume 5, Pages 204-215. 1995. LBL-37895.

5. Countermeasures to Chemical and Biological Threats

Chan, W.R.; Nazaroff, W.W.; Price, P.N.; Gadgil, A.J. "Effectiveness of Urban Shelter-in-Place III: Urban Districts." *Building Simulation*, Volume 1, Pages 144-157. 2008. LBNL-376E .

Sohn, M.D.; Lorenzetti, D.M. "Siting Bio-Samplers in Buildings." *Risk Analysis*, Volume 27, Pages 877-886. 2007. LBNL-61728.

Sohn, M.D.; Apte, M G.; Sextro, R.; Lai, A.C.K. "Predicting Size-Resolved Particle Behavior in Multizone Buildings." *Atmospheric Environment*, Volume 41, Pages 1473 -1482. 2007. LBNL-60227 .

Singer, B.C.; Hodgson, A.T.; Hotchi, T.; Ming, K.Y.; Sextro, R.G.; Wood, E. E.; Brown, N.J. "Sorption of organic gases in residential rooms." *Atmospheric Environment*, Volume 41, Pages 3251-3265. 2007. LBNL-59303 .

Price, P.N.; Gadgil, A.J.; Sohn, M.D. "Trade-offs between moving and stationary particle collectors for detecting a bio-agent plume." *Atmospheric Environment*, Volume 41, Pages 8818-8824. 2007. LBNL-60663.

Chan, W.R.; Nazaroff, W.W.; Price, P.N.; Gadgil, A.J. "Effectiveness of urban shelter-in-place. II: Residential Districts." *Atmospheric Environment*, Volume 41, Pages 7082-7095. 2007. LBNL-62107 .

Chan, W.R.; Nazaroff, W.W.; Price, P. N.; Gadgil, A.J. "Effectiveness of Urban Shelter-in-Place I: Idealized Conditions." *Atmospheric Environment*, Volume 41, Pages 4962-4976 . 2007. LBNL-61686.

Sreedharan, P.; Sohn, M.D.; Gadgil, A.; Nazaroff, W. "Systems approach to evaluating sensor characteristics for real-time monitoring of high-risk indoor contaminant releases." *Atmospheric Environment*, Volume 40, Pages 3490-3502. 2006. LBNL-57946.

Price, P. N.; Shehabi, A.; Chan, W.R.; Gadgil, A. "Indoor-outdoor air leakage of apartments and commercial buildings.." 2006. LBNL-60682.

Price, P. N.; Jayaraman, B. "Indoor exposure to radiation in the case of an outdoor release.." 2006. LBNL-60662 .

Chan, W.R. "Assessing the effectiveness of shelter-in-place as an emergency response to large-scale outdoor chemical releases." Department of Civil and Environmental Engineering, University of California, Berkeley. 2006. LBNL-60184 .

Thatcher, T. L.; Wood, E. E.; Edelsohn, E.C.; Sextro, R. "Simplifying the assessment of building vulnerability to chemical, biological and radiological releases." 2005. LBNL-56780 .

Sohn, M.D.; Sextro, R.; Lorenzetti, D. "Assessing Sheltering-In-Place Responses to Outdoor Toxic Releases." 10th International Conference on Indoor Air Quality and Climate - Indoor Air 2005, Volume 2(6), Pages 1792-1796, Tsinghua University Press. 2005. LBNL-57078 .

Singer, B.C.; Hodgson, A.T.; Destailats, H.; Hotchi, T.; Revzan, K.; Sextro, R.G. "Indoor sorption of surrogates for sarin and related nerve agents." *Environmental Science & Technology*, Volume 39, Pages 3203-3214. 2005. LBNL-54992.

Singer, B.C.; Hodgson, A.; Hotchi, T.; Ming, K.Y.; Sextro, R.; Wood, E. E.; Brown, N.J. "Sorption of organic gases in residential bedrooms and bathrooms." 10th International Conference on Indoor Air Quality and Climate - Indoor Air 2005, Volume 2(9), Pages 2314-2319, Tsinghua University Press. 2005. LBNL-56787.

Chan, W.R.; Price, P. N.; Nazaroff, W.W.; Gadgil, A.J. "Distribution Of Residential Air Leakage: Implications For Health Consequences Of An Outdoor Toxic Release." *Proceedings of The 10th International Conference on Indoor Air Quality and Climate - Indoor Air 2005*, Volume 2(6), Pages 1729-1733, Tsinghua University Press. 2005. LBNL-57037 .

Chan, W.R.; Nazaroff, W.; Price, P. N.; Sohn, M.D.; Gadgil, A. "Analyzing a database of residential air leakage in the United States." *Atmospheric Environment*, Volume 39, Pages 3445-3455. 2005. LBNL-53367 .

Chan, W.R.; Price, P. N.; Gadgil, A.J. "Sheltering in buildings from large-scale outdoor releases." 2004. LBNL-55575 .

Chan, W.R.; Price, P. N.; Gadgil, A.; Nazaroff, W.; Loosmore, G.; Sugiyama, G. "Modeling shelter-in-place including sorption on indoor surfaces." 84th American Meteorological Society Annual Meeting, Volume PNFUZ Session 6.5, American Meteorological Society, Boston, MA. 2004. LBNL-53987 .

Price, P.N.; Sohn, M.D.; Gadgil, A.J.; Delp, W.W.; Lorenzetti, D.M.; Finlayson, E.U.; Thatcher, T.L.; Sextro, R.G.; Derby, E.A.; Jarvis, S.A. "Protecting Buildings From a Biological or Chemical Attack: actions to take before or during a release." 2003. LBNL-51959 .

Sextro, R.G.; Lorenzetti, D.M.; Sohn, M.D.; Thatcher, T.L. "Modeling the spread of anthrax in buildings." Proceedings of the Indoor Air 2002 Conference, Monterey, CA, Volume 4, Pages 506-511, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-49537 .

Price, Phillip N.; Lorenzetti, D.M.; Gadgil, A. J.; Sohn, M.D.; Delp, W.W.; Jarvis, S.A. "Information for first responders to a chemical or biological attack." 2002. PUB-866.

Price, Phillip N.; Delp, W.W.; Sohn, M.D.; Thatcher, T.L.; Lorenzetti, D.M.; Sextro, R.G.; Gadgil, A.G.; Derby, E.; Jarvis, S.A. "Advice for first responders to a building during a chemical or biological attack." 2002. PUB-867.

Thatcher, T.L.; Sextro, R.G.; Ermak, D. "Database of Physical, Chemical, and Toxicological Properties of Chemical and Biological (CB) Warfare Agents for Modeling Airborne Dispersion In and Around Buildings." 2000. LBNL-45475 .

Thatcher, T.L; Daisey, J.M. "Reducing mortality from urban terrorist releases of chemical and biological agents: I. Filtration for ventilation systems in commercial buildings." 2000. LBNL-44350.

6. Developing Country Energy and Environmental Issues

6.1. Water Treatment

Mathieu, J.L.; Gadgil, A.J.; Kowolik, K.; Qazi, S.; Agogino, A.M. "Design Strategies and Preliminary Prototype for a Low-Cost Arsenic Removal System for Rural Bangladesh." 2009. LBNL-2696E.

Gadgil, A.J.; Zaidman, Y.; Thomas Goreau. "Improving Drinking Water through Innovative Technologies and Business Models." Innovative New Technologies for Sustainable Development and Reversing Climate Change, UN Commission on Sustainable Development, New York (in press). 2008.

Gadgil, A.J.; Gundel, L.A.; Galitsky, C.; Ahiya, Satinder. "Arsenic Remediation of Bangladesh Drinking Water using Iron-oxide Coated Coal Ash." Arsenic Contamination of Groundwater: Mechanism, Analysis, and Remediation, Pages 269-272, John Wiley & Sons, Inc., New York. 2007.

Gadgil, A.J.; Derby, E. "Providing safe drinking water to 1.1 billion unserved people." Proceedings of the 96th Annual AWMA Conference, San Diego, CA, Air and Waste Management Association, Pittsburgh, PA. 2003. LBNL-52374.

6.2. Other

Galitsky, C.; Gadgil, A.J.; Jacobs, M.; Lee, Y.M. "Fuel Efficient Stoves for Darfur camps of Internally Displaced Persons Report of Field trip to North and South Darfur, Nov. 16 - Dec.17, 2005." 2006. LBNL-59540.

Gadgil, A.J.; Lele, S.; Steve Schneider, Armin Rosencranz, Michael Mastrandrea. "India: Special Role and Responses." Climate Change Science and Policy, Island Press (in press). 2006. LBNL-61902.

Fulkerson, W.; Levine, M.D.; Sinton, J.; Gadgil, A. "Sustainable, efficient electricity service for one billion people." Energy for Sustainable Development, Volume IX, Pages 26-34. 2005. LBNL-58011.

Craig, P.; Gadgil, A. J.; Koomey, J. "What can history teach us?: A retrospective analysis of long-term energy forecasts for the U.S." Annual Reviews of Energy and the Environment, Volume 27, Pages 83-118. 2002. LBNL-50498.

Gadgil, A. J.; Jannuzzi, G. M.; Silva, E.; Leonardi, M.L. "A Cost-Neutral Strategy for Maximal Use of Renewable Energy Sources and Energy Efficiency in Manaus, Brazil." Energy Policy, Volume 27, Pages 357-367. 1999. LBNL-42358.

Kazakevicius, E. "Residential Lighting in Lithuania." Energy Policy, Volume 27, Pages 603-611. 1998. LBNL-44376.

Sastry, M. A.; Gadgil, A. J. "The Bombay Efficient Lighting Large-scale Experiment (BELLE): a blueprint for improving energy efficiency and reducing peak electric demand in a developing country." Atmospheric Environment, Volume 30, Pages 803-808. 1996. LBNL-39491.

Gadgil, A. J. "Projects Toward Energy Sustainability in Cities and Rural Communities in the Developing Countries." Proceedings of the United Nations Habitat II, Istanbul. 1996.

Gadgil, A. J. "Bombay Efficient Lighting Large-Scale Experiment (Belle): Blueprint for Improving Energy Efficiency and Reducing Peak Electric Demand in a Developing Country." Atmospheric Environment, Volume 30, Pages 803-808. 1996. LBNL-39491.

Friedmann, R.; De Buen, O.; Sathaye, J.; Gadgil, A.; Saucedo, R.; Rodriguez, G. "Assessing the Residential Lighting Efficiency Opportunities in Guadalajara and Monterey, Mexico." Energy, Volume 20, Pages 151-159. 1995.

7. Environmental Tobacco Smoke

Mohamad Sleiman; Randy L. Maddalena; Lara A. Gundel; Hugo Destailats. "Rapid and sensitive gas chromatography ion-trap mass spectrometry method for the determination of tobacco specific N-nitrosamines in secondhand smoke." To be submitted to Journal of Chromatography A. 2009. LBNL-2336E.

Gundel, L.A.; Apte, M.G. "Simple Exposure Indicators for ETS Particles." 2007.

Destailats, H.; Singer, B.C.; Gundel, L. A. "Evidence of acid-base interactions between amines and model indoor surfaces by ATR-FTIR spectroscopy." Atmospheric Environment, Volume 41, Pages 3177-3181. 2007. LBNL-63480.

Destailats, H.; Sebrie, E.; Hotchi, T.; Glantz, S.A.; Gundel, L. A. "Secondhand tobacco smoke traces measured in smoking and non-smoking areas within a cafe in Buenos Aires, Argentina." 2007. LBNL-59985.

Destailats, H.; Singer, B.C.; Lee, S.K.; Gundel, L. A. "Effect of ozone on nicotine desorption from model surfaces: evidence for heterogeneous chemistry." Environmental Science and Technology, Volume 40, Pages 1799-1805. 2006. LBNL-57505.

Destailats, H.; Singer, B.C.; Gundel, L. A.; E. de Oliveira Fernandes; M. Gameiro da Silva; J. Rosado Pinto. "Secondary pollutants from ozone reaction with nicotine on surfaces." Proceedings of Healthy Buildings 2006 Conference, Pages A-451. 2006. LBNL-57505.

Wagner, J.; Sullivan, D.P.; Faulkner, D.; Fisk, W.J.; Alevantis, L.E.; Dod, R.L.; Gundel, L.A.; Waldman, J.M. "Environmental tobacco smoke leakage from smoking rooms." Journal of Occupational and Environmental Hygiene, Volume 1, Pages 110-118. 2004. LBNL-51010.

Nazaroff, W.; Singer, B.C. "Inhalation of Hazardous Air Pollutants from Environmental Tobacco Smoke in US Residences." Journal of Exposure Analysis and Environmental Epidemiology, Volume 14, Pages S71-77. 2004. LBNL-52471.

Sohn, M.D.; Sextro, R.G.; Gadgil, A.J.; Daisey, J.M. "Responding to Sudden Pollutant Releases in Office Buildings: 1. Framework and Analysis Tools." Indoor Air, Volume 13, Pages 267-276. 2003. LBNL-47446.

Singer, B.C.; Hodgson, A.; Nazaroff, W. "Gas-phase organics in environmental tobacco smoke: 2. Exposure-relevant emission factors and indirect exposures from habitual smoking." Atmospheric Environment, Volume 37, Pages 5551-5561. 2003. LBNL-52202.

Klepeis, N.E.; Apte, M.G.; Gundel, L.A.; Sextro, R.G.; Nazaroff, W.W. "Determining size-specific emission factors for environmental tobacco smoke particles." Aerosol Science & Technology, Volume 37, Pages 780-790. 2003. LBNL-51049.

Webb, A.M.; Nazaroff, W.W.; B.C. Singer. "Effect of gaseous ammonia on nicotine sorption." Proceedings of the Indoor Air 2002 Conference, Monterey, CA, Volume 3, Pages 512-517, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-50879.

Wagner, J.; Sullivan, D.P.; Faulkner, D.; Gundel, L.A.; Fisk, W.J.; Alevantis, L.E.; Waldman, J.M. "Measurements And Modeling Of Environmental Tobacco Smoke Leakage From A Simulated Smoking Room." Proceedings of the Indoor Air 2002 Conference, Monterey, CA, Volume 2, Pages 121-126, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-49785.

Singer, B.C.; Hodgson, A.T.; Nazaroff, W.W. "Effect of sorption on exposures to organic gases from environmental tobacco smoke (ETS)." Proceedings of the Indoor Air 2002 Conference, Monterey, CA, Volume 2, Pages 138-143, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-49576.

Singer, B.C.; Hodgson, A.; Guevarra, K.S.; Hawley, E.L.; Nazaroff, W. "Gas-phase organics in environmental tobacco smoke: 1. Effects of smoking rate, ventilation, and furnishing level on emission factors." Environmental Science & Technology, Volume 36, Pages 846-853. 2002. LBNL-47857.

Nazaroff, W.W.; B.C. Singer. "Inhalation of hazardous air pollutants from environmental tobacco smoke in US residences." Indoor Air 2002 Conference, Volume 2, Pages 477-482, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-50878.

Apte, M.G.; Gundel, L.A.; Dod, R.; Chang, G.M.; Sextro, R. G. "A pilot study of the behavior of gas- and particle-phase ETS tracers in residences." Proceedings of the Indoor Air 2002 Conference, Monterey, CA, Volume 2, Pages 500-505, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-49585.

Klepeis, N.E.; Apte, M.G.; Gundel, L.A.; Nazaroff, W.W.; Sextro, R.G. "Characterizing ETS Emissions from Cigars: Chamber Measurements of Nicotine, Particle Mass, and Particle Size." Proceedings of the Indoor Air '99 Conference, Edinburgh, Scotland, Volume 2, Pages 903-908, Construction Research Communications, Ltd., London. 1999. LBNL-43840.

Apte, M.G.; Gundel, L.A.; Singer, B.C.; Sullivan, D.P.; Sextro, R.G. "Indoor Transport of ETS Particles And Tracers." Proceedings of the Indoor Air '99 Conference, Edinburgh, Scotland, Volume 2, Pages 965-970, Construction Research Communications, Ltd., London. 1999. LBNL-43841.

Van Loy, M. D.; Nazaroff, W. W.; Daisey, J. M. "Nicotine as a Marker for Environmental Tobacco Smoke: Implications of Sorption on Indoor Surface Materials." Journal of Air and Waste Management Association, Volume 48, Pages 959-968. 1998. LBNL-42363.

Van Loy, M. D.; Nazaroff, W. W.; Daisey, J. M. "Sorption interactions of gas-phase environmental tobacco smoke components with carpet, Paper No. 97-MP3.05." Proceedings of the Air & Waste Management Association's 90th Annual Meeting & Exhibition, Toronto, Ontario, Canada, Air and Waste Management Association, Pittsburgh, PA. 1997.

Van Loy, M. D.; Lee, V. C.; Gundel, L. A.; Daisey, J. M.; Sextro, R. G.; Nazaroff, W. W. "Dynamic behavior of semi-volatile organic compounds in indoor air: 1. Nicotine in a stainless steel chamber." Environmental Science and Technology, Volume 31, Pages 2554-2561. 1997. LBNL-42674.

Gundel, L.A.; Hansen, A.D.A. "Real-time measurement of environmental tobacco smoke by ultraviolet absorption." Proceedings of the Sixteenth Annual Conference of the American Association for Aerosol Research, October 13-17, 1997, Denver, CO, Pages 419, American Association for Aerosol Research, Cincinnati, OH. 1997.

Daisey, J. M.; Nazaroff, W. W. "Implications of nicotine sorption on indoor surfaces on its use as a marker for environmental tobacco smoke." Proceedings of the A&WMA/EPA Symposium: Engineering Solutions to IAQ Problems, Research Triangle Park, NC, Air and Waste Management Association, Pittsburgh, PA. 1997.

Daisey, J. M.; Mahanama, K. R. R.; Hodgson, A. T. "Toxic volatile organic compounds in simulated environmental tobacco smoke: Emission factors for exposure assessment." Exposure Analysis and Environmental Epidemiology, Volume 8, Pages 313-334. 1997.

Van Loy, M. D.; Nazaroff, W. W.; Lee, V. C.; Gundel, L. A.; Sextro, R. G.; Daisey, J. M. "Investigation of the fate of nicotine in a stainless-steel chamber." Proceedings of the 89th Annual Meeting of the Air and Waste Management Association, Nashville, TN, Air and Management Association, Pittsburgh, PA. 1996.

Mahanama, K. R. R.; Daisey, J. M. "Volatile N-nitrosamines in Environmental Tobacco Smoke: Sampling, Analysis, Emission Factors and Indoor Air Exposures." Environmental Science and Technology, Volume 30, Pages 1477-1484. 1996.

Hodgson, A.T.; Daisey, J.M.; Alevantis, L.E.; Mahanama, K.R.R.; Ten Brinke, J. "Use of Volatile Tracers to Determine the Contribution of Environmental Tobacco Smoke to Concentrations of Volatile Organic Compounds in Smoking Environments." Environmental International, Volume 22, Pages 295-307. 1996. LBL-37376.

Wampler, D. A.; Miller-Leiden, S.; Nazaroff, W. W.; Litvak, A.; Mahanama, K. R. R.; Nematollahi, A.; Gadgil, A. J. "Effectiveness of Smokeless Ashtrays." Journal of Air and Waste Management Association, Volume 45, Pages 494-500. 1995. LBNL-39492.

8. Exposure and Risk Assessment

Marshall, J. "Exposure to Motor Vehicle Emissions: An Intake Fraction Approach, Master's Thesis." 2002. LBNL-51854.

Lorenzetti, D.M. "Predicting Indoor Pollutant Concentrations, and Applications to Air Quality Management." Proceedings of the Joint WHO-JRC-ECA Workshop on the Role of Human Exposure Assessment in Air Quality Management, Bonn, Germany. 2002. LBNL-51582.

Sohn, Michael D.; Thomas E. McKone; Mark L. Rigas; Jerry N. Blancato; Frederick W. Power. "Reconstructing exposure scenarios using dose biomarkers: An application of Bayesian uncertainty analysis." 2001. LBNL-51256.

8.1. Exposure and Health Effects

Rosenbaum, R.K.; McKone, T.E.; Jolliet, O. "CKow A More Transparent and Reliable Model for Chemical Transfer to Meat and Milk." Submitted to Environmental Science and Technology. 2009. LBNL-2370E.

Bonnard, R.; McKone, T.E. "Integration of the predictions of two models with dose measurements in a case study of children exposed to the emissions of a lead smelter." Submitted to Journal of Human and Environmental Risk Assessment. 2009. LBNL-2397E.

Wiberg, K.; Aberg, A.; McKone, T.E.; Tysklind, M.; Hanberg, A.; Macleod, M. "Model selection and evaluation for risk assessment of dioxin contaminated sites." *Ambio*, Volume 36, Pages 458-466. 2008. LBNL-520E.

Rosenbaum, R.K.; Bachman, T.M.; Gold, L.S.; Huijbregts, M.; Jolliet, O.; Juraske, R.; Koehler, A.; Larsen, H.F.; Macleod, M.; Margni, M.; McKone, T.E.; Payet, J.; Schuhmacher, M.; van de Meent, D.; Hauschild, M.Z. "USEtox - The UNEP-SETAC toxicity model: recommended characterisation factors for human toxicity and freshwater ecotoxicity in Life Cycle Impact Assessment." *The International Journal of Life Cycle Assessment*, Volume 13, Pages 532-546. 2008. LBNL-2372E.

Price, P.N.; McKone, T.E.; Sohn, M.D. "Carbon Sequestration Risks and Risk Management." 2008. LBNL-513E.

Maddalena, R.L.; McKone, T.E. "Insecticide Exposures on Commercial Aircraft: A Literature Review and Screening Level Assessment." 2008. LBNL-1246E.

Kalantzi, O.I.; Brown, F.R.; Caleffi, M.; Goth-Goldstein, R.; Petreas, M. "Polybrominated diphenyl ethers and polychlorinated biphenyls in human breast adipose samples from Brazil." *Environmental Research*, In Press. 2008.

Jakober, C.A.; Robert, M.A.; Riddle, S.G.; Destailats, H.; Charles, M.J.; Green, P.G.; Kleeman, M.J. "Carbonyl Emissions from Gasoline and Diesel Motor Vehicles." *Environmental Science and Technology*, Volume 42, Pages 4697-4703. 2008. LBNL-752E.

Holmes, K.J.; Graham, J.A.; McKone, T.E.; Whipple, C. "Regulatory Models and the Environment Practice, Pitfalls, and Prospects." Submitted to *Risk Analysis*. 2008. LBNL-2421E.

Holder, A.H.; Lucas, D.; Goth-Goldstein, R.; Koshland, C.P. "Cellular response to diesel exhaust particles strongly depends on the exposure method." *Toxicological Sciences*, Volume 103, Pages 108-115. 2008.

Hauschild, M.Z.; Huijbregts, M.; Jolliet, O.; Macleod, M.; Margni, M.; van de Meent, D.; Rosenbaum, R.K.; McKone, T.E. "Building a model based on scientific consensus for Life Cycle Impact Assessment of Chemicals: the Search for Harmony and Parsimony." *Environmental Science and Technology*, Volume 42, Pages 7032-7037. 2008. LBNL-507E.

Hauschild, M.Z.; Bachman, T.M.; Huijbregts, M.; Jolliet, O.; Kohler, A.; Larsen, H.F.; Magni, M.; McKone, T.E.; Macleod, M.; van de Meent, D.; Schuhmacher, M.; Rosenbaum, R.K. "International consensus model for comparative assessment of chemical emissions in LCA." *International Academy for Production Engineering (CIRP) 15th International Conference on Life Cycle Engineering*. 2008.

- Cowan, C.E.; McLachlan, M.S.; Arnot, J.A.; Macleod, M.; McKone, T.E.; Wania, F. "Modeling Exposure to Persistent Chemicals in Hazard and Risk Assessment." Submitted to SETAC Journal. 2008. LBNL-2373E.
- Chan, W.R.; Nazaroff, W.W.; Price, P.N.; Gadgil, A.J. "Effectiveness of Urban Shelter-in-Place III: Urban Districts." *Building Simulation*, Volume 1, Pages 144-157. 2008. LBNL-376E .
- Ryan, P.B.; Burke, T.A.; Cohen Hubal, E.A.; Cura, J.J.; McKone, T.E. "Using biomarkers to inform cumulative risk assessment." *Environmental Health Perspectives*, Volume 115, Pages 833-840. 2007. LBNL-60750 .
- McKone, T.E.; Castorina, R.; Kuwabara, Y.; Harnly, M.E.; Eskenazi, B.; Bradman, A. "Merging models and biomonitoring data to characterize sources and pathways of human exposure to organophosphorous pesticides in the Salinas Valley of California." *Environmental Science and Technology*, Volume 41, Pages 3233-3240. 2007. LBNL-60699 .
- Lobscheid, A.G.; McKone, T.E.; Vallero, D. "Exploring relationships between outdoor air particulate-associated polycyclic aromatic hydrocarbon and PM2.5: A case study of benzo(a)pyrene in California metropolitan regions." *Atmospheric Environment*, Volume 41, Pages 5659-5672. 2007.
- Kobayashi, R.; Cahill, T.M.; Okamoto, R.A.; Maddalena, R.L.; Kado, N.Y. "Controlled Exposure Chamber Study of Uptake and Clearance of Airborne Polycyclic Aromatic Hydrocarbons by Wheat Grain." *Environmental Science and Technology*, Volume 41, Pages 7934 - 7940. 2007.
- Holder, A.H.; Lucas, D.; Goth-Goldstein, R.; Koshland, C.P. "Inflammatory response of lung cells exposed to whole, filtered, and hydrocarbon denuded diesel exhaust." *Chemosphere*, Volume 70, Pages 13-19. 2007.
- Chan, W.R.; Nazaroff, W.W.; Price, P.N.; Gadgil, A.J. "Effectiveness of urban shelter-in-place. II: Residential Districts." *Atmospheric Environment*, Volume 41, Pages 7082-7095. 2007. LBNL-62107 .
- Chan, W.R.; Nazaroff, W.W.; Price, P. N.; Gadgil, A.J. "Effectiveness of Urban Shelter-in-Place I: Idealized Conditions." *Atmospheric Environment*, Volume 41, Pages 4962-4976 . 2007. LBNL-61686.
- Mendell, M. "Indoor Residential Chemical Exposures as Risk Factors for Asthma and Allergy in Infants and Children: A Review." *Proceedings of Healthy Buildings 2006 Conference*, Volume 1, Pages 151-156. 2006. LBNL-59781 .
- McKone, T.E.; Small, M.J. "Integrated Environmental Assessment Part III: Exposure Assessment." 2006. LBNL-60369 .
- Marshall, J.D.; Granvold, P.W.; Hoats, A.S.; McKone, T.E.; Deakine, E.; Nazaroff, W. "Inhalation intake of ambient air pollution in California's South Coast Air Basin." *Atmospheric Environment*, Volume 40, Pages 4381-4392. 2006. LBNL-60802 .
- Maddalena, R. L.; MacLeod, M.; McKone, T.E.; Sohn, M.D. "Prospective Hazard Assessment and Sensitivity Analysis for Buckminsterfullerene in the Environment." 2006. LBNL-57769.
- Lobscheid, A.B.; McKone, T.E. "Public health benefits of end-use electrical energy efficiency in California.." 2006. LBNL-59669.
- Kobayashi, R.; Okamoto, R.A.; Maddalena, R. L.; Kado, N.Y. "Field Measurement of polycyclic aromatic hydrocarbons in wheat grain grown in Sacramento and San Joaquin Valleys, California." 2006. LBNL-60312 .
- Foster, K.L.; Sharpe, S.; Webster, E.; Mackay, D.; Maddalena, R. L. "The role of multimedia mass balance models for assessing the effects of volatile organic compound emissions on urban air quality." *Atmospheric Environment*, Volume 40, Pages 2986-2994. 2006. LBNL-60313.
- McKone, T.E.; Deshpande, A.W. "Can Fuzzy Logic Bring Complex Problems into Focus?." *Environmental Science and Technology*, Volume 39, Pages 42A-47A. 2005. LBNL-55457 .
- McKone, T.E.; Wexler, Philip. "Pollution, Soil." *Encyclopedia of Toxicology*, Pages 489-495, Elsevier, Oxford 2005. 2005. LBNL-57938 .

- Marshall, J.D.; McKone, T.E.; Deakin, E.A.; Nazaroff, W.W. "Inhalation of motor vehicle emissions: Effects of urban population and area." *Atmospheric Environment*, Volume 39, Pages 283-295. 2005. LBNL-55458.
- Sohn, M.D.; TE McKone; JN Blancato. "Reconstructing Population Exposures from Dose Biomarkers: Inhalation of Trichloroethylene (TCE) as a Case Study." *Journal of Exposure Analysis and Environmental Epidemiology*, Volume 14, Pages 204-213. 2004. LBNL-50588.
- Singer, B.C.; Hodgson, A.; Hotchi, T.; Kim, J.J. "Passive measurement of nitrogen oxides to assess traffic-related pollutant exposure for the East Bay Children's Respiratory Health Study." *Atmospheric Environment*, Volume 38, Pages 393-403. 2004. LBNL-52144.
- Russell, M.; Goth-Goldstein, R.; Apte, M G.; Fisk, W.J. "Methods to determine the size distribution of airborne rhinovirus." 2004. LBNL-54916.
- Reilly, C.; Price, P. N.; Gelman, A.; Sandgathe, S.A. "Using Image and Curve Registration for Measuring the Goodness of Fit of Spatial and Temporal Predictions." *Biometrics*, Volume 60, Pages 954-964. 2004. LBNL-56097.
- Nazaroff, W.; Singer, B.C. "Inhalation of Hazardous Air Pollutants from Environmental Tobacco Smoke in US Residences." *Journal of Exposure Analysis and Environmental Epidemiology*, Volume 14, Pages S71-77. 2004. LBNL-52471.
- Maddalena, R.L.; McKone, T.E.; Sohn, M.D. "Standardized Approach for Developing Probabilistic Exposure Factor Distributions." *Risk Analysis*, Volume 24, Pages 1185-1199. 2004. LBNL-52203.
- MacLeod, M.J.; Bennet, D.H.; Perem, M.; Maddalena, R.L.; McKone, T.E.; Mackay, D. "Dependence of Intake Fraction on Release Location in a Multimedia Framework - A Case Study of Four Contaminants in North America." *Journal of Industrial Ecology*, Volume 8, Pages 89-102(14). 2004. LBNL-52369.
- MacLeod, Matthew. "Overall multi-media persistence as an indicator of potential for population-level intake of environmental contaminants." *Environmental Toxicology and Chemistry*, Volume 23, Pages 2465-2472. 2004. LBNL-53245.
- Kim, J.J.; Smorodinsky, S.; Lipsett, M.; Hodgson, A.; Singer, B.C.; Ostro, B. "Traffic-related Air Pollution near Busy Road: The East Bay Children's Respiratory Health Study." *American Journal of Respiratory and Critical Care Medicine*, Volume 170, Pages 520-526. 2004. LBNL-55586.
- Maddalena, R.L.; McKone, T.E. "Is there a "forest filter effect" for organic pollutants?." *Stochastic Environmental Research and Risk Assessment*, Volume 17, Pages 231-234. 2003. LBNL-51882.
- MacLeod, M.J. "On the influence of forests on the overall fate of semivolatile organic contaminants." *Stochastic Environmental Research and Risk Assessment*, Volume 17, Pages 256-259. 2003. LBNL-52156.
- Erdmann, C.A.; Satariano, W.A.; Chen, Y.Q. "Traditional risk factor study (TRiFS): Preliminary report on risk factor prevalence and population attributable fraction estimates for breast cancer in Marin County, California." 2003. LBNL-51905.
- Erdmann, C.A.; Farren, G.; Baltzell, K.; Chew, T.; Clarkson, C.; Fleshman, R.; Leary, C.; Mizroch, M.; Orenstein, F.; Russell, M.L.; Souders-Mason, V.; Wrensch, M. "Breast Cancer and Personal Environmental Risk Factors in Marin County - Pilot Study." 2003. LBNL-52484.
- Russell, M.L.; Goth-Goldstein, R.; Apte, M.G.; Fisk, W.J. "Method for measuring the size distribution of airborne rhinovirus." *Proceedings of the Indoor Air 2002 Conference*, Monterey, CA, Volume 1, Pages 40-45, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-49574.
- Pang, Y.; Gundel, L.A.; Larson, T.; Finn, D.; Liu, L.J. Sally; Claiborn, C.S. "Development and evaluation of a personal particulate organic and mass sampler." *Environmental Science and Technology*, Volume 36, Pages 5205-5210. 2002. LBNL-50850.
- Holman, H.Y.; Goth-Goldstein, R.; Aston, D.; Mao, Y.; Kengsoontra, J. "Evaluation of gastrointestinal solubilization of petroleum hydrocarbon residues in soil using an in vitro physiologically- based model." *Environmental Science & Technology*, Volume 36, Pages 1281-1286. 2002. LBNL-48401.

Goth-Goldstein, R.; Russell, M.L.; Parimoo, B.; Weyand, E.H. "7H-Benzo[c]fluorene DNA adduct formation in different human cells in culture." 2002. LBNL-50479.

Fischer, M.; Littlejohn D.; Lunden, M.; Gundel, L.A.; Dod, R.; Brown N.J. "An instrument for automated simultaneous measurements of ammonia and nitric acid in indoor and outdoor air." 2002. LBNL-51005.

De Martinis, B.S.; Okamoto, R.A.; Kado, N.Y.; Gundel, L.A.; Carvalho, L.R.F. "Polycyclic aromatic hydrocarbons in a bioassay-directed fractionated extract of PM10 collected in Sao Paulo, Brazil." *Atmospheric Environment*, Volume 36, Pages 307-314. 2002. LBNL-48453 .

Castorina, R.; Bradman, A.; McKone, T.E. "Assessing cumulative organophosphate pesticide exposure and risk among pregnant women living in an agricultural community." *Environmental Health Perspectives*, Volume 111, Pages 1640-1648. 2002. LBNL-51334 .

Bodnar, A.B.; Maddalena, R.L.; McKone, T.E. "Addressing locally grown foods in cumulative exposure assessments." *Journal of Exposure Analysis and Environmental Epidemiology*, Volume 14, Pages 60-73. 2002. LBNL-50378 .

Bennett, D.H.; Furtaw, E.J.; McKone, T.E. "A fugacity-based indoor residential pesticide fate model." *Proceedings of the Indoor Air 2002 Conference, Monterey, CA, Volume 1, Pages 261-266, Indoor Air 2002, Santa Cruz, CA.* 2002. LBNL-53458 .

McKone, T.E.; E.G. Hertwich. "The Human Toxicity Potential and a Strategy for Evaluating Model Performance in Life-Cycle Impact Assessment." *International Journal of Life-Cycle Assessment*, Volume 6, Pages 106-109. 2001. LBNL-48254 .

Klepeis, N.E.; Nelson, W.C.; Ott, W.R.; Robinson, J.P.; Tsang, A.M.; Switzer, P.; Behar, J.V.; Hern, S.C.; Engelmann, W.H. "The National Human Activity Pattern Survey (NHAPS): A resource for assessing exposure to environmental pollutants." *Journal of Exposure Analysis and Environmental Epidemiology*, Volume 11, Pages 231-252. 2001. LBNL-47713 .

McKone, T.E.; Hammond, S.K. "Managing the health impacts of waste incineration." *Environmental Science & Technology*, Volume 34, Pages 380A-387A. 2000. LBNL-46084 .

McKone, T.E. "The rise of exposure assessment among the risk sciences: an evaluation through case studies." *Inhalation Toxicology*, Volume 11, Pages 101-112. 1999. LBNL-43717 .

Maddalena, R. L.; T.E. McKone; A. Bodnar; J. Jacobson. "Development and Evaluation of Probability Density Functions for a Set of Human Exposure Factors." 1999. LBNL-43604.

Goth-Goldstein, R.; Holman, H.-Y.; Russell, M. "In vitro model for intestinal uptake of benzo(a)pyrene." 1999. LBNL-43752.

Bennett, D.H.; W.E. Kastenberg; T.E. McKone. "A multimedia, multiple pathway exposure assessment of atrazine: the impact of age differentiated exposure including joint uncertainty and variability." *Reliability Engineering and System Safety*, Volume 63, Pages 185-198. 1999. LBNL-43716.

Daisey, J.M. "A Report on the Workshop on Improving Exposure Analysis for DOE Sites September 1996, San Francisco, CA." *Journal of Exposure Analysis and Environmental Epidemiology*, Volume 8, Pages 3-7. 1998.

McKone, T.E.; R.L. Maddalena. "Soil Contamination and Human Exposure: A Comprehensive Assessment Framework." *International Journal of Toxicology*, Volume 16, Pages 319-337. 1997.

McKone, T.E.; K.P. Brand; C. Shan. "Environmental health risk assessment for tritium releases at the national tritium labeling facility at Lawrence Berkeley National Laboratory." 1997. LBL-37760.

Dowdy, D.L; McKone, T.E. "Predicting the Bioconcentration of Organic Chemicals from Soil or Air into Plants Using Quantitative Structure Activity Relationships." *Environmental Toxicology and Chemistry*, Volume 16, Pages 2448-2456. 1997.

Apte, M.G. "Population based exposure assessment methodology for carbon monoxide: Development of a Carbon Monoxide Passive Sampler and Occupational Dosimeter." 1997. LBNL-40838.

Watanabe, K.; Bois, F. "Interspecies extrapolation of physiological pharmacokinetic parameter distributions." *Risk Analysis*, Volume 16, Pages 741-754. 1996.

Tozer, T. N.; Bois, F.; Hauck, W. H.; Chen, M.L.; Williams, R. "Absorption rate vs. exposure: which is more useful for bioequivalence testing." *Pharmaceutical Research*, Volume 13, Pages 453-456. 1996.

McKone, T. E. "Overview of the risk analysis approach and terminology: The merging of science, judgment, and values," *Food Control*,7(2): 69-76." *Food Control*, Volume 7, Pages 69-76. 1996.

Lane, D.; Gundel, L. "Gas and particle sampling of airborne polycyclic aromatic compounds." *Polycyclic Aromatic Compounds*, Volume 9, Pages 67-73. 1996. LBL-37984.

Gundel, L.A.; Apte, M.G.; Goldstein, M.; Traynor, G.W.; Oum, M.; Helfman, W.B.; Chang, G.M. "Development and commercialization of a carbon monoxide occupational dosimeter: Progress Report to ERLTR." 1996. LBNL-39846.

Gelman, A.; Bois, F.; Jiang, J. "Physiological pharmacokinetic analysis using population modeling and informative prior distributions." *Journal of the American Statistical Association*, Volume 91, Pages 1400-1412. 1996.

Dowdy, D.; McKone, T. E.; Hsieh, D. P. H. "The Use of the Molecular Connectivity Index for Estimating Biotransfer Factors." *Environmental Science & Technology*, Volume 30, Pages 984-989. 1996.

Bois, F.; Jackson, E.; Pekari, K.; Smith, M. "Population toxicokinetics of benzene. Environmental Health Perspectives." *Environmental Health Perspectives*, Volume Suppl 6, Pages 1405-1411. 1996.

Bois, F.; Gelman, A.; Jiang, J.; Maszle, D.; Zeise, L.; Alexeef, G. "Population toxicokinetics of tetrachloroethylene." *Archives of Toxicology*, Volume 70, Pages 347-355. 1996.

Hauck, W.; Hyslop, T.; Anderson, S.; Bois, F.; Tozer, T. "Statistical and regulatory considerations for multiple measures in bioequivalence testing." *Clinical Research and Regulatory Affairs*, Volume 12, Pages 249-265. 1995.

Bois, F.; Krowech, G.; Zeise, L. "Human interindividual variability in metabolism and risk: the example of 4-aminobiphenyl." *Risk Analysis*, Volume 15, Pages 205-213. 1995.

8.2. Pollutant Fate and Transport Modeling

Veltman, K.; McKone, T.E.; Huijbregts, M.; Hendricks, A.J. "Bioaccumulation Potential Of Air Contaminants: Combining Biological Allometry, Chemical Equilibrium And Mass-Balances To Predict Accumulation Of Air Pollutants In Various Mammals." Submitted to *Journal of Toxicology and Applied Pharmacology*. 2009. LBNL-2385E.

Rosenbaum, R.K.; McKone, T.E.; Jolliet, O. "CKow A More Transparent and Reliable Model for Chemical Transfer to Meat and Milk." Submitted to *Environmental Science and Technology*. 2009. LBNL-2370E.

McKone, T.E.; Thibodeaux, L.J.; Mackay, D. "Mass Transport within Soils." *Environmental Mass Transfer Handbook*. 2009. LBNL-2518E.

Daria Kibanova; Javiera Cervini-Silva; Hugo Destailats. "Efficiency of clay-TiO₂ nanocomposites on the photocatalytic elimination of a model hydrophobic air pollutant." Submitted to *Environmental Science & Technology*. 2009. LBNL-2284E.

Demou, E.; Hellweg, S.; Wilson, M.P.; Hammond, K.S.; McKone, T.E. "Evaluating indoor exposure modeling alternatives for LCA: A case study in the vehicle repair industry." *Environmental Science and Technology*, Volume 43, Pages 5804-5810. 2009. LBNL-2404E.

- Schenker, U.; Scheringer, M.; Sohn, M.D.; Maddalena, R.L.; McKone, T.E.; Hungerbühler, K. "Using Information on Uncertainty to Improve Environmental Fate Modeling: A Case Study on DDT." *Environmental Science and Technology*, Volume 43, Pages 128-134. 2008. LBNL-2420E.
- Redding, L.E.; Sohn, M.D.; McKone, T.E.; Wang, S.L.; Hsieh, D.P.H.; Yang, R.S.H. "Population Physiologically-Based Pharmacokinetic Modeling for the Human Lactational Transfer of PCB 153 with Consideration of Worldwide Human Biomonitoring Results." *Environmental Health Perspectives*, Volume 116, Pages 1629-1634. 2008. LBNL-2383E.
- McKone, T.E.; Ryan, P.B.; Ozkaynak, H. "Exposure Information in Environmental Health Research: Current Opportunities and Future Directions for Particulate Matter, Ozone, and Toxic Air Pollutants." *Journal of Exposure Science and Environmental Epidemiology*, Volume doi: 10.1038/jes.2008.3 In Press. 2008. LBNL-87E.
- Randy L. Maddalena; Hugo Destailats; Marion L. Russell; Alfred T. Hodgson; Thomas E. McKone. "Indoor pollutants emitted by electronic office equipment." *Indoor Air* 2008. 2008. LBNL-2283E.
- Lobscheid, A.B.; McKone, T.E.; Valleroc, D.A. "Exploring relationships between outdoor air particulate-associated polycyclic aromatic hydrocarbon and PM2.5: A case study of benzo(a)pyrene in California metropolitan regions." *Atmospheric Environment*, Volume 41, Pages 5659-5672. 2008. LBNL-514E.
- Kobayashi, R.; Okamoto, R.A.; Maddalena, R.L.; Kado, N.Y. "Polycyclic aromatic hydrocarbons in edible grain: A pilot study of agricultural crops as a human exposure pathway for environmental contaminants using wheat as a model crop." *Environmental Research*, Volume 107, Pages 145-151. 2008.
- Kibanova, D.; Trejo, M.; Destailats, H.; Cervini-Silva, J. "Synthesis of Hectorite-TiO₂ and Kaolinite-TiO₂ Nanocomposites with Photocatalytic Activity for the Degradation of Model Air Pollutants." *Applied Clay Science*, Volume doi:10.1016/j.clay.2008.03.009. In press. 2008. LBNL-748E.
- Hellweg, S.; Demou, E.; Bruzzi, R.; Meijer, A.; Rosenbaum, R.K.; Huijbregts, M.A.J.; McKone, T.E. "Integrating Human Indoor Air Pollutant Exposure within Life Cycle Impact Assessment." *Environmental Science and Technology*, Volume 43, Pages 1670-1679. 2008. LBNL-2375E.
- Destailats, H.; Maddalena, R.L.; Singer, B.C.; Hodgson, A.T.; McKone, T.E. "Indoor pollutants emitted by office equipment: A review of reported data and information needs." *Atmospheric Environment*, Volume 42, Pages 1371-1388. 2008. LBNL-62082.
- Singer, B.C.; Hodgson, A.T.; Hotchi, T.; Ming, K.Y.; Sextro, R.G.; Wood, E. E.; Brown, N.J. "Sorption of organic gases in residential rooms." *Atmospheric Environment*, Volume 41, Pages 3251-3265. 2007. LBNL-59303.
- McKone, T.E.; Maddalena, R.L. "Plant Uptake of Organic Pollutants from Soil: Bioconcentration Estimates Based on Models and Experiments-Review." *Environmental Toxicology and Chemistry*, Volume 26, Pages 2494-504. 2007.
- Maddalena, R. L.; MacLeod, M.; mckone T.E. "Plant Uptake of Organic Pollutants from Soil: Model Performance Evaluation." *Environmental Toxicology and Chemistry*, Volume 26, Pages 2494-504. 2007. LBNL-60273.
- Mckone, T.E.; Kyle, A. D.; Jolliet, O.; Olsen, S. I.; Hauschild, M. "Dose-response modeling for life cycle impact assessment, Findings of the Portland Review Workshop." *International Journal of Life Cycle Assessment*, Volume 11, Pages 209-212. 2006. LBNL-60749.
- Maddalena, R. L.; Kulakow, P. "Background Air Component of Measured Vegetation/Soil Bioconcentration Ratios." 2006. LBNL-57770.
- MacLeod, M.; Mckone, T.E.; Mackay, D. "A Mass Balance for Mercury in the San Francisco Bay Area." *Environmental Science and Technology*, Volume 39, Pages 6721-6729. 2006. LBNL-57854.
- Marshall, J.D.; McKone, T.E.; Deakin, E.A.; Nazaroff, W.W. "Inhalation of motor vehicle emissions: Effects of urban population and area." *Atmospheric Environment*, Volume 39, Pages 283-295. 2005. LBNL-55458.

- MacLeod, M.; Riley, W.J.; McKone T.E. "Modeling transport and deposition of level 1 substances to the great lakes." 2005. LBNL-56801.
- MacLeod, M.; Riley, W.J.; McKone, T. E. "Assessing the Influence of Climate Variability on Atmospheric Concentrations of Persistent Organic Pollutants Using a Global-Scale Mass Balance Model (BETR-Global)." *Environmental Science & Technology*, Volume 39, Pages 6749-6756. 2005. LBNL-57704.
- MacLeod, M.; McKone, T. E.; Fenner, K.; Scheringer, M.; Matthies, M.; Stroebe, M.; Beyer, A.; Bonnell, M.; Le Gall, A.C.; Klasmeier, J.; Mackay, D.; van de Meent, D.; Pennington, D.; Scharenberg, B.; Suzuki, N.; Wania, F. "Comparing estimates of persistence and long-range transport potential among multimedia models." *Environmental Science & Technology*, Volume 39, Pages 1932 -1942. 2005. LBNL-54848.
- MacLeod, M.; McKone, T. E. "Identifying POP-like behavior in screening assessments of organic chemicals." *Environmental Science & Technology*, Volume 40, Pages 53-60. 2005. LBNL-54849.
- Toose, L.; Woodfine, D.G.; MacLeod, M.; Mackay, D.; Gouin, J. "BETR-World: A geographically explicit model of chemical fate - application to transport of a-HCH to the Artic." *Environmental Pollution*, Volume 128, Pages 223-240. 2004. LBNL-54148.
- Prevedouros, K.; MacLeod, M.; Jones, K.C.; Sweetman, A.J. "Modelling the fate of persistent organic pollutants in Europe: Parameterisation of a gridded distribution model." *Environmental Pollution*, Volume 128, Pages 251-261. 2004. LBNL-54147.
- MacLeod, M.J.; McKone,T.E.; Foster, K.L.; Maddalena, R.L.; Parkerton, T.F.; Mackay, D. "Applications of contaminant fate and bioaccumulation models in assessing ecological risks of chemicals: A case study for gasoline hydrocarbons." *Environmental Science & Technology*, Volume 38, Pages 6225 -6233. 2004. LBNL-54630.
- MacLeod, M.; Mackay, D. "Modeling transport and deposition of contaminants to ecosystems of concern: A case study for the Laurentian Great Lakes." *Environmental Pollution*, Volume 128, Pages 241-250. 2004. LBNL-54149.
- MacLeod, Matthew. "Overall multi-media persistence as an indicator of potential for population-level intake of environmental contaminants." *Environmental Toxicology and Chemistry*, Volume 23, Pages 2465-2472. 2004. LBNL-53245.
- Lobscheid, A.B.; McKone, T.E. "Constraining uncertainties about the sources and magnitude of polycyclic aromatic hydrocarbon (PAH)levels in ambient air: the State of Minnesota as a case study." *Atmospheric Environment*, Volume 38, Pages 5501-5515. 2004. LBNL-54473.
- Fenner, K.; MacLeod, M.; Stroebe, M.; Beyer, A.; Scheringer, M.; Claudia Pahl-Wostl; Sonja Schmidt; Andrea E. Rizzoli; Anthony J. Jakeman. "Relative importance of model and parameter uncertainty in models used for prediction of persistence and long-range transport potential of chemical pollutants." 2nd Biennial Meeting of the International Environmental Modelling and Software Society, Volume 3, Pages 1229-1234. 2004. LBNL-54846.
- Scheringer, M.; McKone T.E. "Is there a "forest filter effect" for airborne organic pollutants? A SERRA journal forum." *Stochastic Environmental Research and Risk Assessment*, Volume 17, Pages 229-230. 2003. LBNL-53456.
- McKone, T.E.; MacLeod, M.J. "Tracking Multiple Pathways of Human Exposure to Persistent Multimedia Pollutants: Regional, Continental, and Global Scale Models." *Annual Review of Environment and Resources*, Volume 28, Pages 11. 2003. LBNL-52193.
- McKone, T.E.; Bennett, D.H. "Chemical-specific representation of air-soil exchange and soil penetration in regional multimedia models." *Environmental Science and Technology*, Volume 37, Pages 3123-3132. 2003. LBNL-46693.

Marshall, J.; Riley, W.J.; McKone, T.E.; Nazaroff, W.W. "Intake fraction of primary pollutants: Motor vehicle emissions in the South Coast Air Basin." *Atmospheric Environment*, Volume 37, Pages 3455-3468. 2003. LBNL-53457.

McKone, T.E.; Thatcher, T.L.; Fisk, W.J.; Sextro, R.G.; Sohn, M.D.; Delp, W.W.; Riley, W.J. "Factors affecting the concentration of outdoor particles indoors: existing data and data needs." *Proceedings of the Indoor Air 2002 Conference*, Monterey, CA, Volume 1, Pages 176-181, Indoor Air 2002, Santa Cruz, CA. 2002. LBNL-49570.

Maddalena, R.L.; McKone, T.E.; Kado, N.Y. "Exposure chamber measurements of mass transfer and partitioning at the plant/air interface." *Environmental Science & Technology*, Volume 36, Pages 3577-3585. 2002. LBNL-50569.

Bennett, D. H.; Mckone, T.E.; Evans, J.S.; Nazaroff, W.W.; Margni, M.D.; Jolliet, O.; Smith, K.R. "Defining intake fraction." *Environmental Science & Technology*, Volume 36, Pages 207A-211A, I. 2002. LBNL-50501.

Bennett, D.H.; Margni, M.D.; McKone, T.E.; Jolliet, O. "Intake Fraction for Multimedia Pollutants: A Tool for Life Cycle Analysis and Comparative Risk Assessment." *Risk Analysis*, Volume 22, Pages 903-916. 2002. LBNL-47253.

McKone, T.E.; A.B. Bodnar; E.G. Hertwich. "Development and evaluation of state-specific landscape data sets for multimedia source-to-dose models." 2001. LBNL-43722.

MacLeod, M.; D.G. Woodfine; D. Mackay; T.E. McKone; D.H. Bennett; R.L. Maddalena. "BETR North America: A regionally segmented multimedia contaminant fate model for North America." *Environmental Science & Pollution Research*, Volume 8, Pages 156-163. 2001. LBNL-50571.

Bennett, D.H.; Scheringer, M.; McKone, T.E.; Hungerbühler, K. "Predicting Long Range Transport: A Systematic Evaluation of Two Multimedia Transport Models." *Environmental Science & Technology*, Volume 35, Pages 1181-1189. 2001. LBNL-45690.

Bennett, D.H.; McKone, T.E.; Kastenberg, W.E.; Schwalbe, C.A.; Paustenbach, D. "Characteristic time, characteristic travel distance, and population based dose in a multimedia environment: A case study." *Human & Ecological Risk Assessment: Theory and Practice*, Volume Chapter 11, Pages 619-643, John Wiley and Sons. 2001. LBNL-45815.

van de Meent, D.; T.E. McKone; Parkerton, T.; Matthies, M.; Scheringer, M.; Wania, F.; Purdy, R; Bennett, D.H.; Klecka, G.M., Boethling, R.S.; Franklin, J., Graham, D., Grady, Jr., L., Howard, P., Kannan, K., Larson, R., Mackay, D., Muir, D.C.G., van de Meent, D. "Persistence and Transport Potential of Chemicals In A Multimedia Environment." Chapter 5 in the book, *Persistence and Long-Range Transport of Organic Chemicals in the Environment: Guidelines and Criteria for Evaluation and Assessment*, SETAC Press, Pensacola, FL. 2000. LBNL-43719.

Scheringer, M.; Bennett, D.H.; McKone, T. E.; Hugerbuhler, K.; Lipnick, R.L., Janson, B., Mackay, D., Petreas, M. "Relationship between Persistence and Spatial Range of Environmental Chemicals. ACS Symposium Series 773." *Persistent, Bioaccumulative, Toxic Chemicals II Assessment and New Chemicals*, American Chemical Society, Washington, DC. 2000. LBNL-44343.

Maddalena, R.L.; McKone, T. E.; Hsieh, D.P.H.; Geng, S. "Influential Parameter Classification in Probabilistic Multimedia Models." *Stochastic Environmental Research and Risk Assessment*, Volume 15, Pages 1-17. 2000. LBNL-43335.

Bennett, D.H.; T. E. McKone; W. E. Kastenberg; Lipnick, R.L., Janson, B., Mackay, D., Petreas, M. "CART screening level analysis of characteristic time – a case study. ACS Symposium Series 773." *Persistent, Bioaccumulative, Toxic Chemicals II Assessment and New Chemicals*, American Chemical Society, Washington, DC. 2000. LBNL-43721.

Bennett, D.H.; T.E. McKone; W.E. Kastenberg. "Evaluating multimedia chemical persistence in a multimedia environment: A CART analysis." *Environmental Toxicology and Chemistry*, Volume 19, Pages 810-819. 2000. LBNL-42897.

Bennett, D.H. "Population based dose models for multimedia chemicals with the potential for long range transport, May 2000." 2000. LBNL-45879 .

Klecka, G.M.; D. Mackay; R.S. Boethling; T.E. McKone. "Evaluation of persistence and long-range transport of organic chemicals in the environment: summary of a SETAC Pellston workshop." *Environmental Toxicology and Chemistry*, Volume 18. 1999. LBNL-43720.

Hertwich, E.G.; T.E. McKone; W. S. Pease. "Parameter uncertainty and variability in evaluative fate and exposure models." *Risk Analysis*, Volume 19, Pages 1193-1204. 1999. LBNL-43718 .

McKone, T.E.; A.B. Bodnar. "Improved Landfill Simulations Based on the CalTOX Framework." 1998. LBNL-41929.

Bennett, D.H.; T.E. McKone; M. Matthies; W.E. Kastenberg. "General formulation of characteristic travel distance for semivolatile chemicals in a multimedia environment." *Environmental Science and Technology*, Volume 32, Pages 4023-4030. 1998. LBNL-43715.

Bennett, D.H.; James, A. L.; McKone, T. E.; Oldenburg, C. M. "On uncertainty in remediation analysis: variance propagation for subsurface transport to exposure modeling." *Reliability Engineering and System Safety*, Volume 62. 1998. LBNL-41335.

9. Other

Mendell, M.J.; Lei-Gomez, Q.; Mirrer, A.; Seppanen, O.; Brunner, G. "Risk factors in heating, ventilating, and air-conditioning systems for occupant symptoms in U.S. office buildings: the U.S. EPA BASE study." *Indoor Air*, Volume 18, Pages 301-316. 2008. LBNL-61870.

Beard, D.P.; Wray, C.P. "Preliminary Report: Green the Capitol Initiative." 2007.

Beard, D.P. "Final Report: Green the Capitol Initiative." 2007.

White, R.M.; Apte, M.G.; Gundel, L.A. "Development of a low-cost particulate matter monitor." 2006.

Singer, B.C.; Coleman, B.K.; Destailats, H.; Hodgson, A.T.; Lunden, M.M.; Weschler, C.J.; Nazaroff, W.W. "Indoor secondary pollutants from cleaning product and air freshener use in the presence of ozone." *Atmospheric Environment*, Volume 40, Pages 6696-6710. 2006. LBNL-59308.

Shaughnessy, R.J.; Sextro, R.G. "What is an Effective Air Cleaning Device? A Review." *Journal of Occupational and Environmental Hygiene*, Volume 3, Pages 169-181. 2006.

Mendell, M. J.; Cozen, M.C.; Lei-Gomez, Q.; Brightman, H.S. "Indicators of moisture and microbial contamination in U.S. office buildings as risk factors for respiratory and mucous membrane symptoms: analyses of the EPA BASE data." *Journal of Occupational and Environmental Hygiene*, Volume 3, Pages 225-233. 2006.

Lunden, M.M.; Black, D.R.; McKay, M.; Revzan, K.L.; Goldstein, A.H.; Brown, N.J. "Characteristics of fine particle growth events observed above a forested ecosystem in the Sierra Nevada Mountains of California." *Aerosol Science and Technology*, Volume 40, Pages 373-388. 2006. LBNL 58135.

Akbari, H.A.; Wray, C.P.; Levinson, R.M.; Xu, T.T. "Inclusion of Solar Reflectance and Thermal Emittance Prescriptive Requirements for Steep-Sloped Nonresidential Roofs in Title 24." 2006. LBNL-60331.

Wray, C.P. "The Opportunity to Improve a Critical Conduit for Energy Efficiency: Air Distribution Systems in Commercial Buildings." 2005.

Kalantzi, O.I.; Brown, R.; Erdmann, C.; Caleffi, M.; Goth-Goldstein, R.; Petreas, M. "Polybrominated diphenyl ethers (PBDEs) in human breast adipose tissue samples from Brazil." *Organohalogen Compounds*, Volume 67, Pages 479-481. 2005.

Gundel, L.A.; Sextro, R.G.; L.S. Ruzer; N.H. Harley. "Aerosol physics and chemistry: indoor perspective, Chapter 10." *Aerosol Handbook: Measurement, Dosimetry and Health Effects*, Pages 189-224, CRC Press. 2005.

Gundel, L.A.; Apte, M.G. "Particle sensors for the twenty-first century." *Conferences on Advanced Technology Needs- Environmental Sentinels 2005, SA4/Business & Institutional Management, JSC Space Life Sciences*. 2005.

Wray, C.P. "Duct Thermal Performance Models for Large Commercial Buildings." *Air Information Review, AIVC*, Volume 26, Pages 5-6. 2004. LBNL-58661.

Wenzel, T.P.; Singer, B.C.; Slott, R.L.; Stedman, D.H. "Short-term emissions deterioration in the California and Phoenix I/M programs." *Transportation Research*, Volume D 9, Pages 107-124. 2004. LBNL-52169.

Mendell, M. J.; Heath, G. "A Summary of Scientific Findings on Adverse Effects of Indoor Environments on Students' Health, Academic Performance and Attendance." 2004.

Lunden, M.M.; Black, D.R.; Brown, N.J. "Characterizing the Formation of Secondary Organic Aerosols Interim Report." 2004.

Gundel, L.A.; Lane, D.A.; Volckens, J.; Richard, T. "Sampling issues related to organic speciation of PM and SVOC." *International Workshop on Organic Speciation in Atmospheric Aerosol Research*, Pages 7-21, Office of Community Services, Fort Lewis, Durango, CO. 2004.

Black, D.R.; Thatcher, T.L.; Sextro, R.G.; Delp, W.W.; Chang, S.C.; Wood, E. E.; Deputy, J.C.; Hotchi, T.; Sippola, M.R.; Sullivan, D.P. "Joint Urban 2003: Indoor Measurements Final Data Report." 2004. LBNL 55424.

Apte, M.G.; Gundel, L.A.; Hammond, S.K.; Dod, Ray; Russell, M.L.; Singer, B.C.; Sohn, M.D.; Sullivan, D.P.; Chang, G.M.; Sextro, R.G. "Indoor measurements of environmental tobacco smoke." 2004. LBNL-49148.

Abushakra, B.; Walker, I.S.; Sherman, M.H. "Compression Effects on Pressure Loss in Flexible HVAC Ducts." HVAC&R Research Journal, Volume 10, Pages 275-290. 2004. LBNL 49012.

Koomey, J.; Craig, P.; Gadgil, A.J.; Lorenzetti, D. "Improving Forecasting: A plea for historical retrospectives." The Energy Journal, Volume 24, Pages 75-92. 2003. LBNL-52448.